Lisa Cummins ROCH HILLS COOP 1000 Rochester Hills Rochester Hills, MI 48309 Phone: 248-841-2537 Prepared by:
Steven Sexton
WOLVERINE FREIGHTLINER
EASTSIDE INC
107 SOUTH GROESBECK
HIGHWAY
MOUNT CLEMENS, MI 48043
Phone:

### SPECIFICATION PROPOSAL

| Data         | Code      | Description   |
|--------------|-----------|---|
| Price Level  |           |   |
| PRL-         | 26M       | M2 PRL-26M (EFF:7/26/21)  |
| Data Version | า         |   |
| DRL-         | 047       | SPECPRO21 DATA RELEASE VER 047  |
| Vehicle Con  | figuratio | on  |
| 001-1        | 72        | M2 106 CONVENTIONAL CHASSIS   |
| 004-2        | 223       | 2024 MODEL YEAR SPECIFIED, with speculative pricing   |
| 002-0        | 004       | SET BACK AXLE - TRUCK   |
| 019-0        | 002       | STRAIGHT TRUCK PROVISION  |
| 003-0        | 001       | LH PRIMARY STEERING LOCATION  |
| General Serv | vice      |   |
| AA1-         | 002       | TRUCK CONFIGURATION   |
| AA6-         | 002       | DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)                                    |
| A85-0        | 006       | RESCUE AND EMERGENCY SERVICE  |
| A84-1        | 1EV       | EMERGENCY VEHICLES BUSINESS SEGMENT   |
| AA4-         | 011       | FIXED LOAD COMMODITY  |
| AA5-         | 002       | TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS                       |
| AB1-         | 800       | MAXIMUM 8% EXPECTED GRADE   |
| AB5-         | 001       | SMOOTH CONCRETE OR ASPHALT PAVEMENT -<br>MOST SEVERE IN-TRANSIT (BETWEEN SITES)<br>ROAD SURFACE |
| 995-0        | 91        | MEDIUM TRUCK WARRANTY   |
| A66-9        | 99D       | EXPECTED FRONT AXLE(S) LOAD: 8000.0 lbs   |
| A68-9        | 99D       | EXPECTED REAR DRIVE AXLE(S) LOAD: 17500.0 lbs   |



Lisa Cummins ROCH HILLS COOP 1000 Rochester Hills Rochester Hills, MI 48309 Phone: 248-841-2537

|          | Data Code    | Description   |
|----------|--------------|---|
|          | A63-99D      | EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 25500.0 lbs                                  |
| Truck \$ | Service      |   |
|          | AA3-024      | AMBULANCE BODY  |
|          | A89-99D      | BRAKING-EXPECTED CAB TO BODY<br>CLEARANCE: 23.0 in                                    |
|          | AF3-308      | REV RTC   |
|          | RTK-1AA      | APPROVAL TO SHARE SPEC WITH TEM   |
|          | AF7-99D      | EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 in                      |
| Engine   | •            |   |
|          | 101-22C      | CUM B6.7 300EV HP @ 2600 RPM, 2600 GOV, 660<br>LB-FT @ 1600 RPM, R/F/E                |
| Electro  | nic Paramete | ers   |
|          | 79A-078      | 78 MPH ROAD SPEED LIMIT   |
|          | 79B-000      | CRUISE CONTROL SPEED LIMIT SAME AS ROAD<br>SPEED LIMIT                                |
|          | 80J-002      | REGEN INHIBIT SPEED THRESHOLD - 5 MPH   |
| Engine   | Equipment    |   |
|          | 99C-021      | 2010 EPA/CARB/GHG21 CONFIGURATION   |
|          | 99D-010      | NO 2008 CARB EMISSION CERTIFICATION   |
|          | 13E-001      | STANDARD OIL PAN  |
|          | 105-001      | ENGINE MOUNTED OIL CHECK AND FILL   |
|          | 014-099      | SIDE OF HOOD AIR INTAKE WITH FIREWALL<br>MOUNTED DONALDSON AIR CLEANER                |
|          | 124-1E7      | DR 12V 275 AMP 40-SI BRUSHLESS PAD<br>ALTERNATOR WITH REMOTE BATTERY<br>VOLTAGE SENSE |
|          | 292-205      | (2) DTNA GENUINE, FLOODED STARTING, MIN<br>1900CCA, 350RC, THREADED STUD BATTERIES    |
|          | 290-017      | BATTERY BOX FRAME MOUNTED   |
|          | 281-001      | STANDARD BATTERY JUMPERS  |
|          | 282-003      | SINGLE BATTERY BOX FRAME MOUNTED LH<br>SIDE BACK OF CAB                               |
|          | 291-017      | WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN             |
|          | 289-001      | NON-POLISHED BATTERY BOX COVER  |
|          | 107-032      | CUMMINS TURBOCHARGED 18.7 CFM AIR<br>COMPRESSOR WITH INTERNAL SAFETY VALVE            |
|          | 108-002      | STANDARD MECHANICAL AIR COMPRESSOR<br>GOVERNOR  |



Prepared for: Lisa Cummins ROCH HILLS COOP

ROCH HILLS COOP 1000 Rochester Hills Rochester Hills, MI 48309 Phone: 248-841-2537

| D   | Data Code | Description   |
|-----|-----------|---|
| 1   | 31-013    | AIR COMPRESSOR DISCHARGE LINE   |
| 1   | 52-039    | GVG, FIRE AND EMERGENCY SERVICE<br>VEHICLES ENGINE WARNING  |
| 1   | 28-1AR    | CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF WITH BRAKE LAMPS  |
| 0   | 016-1DC   | RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE EXITING FORWARD OF REAR TIRES    |
| 2   | 28F-007   | ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND DASH MOUNTED SINGLE REGENERATION REQUEST/INHIBIT SWITCH |
| 2   | 239-001   | STANDARD EXHAUST SYSTEM LENGTH  |
| 2   | 237-022   | RH HORIZONTAL TAILPIPE, EXIT FORWARD OF REAR TIRES  |
| * 2 | 23U-001   | 6 GALLON DIESEL EXHAUST FLUID TANK  |
| 3   | 30N-003   | 100 PERCENT DIESEL EXHAUST FLUID FILL   |
| 4   | 3X-002    | LH MEDIUM DUTY STANDARD DIESEL EXHAUST<br>FLUID TANK LOCATION   |
| 2   | 23Y-001   | STANDARD DIESEL EXHAUST FLUID PUMP<br>MOUNTING  |
| 4   | 3Y-001    | STANDARD DIESEL EXHAUST FLUID TANK CAP  |
| 2   | 273-058   | AIR POWERED ON/OFF ENGINE FAN CLUTCH  |
| 2   | 276-002   | AUTOMATIC FAN CONTROL WITH DASH<br>SWITCH AND INDICATOR LIGHT, NON ENGINE<br>MOUNTED  |
| 1   | 10-003    | CUMMINS SPIN ON FUEL FILTER   |
| 1   | 18-001    | FULL FLOW OIL FILTER  |
| 2   | 266-100   | 700 SQUARE INCH ALUMINUM RADIATOR   |
| 1   | 03-039    | ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT   |
| 1   | 71-007    | GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT   |
| 1   | 72-001    | CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES  |
| 2   | 270-016   | RADIATOR DRAIN VALVE  |
| 1   | 68-002    | LOWER RADIATOR GUARD  |
| 1   | 38-010    | PHILLIPS-TEMRO 750 WATT/115 VOLT BLOCK<br>HEATER  |
| 1   | 40-022    | CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR   |
| 1   | 34-001    | ALUMINUM FLYWHEEL HOUSING   |



Prepared for: Lisa Cummins ROCH HILLS COOP

1000 Rochester Hills Rochester Hills, MI 48309 Phone: 248-841-2537

| Data Code         | Description  |
|-------------------|--|
| 132-004           | ELECTRIC GRID AIR INTAKE WARMER  |
| 155-057           | DELCO 12V 29MT STARTER WITH INTEGRATED MAGNETIC SWITCH   |
| Transmission      |  |
| 342-1MR           | ALLISON 2200 EVS AUTOMATIC TRANSMISSION WITH PARK PAWL WITH PTO PROVISION (includes 5yr/unl miles warranty, std)                       |
| Transmission Equi | pment  |
| 343-301           | ALLISON VOCATIONAL PACKAGE 354 -<br>AVAILABLE ON 1000/2000 PRODUCT FAMILIES<br>WITH VOCATIONAL MODELS RDS, EVS, HS, MH,<br>PTS AND SPS |
| 84B-003           | ALLISON VOCATIONAL RATING FOR FIRE<br>TRUCK/EMERGENCY VEHICLE APPLICATIONS<br>AVAILABLE WITH ALL PRODUCT FAMILIES                      |
| 84C-003           | PRIMARY MODE GEARS, 5 FORWARD GEARS<br>WITH MANUAL SELECTION FOR 3, 2 AND 1,<br>AVAILABLE FOR 1000/2000 PRODUCT FAMILIES<br>ONLY       |
| 84E-000           | PRIMARY SHIFT SCHEDULE RECOMMENDED BY<br>DTNA AND ALLISON, THIS DEFINED BY ENGINE<br>AND VOCATIONAL USAGE                              |
| 84F-000           | SECONDARY SHIFT SCHEDULE<br>RECOMMENDED BY DTNA AND ALLISON, THIS<br>DEFINED BY ENGINE AND VOCATIONAL USAGE                            |
| 84G-000           | PRIMARY SHIFT SPEED RECOMMENDED BY<br>DTNA AND ALLISON, THIS DEFINED BY ENGINE<br>AND VOCATIONAL USAGE                                 |
| 84H-000           | SECONDARY SHIFT SPEED RECOMMENDED BY<br>DTNA AND ALLISON, THIS DEFINED BY ENGINE<br>AND VOCATIONAL USAGE                               |
| 84J-000           | ENGINE BRAKE RANGE PRESELECT<br>RECOMMENDED BY DTNA AND ALLISON, THIS<br>DEFINED BY ENGINE AND VOCATIONAL USAGE                        |
| 84K-000           | ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE                    |
| 84N-200           | FUEL SENSE 2.0 DISABLED - PERFORMANCE -<br>TABLE BASED   |
| 84U-000           | DRIVER SWITCH INPUT - DEFAULT - NO<br>SWITCHES   |
| 353-022           | VEHICLE INTERFACE WIRING CONNECTOR WITHOUT BLUNT CUTS, AT BACK OF CAB  |
| 34C-001           | ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED   |



Lisa
Cummins
ROCH HILLS COOP

1000 Rochester Hills Rochester Hills, MI 48309 Phone: 248-841-2537

**Data Code** 

Description

Prepared by:
Steven Sexton
WOLVERINE FREIGHTLINER
EASTSIDE INC
107 SOUTH GROESBECK
HIGHWAY
MOUNT CLEMENS, MI 48043
Phone:

| Data Code          | Description   |
|--------------------|---|
| 341-018            | MAGNETIC PLUGS, ENGINE DRAIN,<br>TRANSMISSION DRAIN, AXLE(S) FILL AND<br>DRAIN            |
| 345-074            | DASH MOUNTED T-HANDLE CABLE SHIFT<br>CONTROL WITH PARK POSITION FOR INTERNAL<br>PARK PAWL |
| 97G-006            | TRANSMISSION PROGNOSTICS - DISABLED (N/A) 2013, FOR USE IN 1000/2000 ONLY                 |
| 370-015            | WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK                                    |
| 346-001            | TRANSMISSION OIL CHECK AND FILL   |
| 35T-001            | SYNTHETIC TRANSMISSION FLUID (TES-295<br>COMPLIANT)                                       |
| Front Axle and Equ | ipment  |
| 400-1EW            | DETROIT DA-F-8.0-3 8,000# FF1 71.5 KPI/3.74<br>DROP SINGLE FRONT AXLE                     |
| 402-021            | MERITOR 15X5 Q+ CAST SPIDER CAM FRONT<br>BRAKES, DOUBLE ANCHOR, FABRICATED<br>SHOES       |
| 403-026            | FIRE AND EMERGENCY SEVERE SERVICE, NON-ASBESTOS FRONT LINING                              |
| 419-023            | CONMET CAST IRON FRONT BRAKE DRUMS  |
| 409-006            | FRONT OIL SEALS   |
| 408-001            | VENTED FRONT HUB CAPS WITH WINDOW,<br>CENTER AND SIDE PLUGS - OIL                         |
| 416-022            | STANDARD SPINDLE NUTS FOR ALL AXLES   |
| 405-003            | HALDEX AUTOMATIC FRONT SLACK<br>ADJUSTERS   |
| 536-050            | TRW THP-60 POWER STEERING   |
| 539-003            | POWER STEERING PUMP   |
| 534-015            | 2 QUART SEE THROUGH POWER STEERING<br>RESERVOIR   |

# Front Suspension

40T-002

| 620-032 | 8,000# TAPERLEAF FRONT SUSPENSION                   |
|---------|---|
| 619-005 | MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION |
| 410-001 | FRONT SHOCK ABSORBERS                               |

CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE

### **Rear Axle and Equipment**

\* 420-1GH DETROIT DA-RS-17.5-4 17,500# R-SERIES SINGLE REAR AXLE



Lisa Cummins ROCH HILLS COOP 1000 Rochester Hills Rochester Hills, MI 48309 Phone: 248-841-2537 Prepared by:
Steven Sexton
WOLVERINE FREIGHTLINER
EASTSIDE INC
107 SOUTH GROESBECK
HIGHWAY
MOUNT CLEMENS, MI 48043
Phone:

| Data Code       | Description   |
|-----------------|---|
| 421-456         | 4.56 REAR AXLE RATIO  |
| 424-001         | IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING   |
| 386-079         | MXL 16T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES                              |
| 452-001         | DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE                                      |
| 878-018         | (1) DRIVER CONTROLLED DIFFERENTIAL LOCK<br>REAR VALVE FOR SINGLE DRIVE AXLE                     |
| 87B-004         | BLINKING LAMP WITH EACH MODE SWITCH,<br>DIFFERENTIAL UNLOCK WITH IGNITION OFF,<br>ACTIVE <5 MPH |
| 423-028         | MERITOR 15X8.62 Q+ CAST SPIDER CAM REAR<br>BRAKES, DOUBLE ANCHOR, FABRICATED<br>SHOES           |
| 433-025         | FIRE AND EMERGENCY SEVERE SERVICE NON-<br>ASBESTOS REAR BRAKE LINING                            |
| 434-005         | BRAKE CAMS AND CHAMBERS ON FORWARD<br>SIDE OF DRIVE AXLE(S) WITH AUXILIARY<br>SUPPORT BRACKETS  |
| 451-001         | CAST IRON OUTBOARD REAR BRAKE DRUMS   |
| 440-006         | REAR OIL SEALS  |
| 426-1B2         | BENDIX EVERSURE LONGSTROKE 1-DRIVE<br>AXLE SPRING PARKING CHAMBERS                              |
| 428-003         | HALDEX AUTOMATIC REAR SLACK ADJUSTERS   |
| 41T-002         | CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE   |
| Rear Suspension |   |
| 622-282         | AIRLINER 18,000# REAR SUSPENSION  |
| 621-007         | AIRLINER HIGH POSITION RIDE HEIGHT  |
| 431-001         | STANDARD AXLE SEATS IN AXLE CLAMP<br>GROUP  |
| 910-001         | SINGLE AIR REAR SUSPENSION LEVELING<br>VALVE  |
| 623-002         | TRANSVERSE CONTROL RODS   |
| 439-004         | REAR SHOCK ABSORBERS - ONE AXLE (AIR RIDE SUSPENSION)   |
| Brake System    |   |
| 018-002         | AIR BRAKE PACKAGE   |
| 490-100         | WABCO 4S/4M ABS   |



REINFORCED NYLON, FABRIC BRAID AND WIRE

**BRAID CHASSIS AIR LINES** 

871-001

Lisa Cummins ROCH HILLS COOP 1000 Rochester Hills Rochester Hills, MI 48309 Phone: 248-841-2537

| Data Code                  | Description  |
|----------------------------|--|
| 904-001                    | FIBER BRAID PARKING BRAKE HOSE   |
| 412-001                    | STANDARD BRAKE SYSTEM VALVES   |
| 46D-001                    | STANDARD AIR SYSTEM PRESSURE<br>PROTECTION AND 85 PSI PRESSURE<br>PROTECTION FOR AIR HORN(S) |
| 413-002                    | STD U.S. FRONT BRAKE VALVE   |
| 432-003                    | RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,<br>NO REAR PROPORTIONING VALVE                      |
| 480-088                    | WABCO SYSTEM SAVER HP WITH INTEGRAL<br>AIR GOVERNOR AND HEATER                               |
| 479-003                    | AIR DRYER MOUNTED INBOARD ON LH RAIL   |
| 460-008                    | STEEL AIR BRAKE RESERVOIRS MOUNTED INSIDE RAIL   |
| 477-006                    | BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER<br>ON ALL TANK(S)                                    |
| <b>Trailer Connections</b> |  |
| 335-004                    | UPGRADED CHASSIS MULTIPLEXING UNIT   |
| 32A-002                    | UPGRADED BULKHEAD MULTIPLEXING UNIT  |
| Wheelbase & Frame          |  |
| 545-427                    | 4275MM (168 INCH) WHEELBASE  |
| 546-094                    | 9/32X3-7/16X10-1/16 INCH STEEL FRAME<br>(7.14MMX255.6/0.281X10.06 INCH) 80KSI                |
| 552-037                    | 1775MM (70 INCH) REAR FRAME OVERHANG   |
| 55W-006                    | FRAME OVERHANG RANGE: 61 INCH TO 70 INCH   |
| AC8-99D                    | CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 102.76 in  |
| AE8-99D                    | CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 79.76 in                       |
| AE4-99D                    | CALC'D FRAME LENGTH - OVERALL: 277.18 in   |
| FSS-0LH                    | CALCULATED FRAME SPACE LH SIDE: 57.66 in   |
| FSS-0RH                    | CALCULATED FRAME SPACE RH SIDE: 32.36 in   |
| 553-001                    | SQUARE END OF FRAME  |
| 550-001                    | FRONT CLOSING CROSSMEMBER  |
| 559-001                    | STANDARD WEIGHT ENGINE CROSSMEMBER   |
| 561-001                    | STANDARD CROSSMEMBER BACK OF<br>TRANSMISSION   |
| 562-001                    | STANDARD MIDSHIP #1 CROSSMEMBER(S)   |
| 572-001                    | STANDARD REARMOST CROSSMEMBER  |
| 565-001                    | STANDARD SUSPENSION CROSSMEMBER  |



Lisa Cummins ROCH HILLS COOP 1000 Rochester Hills Rochester Hills, MI 48309 Phone: 248-841-2537 Prepared by:
Steven Sexton
WOLVERINE FREIGHTLINER
EASTSIDE INC
107 SOUTH GROESBECK
HIGHWAY
MOUNT CLEMENS, MI 48043
Phone:

|         | Data Code    | Description  |
|---------|--------------|--|
| Chassi  | is Equipment |  |
|         | 556-1AR      | THREE-PIECE 14 INCH CHROMED STEEL<br>BUMPER WITH COLLAPSIBLE ENDS                                |
|         | 558-001      | FRONT TOW HOOKS - FRAME MOUNTED  |
|         | 574-001      | BUMPER MOUNTING FOR SINGLE LICENSE<br>PLATE  |
|         | 586-024      | FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS  |
|         | 551-007      | GRADE 8 THREADED HEX HEADED FRAME<br>FASTENERS   |
|         | 605-003      | LEVEL FRAME RAILS (+/- 1%) WHEN CHASSIS IS<br>LOADED TO FRONT AND REAR SUSPENSION<br>RATINGS     |
|         | 607-001      | CLEAR FRAME RAILS FROM BACK OF CAB TO<br>FRONT REAR SUSPENSION BRACKET, BOTH<br>RAILS OUTBOARD   |
| Fuel Ta | anks         |  |
|         | 204-206      | 42 GALLON/159 LITER SHORT RECTANGULAR<br>ALUMINUM FUEL TANK - LH                                 |
|         | 218-005      | RECTANGULAR FUEL TANK(S)   |
|         | 215-005      | PLAIN ALUMINUM/PAINTED STEEL<br>FUEL/HYDRAULIC TANK(S) WITH PAINTED<br>BANDS                     |
|         | 212-007      | FUEL TANK(S) FORWARD   |
|         | 664-001      | PLAIN STEP FINISH  |
|         | 205-001      | FUEL TANK CAP(S)   |
|         | 122-1J1      | DETROIT FUEL/WATER SEPARATOR WITH<br>WATER IN FUEL SENSOR, HAND PRIMER AND<br>12 VOLT PREHEATER" |
|         | 216-020      | EQUIFLO INBOARD FUEL SYSTEM  |
|         | 202-016      | HIGH TEMPERATURE REINFORCED NYLON<br>FUEL LINE   |
| Tires   |              |  |
|         | 093-0E5      | MICHELIN XZE 245/70R19.5 16 PLY RADIAL FRONT TIRES   |
|         | 094-1FT      | MICHELIN XDS2 245/70R19.5 16 PLY RADIAL<br>REAR TIRES  |
| Hubs    |              |  |
|         | 418-014      | WEBB IRON FRONT HUBS   |
| *       | 450-045      | CONMET PRESET IRON REAR HUBS   |
|         |              |  |



Wheels

Lisa Cummins ROCH HILLS COOP 1000 Rochester Hills Rochester Hills, MI 48309 Phone: 248-841-2537

|       | Data Code | Description   |
|-------|-----------|---|
|       | 502-1H2   | ALCOA 76542X 19.5X6.75 8-HUB PILOT 4.72<br>INSET 8-HAND ALUMINUM DISC FRONT<br>WHEELS                             |
|       | 505-1H2   | ALCOA 76542X 19.5X6.75 8-HUB PILOT 8-HAND<br>ALUMINUM DISC REAR WHEELS  |
|       | 524-022   | POLISHED DISC SIDE FRONT WHEELS WITH DURA-BRIGHT FINISH   |
|       | 525-023   | POLISHED OUTER (DISHED SIDE) REAR<br>WHEELS WITH OUTER ONLY DURA-BRIGHT<br>FINISH                                 |
|       | 496-011   | FRONT WHEEL MOUNTING NUTS   |
|       | 497-011   | REAR WHEEL MOUNTING NUTS  |
| Cab E | xterior   |   |
|       | 829-071   | 106 INCH BBC FLAT ROOF ALUMINUM<br>CONVENTIONAL CAB   |
|       | 650-009   | RUBBER CAB MOUNTS   |
|       | 678-018   | LH AND RH EXTERIOR GRAB HANDLES WITH SINGLE RUBBER INSERT   |
|       | 646-023   | HOOD MOUNTED CHROMED PLASTIC GRILLE   |
|       | 65X-003   | CHROME HOOD MOUNTED AIR INTAKE GRILLE   |
|       | 644-004   | FIBERGLASS HOOD   |
|       | 690-002   | TUNNEL/FIREWALL LINER   |
|       | 727-1B0   | DUAL 25 INCH ROUND STUTTER TONE HOOD<br>MOUNTED AIR HORNS   |
|       | 726-002   | DUAL ELECTRIC HORNS   |
|       | 728-002   | DUAL HORN SHIELDS   |
|       | 575-001   | REAR LICENSE PLATE MOUNT END OF FRAME   |
|       | 312-038   | INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL  |
|       | 302-047   | LED AERODYNAMIC MARKER LIGHTS   |
|       | 311-001   | DAYTIME RUNNING LIGHTS  |
|       | 294-046   | OMIT STOP/TAIL/BACKUP LIGHTS AND PROVIDE<br>WIRING WITH SEPARATE STOP/TURN WIRES<br>TO 4 FEET BEYOND END OF FRAME |
|       | 300-015   | STANDARD FRONT TURN SIGNAL LAMPS  |
|       | 744-1BC   | DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE  |
|       | 797-001   | DOOR MOUNTED MIRRORS  |
|       | 796-001   | 102 INCH EQUIPMENT WIDTH  |
|       | 743-204   | LH AND RH 8 INCH BRIGHT FINISH CONVEX<br>MIRRORS MOUNTED UNDER PRIMARY<br>MIRRORS                                 |



Lisa Cummins ROCH HILLS COOP 1000 Rochester Hills Rochester Hills, MI 48309 Phone: 248-841-2537

|          | Data Code | Description   |
|----------|-----------|---|
|          | 74A-001   | RH DOWN VIEW MIRROR   |
|          | 729-001   | STANDARD SIDE/REAR REFLECTORS   |
|          | 768-998   | NO REAR WINDOW  |
| (        | 661-003   | TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS                      |
| 1        | 654-027   | RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S)                       |
| (        | 663-013   | 1-PIECE SOLAR GREEN GLASS WINDSHELD   |
| ı        | 659-019   | 2 GALLON WINDSHIELD WASHER RESERVOIR<br>WITHOUT FLUID LEVEL INDICATOR, FRAME<br>MOUNTED |
| Cab Inte | rior      |   |
|          | 707-1AK   | OPAL GRAY VINYL INTERIOR  |
|          | 706-013   | MOLDED PLASTIC DOOR PANEL   |
|          | 708-013   | MOLDED PLASTIC DOOR PANEL   |
| •        | 772-006   | BLACK MATS WITH SINGLE INSULATION   |
|          | 785-004   | DASH MOUNTED ASH TRAY(S) WITHOUT LIGHTER  |
| 1        | 691-008   | FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING            |
| (        | 694-010   | IN DASH STORAGE BIN   |
|          | 742-007   | (2) CUP HOLDERS LH AND RH DASH  |
|          | 680-006   | GRAY/CHARCOAL FLAT DASH   |
|          | 860-004   | SMART SWITCH EXPANSION MODULE   |
|          | 700-002   | HEATER, DEFROSTER AND AIR CONDITIONER   |
|          | 701-001   | STANDARD HVAC DUCTING   |
|          | 703-005   | MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH  |
|          | 170-015   | STANDARD HEATER PLUMBING  |
|          | 130-041   | VALEO HEAVY DUTY A/C REFRIGERANT<br>COMPRESSOR  |
|          | 702-002   | BINARY CONTROL, R-134A  |
|          | 739-033   | STANDARD INSULATION   |
| :        | 285-013   | SOLID-STATE CIRCUIT PROTECTION AND FUSES  |
| :        | 280-007   | 12V NEGATIVE GROUND ELECTRICAL SYSTEM   |
| ;        | 324-014   | DOME LIGHT WITH 3-WAY SWITCH ACTIVATED<br>BY LH AND RH DOORS                            |
| ı        | 657-001   | DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME   |



Lisa Cummins ROCH HILLS COOP

1000 Rochester Hills Rochester Hills, MI 48309 Phone: 248-841-2537

Prepared by: Steven Sexton WOLVERINE FREIGHTLINER EASTSIDE INC 107 SOUTH GROESBECK HIGHWAY MOUNT CLEMENS, MI 48043 Phone:

| Data Code | Description  |
|-----------|--|
| 78G-004   | KEY QUANTITY OF 4  |
| 655-005   | LH AND RH ELECTRIC DOOR LOCKS  |
| 284-101   | (1) 12V POWER SUPPLY (1) DUAL 2.1 AMP USB<br>CHARGER IN DASH   |
| 756-339   | PREMIUM ISRINGHAUSEN HIGH BACK AIR<br>SUSPENSION DRIVERS SEAT WITH 2 AIR<br>LUMBAR, INTEGRATED CUSHION EXTENSION,<br>TILT AND ADJUSTABLE SHOCK   |
| 760-339   | PREMIUM ISRINGHAUSEN HIGH BACK AIR<br>SUSPENSION PASSENGER SEAT WITH 2 AIR<br>LUMBAR, INTEGRATED CUSHION EXTENSION,<br>TILT AND ADJUSTABLE SHOCK |
| 759-005   | DUAL DRIVER AND PASSENGER SEAT<br>ARMRESTS   |
| 711-004   | LH AND RH INTEGRAL DOOR PANEL ARMRESTS   |
| 758-036   | VINYL WITH VINYL INSERT DRIVER SEAT  |
| 761-036   | VINYL WITH VINYL INSERT PASSENGER SEAT   |
| 763-103   | BLACK SEAT BELTS WITH DRIVER INDICATOR LIGHT AND AUDIBLE ALARM   |
| 532-002   | ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN  |
| 540-015   | 4-SPOKE 18 INCH (450MM) STEERING WHEEL   |
| 765-002   | DRIVER AND PASSENGER INTERIOR SUN VISORS   |
| <br>      |  |

### **Instruments & Controls**

| 732-003 | WOODGRAIN DRIVER INSTRUMENT PANEL  |
|---------|--|
| 734-003 | WOODGRAIN CENTER INSTRUMENT PANEL  |
| 870-001 | BLACK GAUGE BEZELS   |
| 486-001 | LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM   |
| 840-002 | 2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES   |
| 198-003 | DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS                                      |
| 149-013 | ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL                                   |
| 156-007 | KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY |
| 811-042 | ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28<br>LED WARNING LAMPS AND DATA LINKED              |
| 160-038 | HEAVY DUTY ONBOARD DIAGNOSTICS<br>INTERFACE CONNECTOR LOCATED BELOW LH<br>DASH               |
|         |  |



Lisa Cummins ROCH HILLS COOP 1000 Rochester Hills Rochester Hills, MI 48309 Phone: 248-841-2537

| Data Coo | de Description   |
|----------|--|
| 844-001  | 2 INCH ELECTRIC FUEL GAUGE   |
| 856-001  | ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE  |
| 864-001  | 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE  |
| 830-017  | ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY   |
| 852-002  | ELECTRIC ENGINE OIL PRESSURE GAUGE   |
| 679-998  | NO OVERHEAD INSTRUMENT PANEL   |
| 746-137  | AM/FM/WB WORLD TUNER RADIO WITH<br>BLUETOOTH, USB AND AUXILIARY INPUTS,<br>J1939                     |
| 747-001  | DASH MOUNTED RADIO   |
| 750-002  | (2) RADIO SPEAKERS IN CAB  |
| 753-001  | AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF   |
| 810-027  | ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER                                |
| 817-001  | STANDARD VEHICLE SPEED SENSOR  |
| 812-001  | ELECTRONIC 3000 RPM TACHOMETER   |
| 162-002  | IGNITION SWITCH CONTROLLED ENGINE STOP   |
| 81Y-001  | PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH                                       |
| 264-025  | (1) RH FOOT SWITCH WITH DASH SWITCH FOR HORN BUTTON TO CONTROL AIR HORN, DEFAULT TO ELECTRIC <85 PSI |
| 836-015  | DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY   |
| 660-008  | SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY  |
| 304-001  | MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH   |
| 27D-004  | ALTERNATING FLASHING HEADLAMP SYSTEM WITH BODY BUILDER CONTROLLED ENGAGEMENT                         |
| 882-009  | ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR  |
| 299-013  | SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE                     |
| 298-039  | INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS                      |



Lisa Cummins

**ROCH HILLS COOP** 1000 Rochester Hills Rochester Hills, MI 48309 Phone: 248-841-2537

Prepared by: Steven Sexton WOLVERINE FREIGHTLINER EASTSIDE INC 107 SOUTH GROESBECK **HIGHWAY** MOUNT CLEMENS, MI 48043

Phone:

**Data Code** Description

| Design                     |         |   |  |
|----------------------------|---------|---|--|
|                            | 065-000 | PAINT: ONE SOLID COLOR  |  |
| Color                      |         |   |  |
|                            | 980-5E1 | CAB COLOR A: L0214EY RED ELITE EY (I have not found data code 980-U47, Red Elite) |  |
|                            | 986-020 | BLACK, HIGH SOLIDS POLYURETHANE CHASSIS<br>PAINT                                  |  |
|                            | 963-003 | STANDARD E COAT/UNDERCOATING  |  |
| Certification / Compliance |         |   |  |

U.S. FMVSS CERTIFICATION, EXCEPT SALES 996-001

CABS AND GLIDER KITS

### **Secondary Factory Options**

48Q-998 NO TIRE INFLATION DEVICE/SYSTEM DEALER HAS BEEN ADVISED OF AND 999-014 ACCEPTED RESPONSIBILITY FOR MODIFICATIONS DUE TO POSSIBLE PTO/CHASSIS INTERFERENCE

### **Raw Performance Data**

AE8-99D CALCULATED EFFECTIVE BACK OF CAB TO

REAR SUSPENSION C/L (CA): 79.76 in

### **Sales Programs**

NO SALES PROGRAMS HAVE BEEN SELECTED

### **Extended Warranty**

| WAI-6FB | 200,000 MILES EXTENDED COVERAGE   |
|---------|---|
| WAX-262 | CUM B6.7 RV/FIRE TRUCK: AFT MD DTY 5 YEARS/200,000 MILES/322,000 KM AFTERTREATMENT. FEX APPLIES |
| WAD-079 | COOLING: MD MODERATE 5 YEAR/100,000 MIL3ES/161,000 KM EXTENDED COVERAGE                         |
| WAG-011 | TOWING: 2 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$550 CAP FEX APPLIES               |

(\*\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



Lisa Cummins ROCH HILLS COOP 1000 Rochester Hills Rochester Hills, MI 48309 Phone: 248-841-2537 Prepared by:
Steven Sexton
WOLVERINE FREIGHTLINER
EASTSIDE INC
107 SOUTH GROESBECK
HIGHWAY
MOUNT CLEMENS, MI 48043
Phone:

### QUOTATION

### **M2 106 CONVENTIONAL CHASSIS**

SET BACK AXLE - TRUCK

CUM B6.7 300EV HP @ 2600 RPM, 2600 GOV, 660 LB-FT @ 1600 RPM, R/F/E

ALLISON 2200 EVS AUTOMATIC TRANSMISSION WITH PARK PAWL WITH PTO PROVISION

DETROIT DA-RS-17.5-4 17,500# R-SERIES SINGLE REAR AXLE

AIRLINER 18,000# REAR SUSPENSION

DETROIT DA-F-8.0-3 8,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE

8,000# TAPERLEAF FRONT SUSPENSION 106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB

4275MM (168 INCH) WHEELBASE 9/32X3-7/16X10-1/16 INCH STEEL FRAME (7.14MMX255.6/0.281X10.06 INCH) 80KSI 1775MM (70 INCH) REAR FRAME OVERHANG

|                           |                      | PER UNIT     | TOTAL        |
|---------------------------|----------------------|--------------|--------------|
| VEHICLE PRICE             | ΓΟΤΑL # OF UNITS (1) | \$<br>82,871 | \$<br>82,871 |
| EXTENDED WARRANTY         |                      | \$<br>2,518  | \$<br>2,518  |
| DEALER INSTALLED OPTIONS  |                      | \$<br>0      | \$<br>0      |
| CUSTOMER PRICE BEFORE TAX |                      | \$<br>85,389 | \$<br>85,389 |
|                           |                      |              |              |
| TAXES AND FEES            |                      |              |              |
| TAXES AND FEES            |                      | \$<br>0      | \$<br>0      |
| OTHER CHARGES             |                      | \$<br>0      | \$<br>0      |
|                           |                      |              |              |
| TRADE-IN                  |                      |              |              |
| TRADE-IN ALLOWANCE        |                      | \$<br>(0)    | \$<br>(0)    |
| BALANCE DUE               | (LOCAL CURRENCY)     | \$<br>85,389 | \$<br>85,389 |

COMMENTS: 2024 Speculative pricing with warranties



Lisa Cummins ROCH HILLS COOP 1000 Rochester Hills Rochester Hills, MI 48309 Phone: 248-841-2537 Prepared by:
Steven Sexton
WOLVERINE FREIGHTLINER
EASTSIDE INC
107 SOUTH GROESBECK
HIGHWAY
MOUNT CLEMENS, MI 48043
Phone:

### QUOTATION DETAILS

| EXTENDED WARRANTY   |                |       |
|---|----------------|-------|
| CUMMINS FULL ENGINE: RVF B6.7<br>RV/FIRE TRUCK 5 YEARS / 200,000<br>MILES EXTENDED COVERAGE           | \$<br>1,150 \$ | 1,150 |
| COOLING: MD MODERATE 5<br>YEAR/100,000 MIL3ES/161,000 KM<br>EXTENDED COVERAGE                         | \$<br>278 \$   | 278   |
| CUM B6.7 RV/FIRE TRUCK: AFT MD<br>DTY 5 YEARS/200,000 MILES/322,000<br>KM AFTERTREATMENT. FEX APPLIES | \$<br>690 \$   | 690   |
| TOWING: 2 YEARS/UNLIMITED<br>MILES/KM EXTENDED TOWING<br>COVERAGE \$550 CAP FEX APPLIES               | \$<br>400 \$   | 400   |

## Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at <a href="https://www.daimler-truckfinancial.com">www.daimler-truckfinancial.com</a>.

