

NATHANIEL BROCK BROCK 5

Quote #: DTPZPF8

A Proposal for Window and Door Products prepared for:

Job Site:
48309

Shipping Address:

APEL BUILDING PRODUCTS INC
3310 W Auburn Rd
Rochester Hills, MI 48309-3130

Featuring products from:



CHRIS APEL
APEL BUILDING PRODUCTS INC
3310 WEST AUBURN ROAD
ROCHESTER HILLS, MI 48309
Phone: (248) 299-4797
Fax: (248) 299-4933
Email: chris@apelbuildingproducts.com

This report was generated on 1/3/2020 1:07:05 PM
using the Marvin Order Management System,
version 0002.30.01 (Current). Price in USD. Unit
availability and price are subject to change. Dealer
terms and conditions may apply.

UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.

Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

NUMBER OF LINES: 6

TOTAL UNIT QTY: 9


EXT NET PRICE: USD 21,849.75

LINE	MARK UNIT	PRODUCT LINE	ITEM	NET PRICE	QTY	EXTENDED NET PRICE
1	Casement	Ultimate Wood	Marvin Assembly RO 97" X 60 9/16" Entered as Size by Units	1,982.04	2	3,964.08
2	Casement	Ultimate Wood	Marvin Assembly RO 97" X 60 9/16" Entered as Size by Units	2,161.32	1	2,161.32
3	Casement	Ultimate Wood	Marvin Assembly RO 97" X 60 9/16" Entered as Size by Units	2,161.32	1	2,161.32
4	Double Hung	Ultimate Wood	Marvin Assembly RO 97 3/4" X 60 11/16" Entered as OC 99 3/8" X 61 1/2"	2,459.29	2	4,918.58
5	Double Hung	Ultimate Wood	Marvin Assembly RO 97 3/4" X 60 11/16" Entered as OC 99 3/8" X 61 1/2"	2,668.45	2	5,336.90
6	Door	Ultimate Wood	Inswing French Door CN 5068 RO 61 5/8" X 82 1/2" Entered as CN 5068	3,307.55	1	3,307.55

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit: Casement	Net Price:		1,982.04
Qty: 2		Ext. Net Price:	USD	3,964.08



As Viewed From The Exterior

Entered As: Size by Units

MO 99 5/8" X 61 7/8"

FS 96" X 60 1/16"

OC 99 1/8" X 61 5/8"

RO 97" X 60 9/16"

Performance Information A1, A2, A3

U-Factor: 0.28

Solar Heat Gain Coefficient: 0.28

Visible Light Transmittance: 0.48

Condensation Resistance: 59

CPD Number: MAR-N-347-05710-00001

ENERGY STAR: NC

Primed Pine Exterior
Bare Pine Interior
3W1H - Rectangle Assembly
Assembly Rough Opening w/ Subsill
97" X 60 9/16"

Unit: A1

Ultimate Wood Casement - Left Hand

CN 2460

Rough Opening w/ Subsill

25" X 60 9/16"

Frame Size w/ Subsill

24" X 60 1/16"

Primed Pine Sash Exterior

Bare Pine Sash Interior

IG - 3/4" - 1 Lite

Low E2 w/Argon

Stainless Perimeter Bar

Ogee Interior Glazing Profile

Standard Bottom Rail

Beige Weather Strip

Bronze Folding Handle

Bronze Multi - Point Lock

Aluminum Screen

Bronze Surround

Charcoal Fiberglass Mesh

Unit: A2

Ultimate Wood Casement Picture

CN 4860

Rough Opening w/ Subsill

49" X 60 9/16"

Frame Size w/ Subsill

48" X 60 1/16"

***Sash Ship Loose

Primed Pine Sash Exterior

Bare Pine Sash Interior

IG - 3/4" - 1 Lite

Low E2 w/Argon

Stainless Perimeter Bar

Ogee Interior Glazing Profile

Standard Bottom Rail

Beige Weather Strip

Solid Wood Covers

Unit: A3

Ultimate Wood Casement - Right Hand

CN 2460

Rough Opening w/ Subsill

25" X 60 9/16"

Frame Size w/ Subsill

24" X 60 1/16"

Primed Pine Sash Exterior

Bare Pine Sash Interior

IG - 3/4" - 1 Lite

Low E2 w/Argon

Stainless Perimeter Bar

Ogee Interior Glazing Profile

Standard Bottom Rail

Beige Weather Strip


Bronze Folding Handle

Bronze Multi - Point Lock

Aluminum Screen

Bronze Surround
Charcoal Fiberglass Mesh
Primed Pine Exterior Mull Cover
Standard Mull Charge
4 9/16" Jambs
Primed Pine BMC
Primed Pine Standard Subsill
No Installation Method
***Note: Non-Certified mull: check with local code officials for project specific requirements.
***Note: Unit Availability and Price is Subject to Change

Line #2	Mark Unit: Casement	Net Price:		2,161.32
Qty: 1		Ext. Net Price:	USD	2,161.32



As Viewed From The Exterior

Entered As: Size by Units

MO 99 5/8" X 61 7/8"

FS 96" X 60 1/16"

OC 99 1/8" X 61 5/8"

RO 97" X 60 9/16"

Performance Information A1, A2, A3

U-Factor: 0.28

Solar Heat Gain Coefficient: 0.28

Visible Light Transmittance: 0.48

Condensation Resistance: 59

CPD Number: MAR-N-347-05710-00001

ENERGY STAR: NC

Primed Pine Exterior
Bare Pine Interior
3W1H - Rectangle Assembly
Assembly Rough Opening w/ Subsill
97" X 60 9/16"

Unit: A1

Ultimate Wood Casement - Left Hand

CN 2460

Rough Opening w/ Subsill

25" X 60 9/16"

Frame Size w/ Subsill

24" X 60 1/16"

Primed Pine Sash Exterior

Bare Pine Sash Interior

IG - 3/4" - 1 Lite

Tempered Low E2 w/Argon

Stainless Perimeter Bar

Ogee Interior Glazing Profile

Standard Bottom Rail

Beige Weather Strip

Bronze Folding Handle

Bronze Multi - Point Lock

Aluminum Screen

Bronze Surround

Charcoal Fiberglass Mesh

Unit: A2

Ultimate Wood Casement Picture

CN 4860

Rough Opening w/ Subsill

49" X 60 9/16"

Frame Size w/ Subsill

48" X 60 1/16"

***Sash Ship Loose

Primed Pine Sash Exterior

Bare Pine Sash Interior

IG - 3/4" - 1 Lite

Low E2 w/Argon

Stainless Perimeter Bar

Ogee Interior Glazing Profile

Standard Bottom Rail

Beige Weather Strip

Solid Wood Covers

Unit: A3

Ultimate Wood Casement - Right Hand

CN 2460

Rough Opening w/ Subsill

25" X 60 9/16"

Frame Size w/ Subsill

24" X 60 1/16"

Primed Pine Sash Exterior

Bare Pine Sash Interior

IG - 3/4" - 1 Lite


Low E2 w/Argon

Stainless Perimeter Bar

Ogee Interior Glazing Profile
Standard Bottom Rail
Beige Weather Strip
Bronze Folding Handle
Bronze Multi - Point Lock
Aluminum Screen
Bronze Surround
Charcoal Fiberglass Mesh
Primed Pine Exterior Mull Cover
Standard Mull Charge
4 9/16" Jamb
Primed Pine BMC
Primed Pine Standard Subsill
No Installation Method
***Note: Non-Certified mull: check with local code officials for project specific requirements.
***Note: Unit Availability and Price is Subject to Change

Line #3	Mark Unit: Casement	Net Price:		2,161.32
Qty: 1		Ext. Net Price:	USD	2,161.32

MARVIN 



As Viewed From The Exterior

Entered As: Size by Units

MO 99 5/8" X 61 7/8"

FS 96" X 60 1/16"

OC 99 1/8" X 61 5/8"

RO 97" X 60 9/16"

Performance Information A1, A2, A3

U-Factor: 0.28

Solar Heat Gain Coefficient: 0.28

Visible Light Transmittance: 0.48

Condensation Resistance: 59

CPD Number: MAR-N-347-05710-00001

ENERGY STAR: NC

Primed Pine Exterior
Bare Pine Interior
3W1H - Rectangle Assembly
Assembly Rough Opening w/ Subsill
97" X 60 9/16"

Unit: A1

Ultimate Wood Casement - Left Hand

CN 2460

Rough Opening w/ Subsill

25" X 60 9/16"

Frame Size w/ Subsill

24" X 60 1/16"

Primed Pine Sash Exterior

Bare Pine Sash Interior

IG - 3/4" - 1 Lite

Low E2 w/Argon

Stainless Perimeter Bar

Ogee Interior Glazing Profile

Standard Bottom Rail

Beige Weather Strip

Bronze Folding Handle

Bronze Multi - Point Lock

Aluminum Screen

Bronze Surround

Charcoal Fiberglass Mesh

Unit: A2

Ultimate Wood Casement Picture

CN 4860

Rough Opening w/ Subsill

49" X 60 9/16"

Frame Size w/ Subsill

48" X 60 1/16"

***Sash Ship Loose

Primed Pine Sash Exterior

Bare Pine Sash Interior

IG - 3/4" - 1 Lite

Low E2 w/Argon

Stainless Perimeter Bar

Ogee Interior Glazing Profile

Standard Bottom Rail

Beige Weather Strip

Solid Wood Covers

Unit: A3

Ultimate Wood Casement - Right Hand

CN 2460

Rough Opening w/ Subsill

25" X 60 9/16"

Frame Size w/ Subsill

24" X 60 1/16"
Primed Pine Sash Exterior
Bare Pine Sash Interior
IG - 3/4" - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Ogee Interior Glazing Profile
Standard Bottom Rail
Beige Weather Strip
Bronze Folding Handle
Bronze Multi - Point Lock
Aluminum Screen
Bronze Surround
Charcoal Fiberglass Mesh
Primed Pine Exterior Mull Cover
Standard Mull Charge
4 9/16" Jamb
Primed Pine BMC
Primed Pine Standard Subsill
No Installation Method
***Note: Non-Certified mull: check with local code officials for project specific requirements.
***Note: Unit Availability and Price is Subject to Change

Line #4	Mark Unit: Double Hung	Net Price:		2,459.29
Qty: 2		Ext. Net Price:	USD	4,918.58

MARVIN 



As Viewed From The Exterior

Entered As: OC
MO 99 7/8" X 61 3/4"
FS 96 3/4" X 60 3/16"
OC 99 3/8" X 61 1/2"
RO 97 3/4" X 60 11/16"

Performance Information A1, A3

U-Factor: 0.29
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.51
Condensation Resistance: 57
CPD Number: MAR-N-68-05547-00001
ENERGY STAR: NC

Performance Information A2

Product Performance Information is currently unavailable in the OMS for this product and glazing option. To request product performance information not in the OMS, contact your Marvin representative or submit an Assistance Request.

Primed Pine Exterior
Bare Pine Interior
3W1H - Rectangle Assembly
Assembly Outside of Exterior Casingw/ Subsill

99 3/8" X 61 1/2"
Assembly Rough Opening w/ Subsill
97 3/4" X 60 11/16"

Unit: A1

Ultimate Wood Double Hung
Basic Frame 24 1/4" X 59 3/32"
Rough Opening w/ Subsill
25 1/4" X 60 11/16"

***Sash Ship Loose
Top Sash
Primed Pine Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Stainless Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile

Bottom Sash
Primed Pine Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Stainless Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile

Satin Taupe Sash Lock
Beige Jamb Hardware
Aluminum Screen
Stone White Surround
Charcoal Fiberglass Mesh
***Screen/Combo Ship Loose

Unit: A2

Ultimate Wood Double Hung Picture 1 5/8 inch Sash
Basic Frame 48 1/4" X 59 3/32"
Rough Opening w/ Subsill
49 1/4" X 60 11/16"

***Sash Ship Loose
Primed Pine Sash Exterior

Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Stainless Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile

Unit: A3


Ultimate Wood Double Hung
Basic Frame 24 1/4" X 59 3/32"
Rough Opening w/ Subsill
25 1/4" X 60 11/16"
***Sash Ship Loose
Top Sash
Primed Pine Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Stainless Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Bottom Sash
Primed Pine Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Stainless Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile

Satin Taupe Sash Lock
Beige Jamb Hardware
Aluminum Screen
Stone White Surround
Charcoal Fiberglass Mesh
***Screen/Combo Ship Loose

Primed Pine Exterior Mull Cover
Standard Mull Charge
4 9/16" Jamb
Primed Pine BMC
Primed Pine Standard Subsill
No Installation Method
***Note: Non-Certified mull: check with local code officials for project specific requirements.
***Note: Unit Availability and Price is Subject to Change

Line #5	Mark Unit: Double Hung	Net Price:		2,668.45
Qty: 2		Ext. Net Price:	USD	5,336.90

MARVIN 



As Viewed From The Exterior

Entered As: OC

MO 99 7/8" X 61 3/4"

FS 96 3/4" X 60 3/16"

OC 99 3/8" X 61 1/2"

RO 97 3/4" X 60 11/16"

Performance Information A1, A3

U-Factor: 0.29

Solar Heat Gain Coefficient: 0.29

Visible Light Transmittance: 0.51

Condensation Resistance: 57

Primed Pine Exterior
Bare Pine Interior
3W1H - Rectangle Assembly
Assembly Outside of Exterior Casingw/ Subsill

99 3/8" X 61 1/2"
Assembly Rough Opening w/ Subsill
97 3/4" X 60 11/16"

Unit: A1

Ultimate Wood Double Hung
Basic Frame 24 1/4" X 59 3/32"
Rough Opening w/ Subsill
25 1/4" X 60 11/16"
Glass Add For All Sash/Panels
***Sash Ship Loose
Top Sash
Primed Pine Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile

CPD Number: MAR-N-68-05547-00001
ENERGY STAR: NC

Performance Information A2

Product Performance Information is currently unavailable in the OMS for this product and glazing option. To request product performance information not in the OMS, contact your Marvin representative or submit an Assistance Request.

Bottom Sash
Primed Pine Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Stainless Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Satin Taupe Sash Lock
Beige Jamb Hardware
Aluminum Screen
Stone White Surround
Charcoal Fiberglass Mesh
***Screen/Combo Ship Loose

Unit: A2

Ultimate Wood Double Hung Picture 1 5/8 inch Sash
Basic Frame 48 1/4" X 59 3/32"
Rough Opening w/ Subsill
49 1/4" X 60 11/16"
***Sash Ship Loose
Primed Pine Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Stainless Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile


Unit: A3

Ultimate Wood Double Hung
Basic Frame 24 1/4" X 59 3/32"
Rough Opening w/ Subsill
25 1/4" X 60 11/16"
***Sash Ship Loose
Top Sash
Primed Pine Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Stainless Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Bottom Sash
Primed Pine Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Stainless Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Satin Taupe Sash Lock
Beige Jamb Hardware
Aluminum Screen
Stone White Surround
Charcoal Fiberglass Mesh
***Screen/Combo Ship Loose
Primed Pine Exterior Mull Cover
Standard Mull Charge
4 9/16" Jambs
Primed Pine BMC
Primed Pine Standard Subsill
No Installation Method
***Note: Non-Certified mull: check with local code officials for project specific requirements.
***Note: Unit Availability and Price is Subject to Change

Line #6	Mark Unit: Door	Net Price:		3,307.55
Qty: 1		Ext. Net Price:	USD	3,307.55



Primed Pine Exterior
Bare Pine Interior



Entered As: CN
MO 63 3/4" X 83 9/16"
CN 5068
FS 60 5/8" X 82"
OC 63 1/4" X 83 5/16"
RO 61 5/8" X 82 1/2"
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.16
Visible Light Transmittance: 0.28
Condensation Resistance: 62
CPD Number: MAR-N-393-10538-00001
ENERGY STAR: N, NC, SC, S

Ultimate Wood Inswing French Door 4 9/16" - XX Left Hand
CN 5068
Rough Opening 61 5/8" X 82 1/2"
Traditional Panels
Left Panel
Primed Pine Sash Exterior
Bare Pine Sash Interior
IG
Tempered Low E2 w/Argon
Stainless Perimeter and Spacer Bar
1 1/8" SDL - With Spacer Bar - Stainless
Rectangular - Special Cut 1W4H
Primed Pine Ext - Bare Pine Int
Ogee Interior Glazing Profile
Right Panel
Primed Pine Sash Exterior
Bare Pine Sash Interior
IG
Tempered Low E2 w/Argon
Stainless Perimeter and Spacer Bar
1 1/8" SDL - With Spacer Bar - Stainless
Rectangular - Special Cut 1W4H
Primed Pine Ext - Bare Pine Int
Ogee Interior Glazing Profile
No Lock No Bore on Active Panel
No Lock No Bore on Inactive Panel
Dark Bronze Adjustable Hinges 3 Per Panel
Bronze Ultrex Sill
Black Weather Strip
Bare Oak Sill Liner
4 9/16" Jambs
Primed Pine BMC
No Installation Method
***Note: The selected Interior Finish would allow Finger Joints to appear on secondary surfaces.
***Note: Unit Availability and Price is Subject to Change

Project Subtotal Net Price: USD	21,849.75
0.000% Sales Tax: USD	0.00
Project Total Net Price: USD	21,849.75


Product and Performance Information

NFRC energy ratings and values may vary depending on the exact configuration of glass thickness used on the unit. This data may change over time due to ongoing product changes or updated test results or requirements.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform national rating system for the energy performance of fenestration products, including windows and doors. For additional information regarding this rating system, see www.nfrc.org.

NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements.

Review the map below to determine if your units meet ENERGY STAR for your location.



PURCHASE APPROVAL/SIGN OFF

Project Subtotal Net Price: USD 21,849.75
0.000% Sales Tax: USD 0.00
Project Total Net Price: USD 21,849.75

I have reviewed all line item quotes in detail and agree that the product specifications and pricing are accurate, and I approve the project for order. I acknowledge that additional charges, tax or Terms and Conditions may apply.

Seller: _____

Buyer: _____