


* - ADDITIONAL CONC REQUIRED TO FILL 8" GAP BETWEEN APPROACH CURB AND GUTTER AND EX CONC SHOULDER WILL BE INCLUDED IN COST OF APPROACH CURB AND GUTTER.




SEE SHEETS 8-9 FOR DEFLECTION POINTS

SEE SHEET 15 FOR QUANTITIES

NOTE: SEE SHEETS 21-22 FOR REMOVAL AND REINSTALLATION OF EXISTING SIGNS

BEGIN SOUND WALL SW01 CONST @ STA 0+00
 @ POST N 413198.78, E 13456094.80


DRILLED PILE SPACING = 20.00' @ POST
 (NOT ALL PILES SHOWN FOR DRAWING CLARITY. SEE SHEETS 8-9 FOR COMPLETE PILE INFORMATION.)




EX GROUND PROFILE (0' OFFSET)
 BOTTOM OF SOUND WALL PROFILE
 PROP FINISHED GRADE BEHIND THE SOUND WALL PROFILE
 TOP OF BARRIER PROFILE
 TOP OF SOUND WALL PROFILE


NOTE: PROFILE STATIONING IS BASED ON SOUND WALL ALIGNMENT

FINAL R.O.W.			
AUTH	DATE	NO.	REVISION




SW01 STA 0+00 TO STA 6+00			
DATE	CONT. SEC.	JOB NO.	DESIGN UNIT
07/26/10	63043	106133A	SWEENEY





MATCH LINE SW01
STA 6+00




MATCH LINE SW01
STA 14+00


SEE SHEETS 8-9 FOR DEFLECTION POINTS

SEE SHEET 15 FOR QUANTITIES

NOTE: SEE SHEETS 21-22 FOR REMOVAL AND REINSTALLATION OF EXISTING SIGNS.



FINAL R.O.W.			
AUTH	DATE	NO.	REVISION





EX GROUND PROFILE (0' OFFSET)
BOTTOM OF SOUND WALL PROFILE
PROP FINISHED GRADE BEHIND THE SOUND WALL PROFILE
TOP OF BARRIER PROFILE
TOP OF SOUND WALL PROFILE

NOTE: PROFILE STATIONING IS BASED ON SOUND WALL ALIGNMENT.

SW01 STA 6+00 TO STA 14+00

DATE	CONT. SEC.	JOB NO.	DESIGN UNIT
07/26/10	63043	106133A	SWEENEY






SEE SHEETS 8-9 FOR DEFLECTION POINTS



SEE SHEET 15 FOR QUANTITIES

NOTE: SEE SHEETS 21-22 FOR REMOVAL AND REINSTALLATION OF EXISTING SIGNS




	SW01 STA 14+00 TO STA 22+00				
	DATE	CONT. SEC.	JOB NO.	DESIGN UNIT	
07/26/10	63043	106133A	SWEENEY		

FILE NAME: 55850 SW01 Conc 03.dgn CHECKED BY: DATE: WORKED ON BY: DATE:



MATCH LINE SWORF STA 22+00




SEE SHEETS 8-9 FOR DEFLECTION POINTS

END SOUND WALL SWO1 (Q POST)
 SWO1 CONST @ STA 28+60 =
 EB M-59 CONST @ STA 1444+97.53, 40.58' RT
 N 412451.28, E 13458826.55

SEE SHEET 15 FOR QUANTITIES

NOTE: SEE SHEETS 21-22 FOR REMOVAL AND INSTALLATION OF EXISTING SIGNS.



FINAL R.O.W.			
AUTH	DATE	NO.	REVISION

STATION	EX GROUND PROFILE (0' OFFSET)	BOTTOM OF SOUND WALL PROFILE	PROP FINISHED GRADE BEHIND THE SOUND WALL PROFILE	TOP OF BARRIER PROFILE	TOP OF SOUND WALL PROFILE
730	709.95	709.00	709.00	709.06	709.00
720	709.51	709.00	709.00	708.62	708.00
710	709.06	709.00	709.00	708.17	708.00
700	708.62	708.00	708.00	707.73	708.00
690	708.17	708.00	708.00	707.30	707.00
680	707.73	708.00	708.00	706.94	707.00
670	707.30	707.00	707.00	706.59	707.00
660	706.94	707.00	707.00	706.24	706.00
650	706.59	707.00	707.00	705.89	706.00
640	706.24	707.00	707.00	705.54	705.00
630	705.89	707.00	707.00	705.18	705.00
620	705.54	707.00	707.00	704.83	705.00
610	705.18	707.00	707.00	704.48	705.00
600	704.83	707.00	707.00	704.13	705.00
590	704.48	707.00	707.00	703.78	705.00
580	704.13	707.00	707.00	703.43	705.00
570	703.78	707.00	707.00	703.08	705.00
560	703.43	707.00	707.00	702.73	705.00
550	703.08	707.00	707.00	702.38	705.00
540	702.73	707.00	707.00	702.03	705.00
530	702.38	707.00	707.00	701.68	705.00
520	702.03	707.00	707.00	701.33	705.00
510	701.68	707.00	707.00	700.98	705.00
500	701.33	707.00	707.00	700.63	705.00
490	700.98	707.00	707.00	700.28	705.00
480	700.63	707.00	707.00	699.93	705.00
470	700.28	707.00	707.00	699.58	705.00
460	699.93	707.00	707.00	699.23	705.00
450	699.58	707.00	707.00	698.88	705.00
440	699.23	707.00	707.00	698.53	705.00
430	698.88	707.00	707.00	698.18	705.00
420	698.53	707.00	707.00	697.83	705.00
410	698.18	707.00	707.00	697.48	705.00
400	697.83	707.00	707.00	697.13	705.00
390	697.48	707.00	707.00	696.78	705.00
380	697.13	707.00	707.00	696.43	705.00
370	696.78	707.00	707.00	696.08	705.00
360	696.43	707.00	707.00	695.73	705.00
350	696.08	707.00	707.00	695.38	705.00
340	695.73	707.00	707.00	695.03	705.00
330	695.38	707.00	707.00	694.68	705.00
320	695.03	707.00	707.00	694.33	705.00
310	694.68	707.00	707.00	693.98	705.00
300	694.33	707.00	707.00	693.63	705.00
290	693.98	707.00	707.00	693.28	705.00
280	693.63	707.00	707.00	692.93	705.00
270	693.28	707.00	707.00	692.58	705.00
260	692.93	707.00	707.00	692.23	705.00
250	692.58	707.00	707.00	691.88	705.00
240	692.23	707.00	707.00	691.53	705.00
230	691.88	707.00	707.00	691.18	705.00
220	691.53	707.00	707.00	690.83	705.00
210	691.18	707.00	707.00	690.48	705.00
200	690.83	707.00	707.00	690.13	705.00
190	690.48	707.00	707.00	689.78	705.00
180	690.13	707.00	707.00	689.43	705.00
170	689.78	707.00	707.00	689.08	705.00
160	689.43	707.00	707.00	688.73	705.00
150	689.08	707.00	707.00	688.38	705.00
140	688.73	707.00	707.00	688.03	705.00
130	688.38	707.00	707.00	687.68	705.00
120	688.03	707.00	707.00	687.33	705.00
110	687.68	707.00	707.00	686.98	705.00
100	687.33	707.00	707.00	686.63	705.00
90	686.98	707.00	707.00	686.28	705.00
80	686.63	707.00	707.00	685.93	705.00
70	686.28	707.00	707.00	685.58	705.00
60	685.93	707.00	707.00	685.23	705.00
50	685.58	707.00	707.00	684.88	705.00
40	685.23	707.00	707.00	684.53	705.00
30	684.88	707.00	707.00	684.18	705.00
20	684.53	707.00	707.00	683.83	705.00
10	684.18	707.00	707.00	683.48	705.00
0	683.83	707.00	707.00	683.13	705.00

EX GROUND PROFILE (0' OFFSET)
 BOTTOM OF SOUND WALL PROFILE
 PROP FINISHED GRADE BEHIND THE SOUND WALL PROFILE
 TOP OF BARRIER PROFILE
 TOP OF SOUND WALL PROFILE

NOTE: PROFILE STATIONING IS BASED ON SOUND WALL ALIGNMENT.

MDOT
 Michigan Department of Transportation

SWO1 STA 22+00 TO STA 28+60			
DATE	CONT. SEC.	JOB NO.	DESIGN UNIT
07/26/10	63043	106133A	SWEENEY

HNTB