


Application for Fireworks Display Permit
Michigan Department of Energy, Labor, & Economic Growth
Bureau of Fire Services
P.O. Box 30700
Lansing, MI 48909
(517) 241-8847

2012

Authority: 1968 PA 358 Compliance: Voluntary Penalty: Permit will not be issued	The Department of Energy, Labor & Economic Growth will not discriminate against any individual or group because of race, sex, religion, age, national origin, color, marital status, disability, or political beliefs. If you need assistance with reading, writing, hearing, etc. under the Americans with Disabilities Act, you may make your needs known to this agency.
---	---

<input checked="" type="checkbox"/> Public Display <input type="checkbox"/> Agricultural Pest Control		DATE OF APPLICATION 2/22/12
NAME OF APPLICANT Wolverine Fireworks Display, Inc.		ADDRESS 205 W. Seidlers Rd., Kawkawlin, MI 48631
IF A CORPORATION, NAME OF PRESIDENT James B. Lambert		AGE (18 or over) Over 21
IF A NON-RESIDENT APPLICANT, NAME OF MICHIGAN ATTORNEY OR RESIDENT AGENT		ADDRESS Same
NAME OF PYROTECHNIC OPERATOR John Campau		TELEPHONE NUMBER 989-662-0121
NO. YEARS EXPERIENCE 10+		NO. DISPLAYS 100+
NAME OF ASSISTANT Blaine Anderson		ADDRESS 1012 W. Wenona St., Bay City, MI 48706
NAME OF OTHER ASSISTANT Brandon Grzegorzczuk		ADDRESS 380 W. Beaver Rd., Kawkawlin, MI 48631
EXACT LOCATION OF PROPOSED DISPLAY The soccer fields at Borden Park, 1400 E. Hamlin Rd., Rochester Hills, MI 48307		
DATE OF PROPOSED DISPLAY June 27, 2012		TIME OF PROPOSED DISPLAY Approx. 10:00 p.m.
NUMBER OF FIREWORKS	KIND OF FIREWORKS TO BE DISPLAYED	
1,200	3" 1.3G Fireworks, UN-0335 PGII	
1,116	4" 1.3G Fireworks, UN-0335 PGII	
441	5" 1.3G Fireworks, UN-0335 PGII	
358	6" 1.3G Fireworks, UN-0335 PGII	
186	8" 1.3G Fireworks, UN-0335 PGII	
MANNER AND PLACE OF STORAGE PRIOR TO DISPLAY (Subject to Approval of Local Fire Authorities) No storage necessary. Fireworks will arrive on site the day of the display.		
AMOUNT OF BOND OR INSURANCE (To be set by local government) \$5,000,000		NAME OF BONDING CORPORATION OR INSURANCE COMPANY Combined Specialties International, Inc.
ADDRESS OF BONDING CORPORATION OR INSURANCE COMPANY 205 San Marin Drive, Suite 5, Novato, CA 94945		
SIGNATURE OF APPLICANT 		


* FORM IS VALID FOR YEAR SHOWN ONLY *

Pyrotechnic Application

1. Completed Application for State Permit is attached.
2. Proof of liability insurance is attached.
3. Plan for the use of pyrotechnic special effects:
 - a. City of Rochester Hills, Festival of the Hills
 - b. June 27, 2012 at approximately 10:00 p.m.
 - c. The soccer fields at Borden Park, 1400 E. Hamlin Rd., Rochester Hills, MI 48307
 - d. John Campau is the pyrotechnic operator.
 - e. 14 Assistants:
 - i. Blaine Anderson – 35
 - ii. Brandon Grzegorzczuk – 24
 - iii. Shawn Kosecki - 23
 - iv. Jennifer Campau – 35
 - v. Gregg Lambert – 56
 - vi. Aaron Anderson – 52
 - vii. Joe Galan – 52
 - viii. Mike Cripps – 21
 - ix. Patrick Campau – 57
 - x. Tom Sargeson – 31
 - xi. Todd Stevenson – 33
 - xii. Bob O'Dell – 43
 - xiii. Ronald Walker – 63
 - xiv. Josh Carter – 35
 - f. John Campau has successfully shot more than 35 displays of the same size or larger than the Rochester Hills display. He attends Wolverine's yearly safety seminar.
 - g. John Campau has been a pyrotechnic operator for more than 10 years and has shot over 100 displays in the United States.
 - h. There is no license required to be a pyrotechnicians in the State of Michigan but he (along with his crew) has cleared a background check conducted by the BATFE and is allowed to work under Wolverine's ATF license.
 - i. 1,200 - 3" 1.3 G Fireworks, UN-0335 PG11; 1,116 – 4" 1.3 G Fireworks, UN-0335 PG11; 441 – 5" 1.3 G Fireworks, UN-0335 PG11; 358 – 6" 1.3 G Fireworks, UN-0335 PG11 and 186 – 8" 1.3 G Fireworks, UN-0335 PG11. All items will be shot using electric match. The pyrotechnic operator and his assistants have worked extensively with all of these, shooting more than 20 shows a year using these same types of devices. General responsibilities of the assistants will be setting

up and securing racks, loading and plugging in shells, assisting with continuity check and failed electric match checks and resolving any problems which can be resolved before shooting display, checking for unexploded materials after the display is shot and disassembling equipment, loading it back on the truck and cleaning the shoot site.

- j. Site diagram is attached.
- k. All equipment will be assembled in its designated area on the shoot site, marked with the blue stars on the site diagram.
- l. There will be no storage necessary. The pyrotechnic devices will not arrive until the day of the display and will remain on the truck until they are loaded into the mortar racks.
- m. MSDS sheet is attached.
- n. All of our mortar racks are made of HDPE (high density polyethylene) or fiberglass, both of which are permitted for use of shooting pyrotechnic devices per NFPA 1123 (4.3.7.1), PGI (Official Fireworks Safety Guidelines 6.C.2) and A.P.A. (APA Display Fireworks Training Program 7.1.4.1.).



Imagery Date: 05/20/10
© 2012 Google
42°36'57.61\" N 83°06'20.62\" W elev: 722 ft

Google Earth

★ Firing Positions

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)

Form Approved
OMB No. 1218-0072

IDENTITY (as Used on Label and List)
Display Fireworks (Fireworks 1.3G)

Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space must be marked to indicate that.

Section I

Manufacturer's name

Gongguan Fireworks Export

Emergency Telephone Number

Contract # MIS0005901

Chem-Tel 1-800-255-3924

Address (Number, Street, City, State and ZIP Code)

168 Baisanhan Rd

Telephone Number for Information

989-662-0121

Gongguan Hepu-Guangxi, China

Date Prepared

January 1, 2010

Signature of Preparer (optional)

Section II—Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity, Common Name(s))

OSHA PEL

ACGIH TLV

Other Limits

Recommended

% (optional)

Display Fireworks contain explosive pyrotechnic compositions and are classified as Fireworks 1.3G by the US Department of Transportation. No chemical components are released during the normal handling, storage and transportation of the product.

Section III—Physical/Chemical Characteristics

Boiling Point

N/A

Specific Gravity (H₂O = 1)

N/A

Vapor Pressure (mm Hg)

N/A

Melting Point

N/A

Vapor Density (AIR = 1)

N/A

Evaporation Rate (Butyl Acetate = 1)

N/A

Solubility in Water Slight

Appearance and Odor Round Spheres - Multi Shot Boxes - Canister Shells- No Odor

Section IV—Fire and Explosion Hazard Data

Flash Point (Method Used)

N/A

Flammable Limits

N/A

LEL

N/A

UEL

N/A

Extinguishing Media

Do not attempt to fight a firework fire

Special Fire Fighting Procedures

Evacuate the area, keep others out and seek shelter

Unusual Fire and Explosion Hazards

Display Fireworks may mass detonate in a fire.

(Reproduce locally)

Section V—Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	No open flames, smoking or moisture in the vicinity of fireworks. Friction and impact sensitive

Incompatibility (Materials to Avoid) Do not allow to get wet

Hazardous Decomposition or Byproducts

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	N/A

Section VI—Health Hazard Data

Routes of Entry Inhalation? **Yes, when shooting** Skin? **NO** Ingestion? **No**

Health Hazards (Acute and Chronic) **No chemical components are released during the handling of product. However during a display, ground level smoke may contain gases that can cause eye and mucous membrane irritation. Prolonged exposure to the smoke should be avoided.**

Carcinogenicity NTP? **No** IARC Monographs? **No** OSHA Regulated? **No**

Signs and Symptoms of Exposure **Shortness of breath, eye and mucous membrane irritation**

Medical Conditions
Generally Aggravated by Exposure **Persons with respiratory problems should avoid exposure to the smoke.**

Emergency and First Aid Procedures **Move to an area with fresh air.**

Section VII—Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled **Carefully pick up spilled composition with a broom and non metallic dust pan, place in a cardboard container if possible.**

Waste Disposal Method **Soak composition with water and burn in compliance with the local AHJ.**

Precautions to Be Taken in Handling and Storage **Keep product cool & dry. Avoid dropping and careless handling of product. Keep fire away at all times**

Other Precautions **None**

Section VII—Control Measures

Respiratory Protection (Specify Type) **Not Required**

Ventilation	Local Exhaust	N/A	Special	N/A
	Mechanical (General)	N/A	Other	N/A

Protective Gloves **Not Required** Eye Protection **N/A**

Other Protective Clothing or Equipment **N/A**

Work/Hygienic Practices **No smoking in the vicinity of the product**

Certificate of Insurance

107661

Issue Date: 1/30/2012

PRODUCER
 Deborah Merlino
 Combined Specialties International, Inc.
 205 San Marin Drive, Suite 5
 Novato, California 94945

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR LATER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

INSURERS AFFORDING COVERAGE

INSURED
 Wolverine Fireworks Display, Inc.
 205 W. Seidlers Road
 Kawkawlin, MI 48631

INSURER A: Underwriters, Lloyd's London

INSURER B:

INSURER C:

INSURER D:

COVERAGES
 THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE NAMED INSURED ABOVE FOR THE PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES INCLUDING, BUT NOT LIMITED TO THOSE FOLLOWING: LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS, ADDITIONAL CONDITIONS AND EXCLUSIONS: 1) THE INSURANCE EVIDENCED BY THIS CERTIFICATE IS LIABILITY INSURANCE ONLY, IT IS NOT A BOND OR ANY FORM OF SURETY AGAINST WHICH SOMEONE OTHER THAN "INSURED" MAY ASSERT A CLAIM OR BRING ANY ACTION, SUBJECT TO POLICY TERMS, CONDITIONS, DEFINITIONS AND EXCLUSIONS THE INSURANCE ONLY INDEMNIFIES AN INSURED AGAINST CERTAIN LEGAL LIABILITY, 2) THE INSURANCE DOES NOT COVER CLAIMS FOR BODILY INJURY OR PROPERTY DAMAGE OF THE NAMED INSURED'S SHOOTER(S) ASSISTANT(S) OR ANY OTHER PERSON(S) INCLUDING ANY VOLUNTEER(S) PARTICIPATING IN ANY WAY IN ANY DISPLAY OR SPECIAL EFFECT PERFORMED OR EXECUTED BY THE NAMED INSURED, 3) COVERAGE DOES NOT APPLY TO CLAIMS FOR BODILY INJURY OR PROPERTY DAMAGE ARISING OUT OF THE INSURED'S FAILURE TO FOLLOW NFPA OR OTHER APPLICABLE REQUIREMENTS, LAWS OR RECOMMENDATIONS, INCLUDING THOSE RELATING TO POST DISPLAY OR SPECIAL EFFECT SEARCHES OR CLEAN UP.

CO LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (DD/MM/YY)	POLICY EXPIRATION DATE (DD/MM/YY)	LIMITS	
A	GENERAL LIABILITY CLAIMS MADE	CSI-998749-12	2/1/2012	2/1/2013	EACH ACCIDENT	\$5,000,000
					MEDICAL EXP (any one person)	\$5,000
					FIRE LEGAL LIABILITY	\$50,000
					GENERAL AGGREGATE	\$5,000,000
					PRODUCTS-COMP/OPS AGG	\$5,000,000
	AUTOMOBILE LIABILITY ANY AUTO ANY OWNED AUTO SCHEDULED AUTOS HIRED AUTOS NON-OWNED AUTOS				COMBINED SINGLE LIMIT (Each accident)	
					BODILY INJURY (Per Person)	
					BODILY INJURY (Per Accident)	
					PROPERTY DAMAGE (Per person)	
	EXCESS LIABILITY FOLLOWING FORM				EACH ACCIDENT	
					AGGREGATE	
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY				WC STATUTORY OTHER LIMITS	
					E.L. EACH ACCIDENT	
					E.L. DISEASE-EA EMPLOYER	
					E.L. DISEASE-POLICY LIMIT	
	OTHER					

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/EXCLUSIONS ADDED BY ENDORSEMENT/SPECIAL PROVISIONS

The City of Rochester Hills, elected and appointed officials, employees & volunteers, board, commissions and/or authorities & board members, including employees & volunteers thereof as their interest may appear are Additional Insured as respects the June 27, 2012 (RD: TBD) Fireworks Display at Borden Park, 1400 E. Hamlin Road, Rochester Hills, MI. This insurance is primary & non contributory as respects any other valid and collectible insurance maintained by the certificate holder.

CERTIFICATE HOLDER
 City of Rochester Hills
 1000 Rochester Hills Drive
 Rochester Hills, MI 48309

CANCELLATION
 SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.

Deborah M. Merlino

AUTHORIZED REPRESENTATIVE