



FIRE DEPARTMENT

Sean Canto
Chief of Fire and Emergency Services

Date: May 29, 2024

To: Leanne Scott
Dennis Andrews

From: Ann Echols, Captain/Assistant Fire Marshal

Re: City Fireworks Display Permit Application
Borden Park – 1400 E. Hamlin


The Fire Department has reviewed the submitted application with the associated documentation and has no objection to the issuance of a fireworks permit with the following conditions:

1. The display shall be in conformance with the 2022 Edition of NFPA 1123 and the 2021 International Fire Code.
2. During the firing of the display, all personnel in the discharge site shall wear head protection, eye protection, hearing protection, foot protection and shall wear cotton, wool or similarly flame-resistant, long-sleeved, long-legged clothing.
3. No smoking shall be allowed in the discharge area where fireworks or other pyrotechnic materials are present.
4. No person shall be allowed in the discharge area while under the influence of alcohol, narcotics or drugs that could adversely affect judgment, movement or stability.
5. Subject to onsite inspection the night of the display.

Should you have any questions, please feel free to contact me at (248) 656-4717.

CITY OF ROCHESTER HILLS: FESTIVAL OF THE HILLS

Borden Park: 1400 East Hamlin Road, Rochester Hills, Michigan 48307



Distance Required to Meet NFPA 1123

1.5" → 8"

105' → 560'

AMERICAN FIREWORKS COMPANY

DEC 2021



your map.

2024 Application for Fireworks Other Than Consumer or Low Impact

FOR USE BY LEGISLATIVE BODY OF CITY, VILLAGE OR TOWNSHIP BOARD ONLY

DATE PERMIT(S) EXPIRE:

Authority: 2011 PA 256	The LEGISLATIVE BODY OF CITY, VILLAGE OR TOWNSHIP BOARD will not discriminate against any individual or group because of race, sex, religion, age, national origin, color, marital status, disability, or political beliefs. If you need assistance with reading, writing, hearing, etc., under the Americans with Disabilities Act, you may make your needs known to this Legislative Body of City, Village or Township Board.	
------------------------	---	--

TYPE OF PERMIT(S) (Select all applicable boxes)

Agricultural or Wildlife Fireworks
 Articles Pyrotechnic
 Display Fireworks
 Public Display
 Private Display
 Special Effects Manufactured for Outdoor Pest Control or Agricultural Purposes

NAME OF APPLICANT AMERICAN FIREWORKS CO. FOR OAKLAND CO. MI	ADDRESS OF APPLICANT 1000 ROCHESTER HILLS DRIVE, ROCHESTER HILLS, MI	AGE OF APPLICANT 18 YEARS OR OLDER <input type="checkbox"/> YES <input type="checkbox"/> NO
---	---	--

NAME OF PERSON OR RESIDENT AGENT REPRESENTING CORPORATION, LLC, DBA OR OTHER	ADDRESS PERSON OR RESIDENT AGENT REPRESENTING CORPORATION, LLC, DBA OR OTHER	
--	--	--

IF A NON-RESIDENT APPLICANT (LIST NAME OF MICHIGAN ATTORNEY OR MICHIGAN RESIDENT AGENT) LISA CUMMINS	ADDRESS (MICHIGAN ATTORNEY OR MICHIGAN RESIDENT AGENT) 1000 ROCHESTER HILLS DRIVE, ROCHESTER HILLS, MI	TELEPHONE NUMBER
--	---	------------------

NAME OF PYROTECHNIC OPERATOR MIKE MURLAND	ADDRESS OF PYROTECHNIC OPERATOR 5196 S. US HIGHWAY, WILMINGTON, OH	AGE OF PYROTECHNIC OPERATOR 18 YEARS OR OLDER <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
---	---	--

NO. YEARS EXPERIENCE 20 YEARS	NO. DISPLAYS 200+	WHERE THROUGHOUT OHIO, MICHIGAN, PENNSYLVANIA & INDIANA
----------------------------------	----------------------	--

NAME OF ASSISTANT MICHELLE MURLAND	ADDRESS OF ASSISTANT 5196 S. US HIGHWAY, WILMINGTON, OH	AGE OF ASSISTANT 18 YEARS OR OLDER <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
---------------------------------------	--	---

NAME OF OTHER ASSISTANT	ADDRESS OF OTHER ASSISTANT	AGE OF OTHER ASSISTANT 18 YEARS OR OLDER <input type="checkbox"/> YES <input type="checkbox"/> NO
-------------------------	----------------------------	--

EXACT LOCATION OF PROPOSED DISPLAY
BORDEN PARK, 1400 EAST HAMLIN ROAD, ROCHESTER HILLS, MI

DATE OF PROPOSED DISPLAY JUNE 26, 2024	TIME OF PROPOSED DISPLAY APPROXIMATELY 9:30 PM
---	---


MANNER AND PLACE OF STORAGE, SUBJECT TO APPROVAL OF LOCAL FIRE AUTHORITIES, IN ACCORDANCE WITH NFPA 1123, 1124 & 1126 AND OTHER STATE OR FEDERAL REGULATIONS. PROVIDE PROOF OF PROPER LICENSING OR PERMITTING BY STATE OR FEDERAL GOVERNMENT

OVERNIGHT STORAGE IS BEING REQUESTED FOR JUNE 26, 2024 ARRIVAL TO BE STORED IN BOX TRUCK ON SITE (PLEASE SEE ATTACHED LETTER)

AMOUNT OF BOND OR INSURANCE (TO BE SET BY LOCAL GOVERNMENT) \$10,000,000	NAME OF BONDING CORPORATION OR INSURANCE COMPANY EVEREST INDEMNITY INS. CO. & EVEREST DANALI INS. CO.
---	--

ADDRESS OF BONDING CORPORATION OR INSURANCE COMPANY
BRITTON-GALLAGHER & ASSOCIATES, INC., ONE CLEVELAND CENTER, FLOOR 30, 1375 E. 9TH STREET, CLEVELAND, OH

NUMBER OF FIREWORKS	KIND OF FIREWORKS TO BE DISPLAYED (Please provide additional pages as needed)
2200	1.5" ASSORTED AERIAL SHELLS
936	3" ASSORTED AERIAL SHELLS
378	4" ASSORTED AERIAL SHELLS
234	5" ASSORTED AERIAL SHELLS
108	6" ASSORTED AERIAL SHELLS
19	8" ASSORTED AERIAL SHELLS

SIGNATURE OF APPLICANT  ROBERTO SORGI, PRESIDENT - AMERICAN FIREWORKS COMPANY	DATE 4-26-24
--	-----------------

Application for Fireworks Other Than Consumer or Low Impact

NUMBER OF FIREWORKS	KIND OF FIREWORKS TO BE DISPLAYED
2200	1.5" ASSORTED AERIAL SHELLS
936	3" ASSORTED AERIAL SHELLS
378	4" ASSORTED AERIAL SHELLS
234	5" ASSORTED AERIAL SHELLS
108	6" ASSORTED AERIAL SHELLS
19	8" ASSORTED AERIAL SHELLS

Pyrotechnic Application

1. Completed Application for State Permit is attached.
2. Proof of liability insurance is attached.
3. Plan for the use of pyrotechnic special effects:
 - a. City of Rochester Hills, Festival of the Hills
 - b. June 26, 2024 at approximately 9:30 PM
 - c. The soccer fields and baseball diamonds (front show) at Borden Park, 1400 E. Hamlin Rd., Rochester Hills, MI 48307
 - d. Mike Murtland is the pyrotechnic operator.
 - e. 4 Assistants:
 - i. Michele Murtland – 48
 - ii. Connor Childs – 29
 - iii. Francesca Wilson – 33
 - iv. Tim Bilbrey – 68
 - v. Dan Bilbrey – 63
 - vi. Robert Felmly – 51
 - vii. Chip Davis – 60
 - f. Mike Murtland has successfully shot 10+ displays of the same size or larger than the Rochester Hills display. He attends American Fireworks Company yearly safety seminar.
 - g. Mike Murtland has been a pyrotechnic operator for over 10 years and has shot over 500 displays in the United States.
 - h. There is no license required to be a pyrotechnicians in the State of Michigan but he (along with his crew) has cleared a federal background check conducted by the BATFE and is allowed to work under American Fireworks Company's ATF license.
 - i. 22 – 1.5" Special Effect Barrages, 1.3 G Fireworks UN-0335 PGII, 936- 3" 1.3 G Fireworks, UN-0335 PGII, UN-0335 PGII; 378 – 4" 1.3 G Fireworks, UN-0335 PGII; 234 – 5" 1.3 G Fireworks, UN-0335 PGII; 108 – 6" 1.3 G Fireworks, 19 – 8" 1.3 G Fireworks, UN-0335 PGII. All items will be shot using electric match. The pyrotechnic operator and his assistants have worked extensively with all of these, shooting more than 50 shows a year using these same types of devices. General responsibilities of the assistants will be setting up and securing racks, loading and plugging in shells, assisting with continuity check and failed electric match checks and resolving any

problems which can be resolved before shooting display, checking for unexploded materials after the display is shot and disassembling equipment, loading it back on the truck and cleaning the shoot site.

- j. Site diagram is attached.
- k. All equipment will be assembled in its designated area on the shoot site, marked with the green pins on the site diagram.
- l. Pyrotechnics will arrive Wednesday morning the day of the display.
- m. SDS sheets are attached.
- n. All of our mortar racks are made of HDPE (high density polyethylene) or fiberglass, both of which are permitted for use of shooting pyrotechnic devices per NFPA 1123 (4.3.7.1), PGI (Official Fireworks Safety Guidelines 6.C.2) and A.P.A. (APA Display Fireworks Training Program 7.1.4.1.).

Federal Explosives License/Permit (18 U.S.C. Chapter 40)

81 00000000 00000000 00000000 00000000 00000000

In accordance with the provisions of Title XI, Organized Crime Control Act of 1970, and the regulations issued thereunder (27 CFR Part 555), you may engage in the activity specified in this license or permit within the limitations of Chapter 40, Title 18, United States Code and the regulations issued thereunder, until the expiration date shown. **THIS LICENSE IS NOT TRANSFERABLE UNDER 27 CFR 555.53.** See "WARNINGS" and "NOTICES" on reverse.

Direct ATF Correspondence To ATF - Chief, FELC 244 Needy Road Martinsburg, WV 25405-9431	License/Permit Number 4-OH-153-54-6M-00238
Chief, Federal Explosives Licensing Center (FELC) <i>Mama Howard</i>	Expiration Date December 1, 2026

Name
AMERICAN FIREWORKS INC

Premises Address (Changes? Notify the FELC at least 10 days before the move.)
**7041 DARROW ROAD
HUDSON, OH 44236-**

Type of License or Permit
54-USER OF EXPLOSIVES

Purchasing Certification Statement The licensee or permittee named above shall use a copy of this license or permit to assist a transferor of explosives to verify the identity and the licensed status of the licensee or permittee as provided by 27 CFR Part 555. The signature on each copy must be an original signature. A faxed, scanned or e-mailed copy of the license or permit with a signature intended to be an original signature is acceptable. The signature must be that of the Federal Explosives Licensee (FEL) or a responsible person of the FEL. I certify that this is a true copy of a license or permit issued to the licensee or permittee named above to engage in the business or operations specified above under "Type of License or Permit."	Mailing Address (Changes? Notify the FELC of any changes.) AMERICAN FIREWORKS INC PO BOX 1447 ATTN KATIE HUDSON, OH 44236-
<i>Robert Sorgi</i> Licensee/Permittee Responsible Person Signature	President 01/03/2024 Date
ROBERTO SORGI Printed Name	

Previous Edition is Obsolete AMERICAN FIREWORKS INC:7041 DARROW ROAD:44236-0H-153-54-6M-00238:December 1, 2026:54-USER OF EXPLOSIVES ATF Form 5400.14/5400.15 Part I Revised September 2011

Federal Explosives License (FEL) Customer Service Information

Federal Explosives Licensing Center (FELC)
244 Needy Road
Martinsburg, WV 25405-9431
Toll-free Telephone Number: (877) 283-3352
Fax Number: (304) 616-4401
E-mail: FELC@atf.gov
ATF Homepage: www.atf.gov

Change of Address (27 CFR 555.54(a)(1)). Licensees or permittees may during the term of their current license or permit remove their business or operations to a new location at which they intend regularly to carry on such business or operations. The licensee or permittee is required to give notification of the new location of the business or operations not less than 10 days prior to such removal with the Chief, Federal Explosives Licensing Center. The license or permit will be valid for the remainder of the term of the original license or permit. (The Chief, FELC, shall, if the licensee or permittee is not qualified, refer the request for amended license or permit to the Director of Industry Operations for denial in accordance with § 555.54.)

Right of Succession (27 CFR 555.59). (a) Certain persons other than the licensee or permittee may secure the right to carry on the same explosive materials business or operations at the same address shown on, and for the remainder of the term of, a current license or permit. Such persons are: (1) The surviving spouse or child, or executor, administrator, or other legal representative of a deceased licensee or permittee; and (2) A receiver or trustee in bankruptcy, or an assignee for benefit of creditors. (b) In order to secure the right provided by this section, the person or persons continuing the business or operations shall furnish the license or permit for for that business or operations for endorsement of such succession to the Chief, FELC, within 30 days from the date on which the successor begins to carry on the business or operations.

(Continued on reverse side)

Cut Here ✂

Federal Explosives License/Permit (FEL) Information Card	
License/Permit Name:	AMERICAN FIREWORKS INC
Business Name:	
License/Permit Number:	4-OH-153-54-6M-00238
License/Permit Type:	54-USER OF EXPLOSIVES
Expiration:	December 1, 2026
Please Note: Not Valid for the Sale or Other Disposition of Explosives.	



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
4/5/2024

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Acrisure, LLC dba Britton Gallagher 3737 Park East Dr. STE 204 Beachwood OH 44122	CONTACT NAME: PHONE (A/C, No, Ext): 216-658-7100 FAX (A/C, No): 216-658-7101 E-MAIL ADDRESS: info@brittongallagher.com	
	INSURER(S) AFFORDING COVERAGE INSURER A : Everest Indemnity Insurance Co. NAIC # 10851 INSURER B : Everest Denali Insurance Company 16044 INSURER C : Axis Surplus Ins Company 26620 INSURER D : Accident Fund Ins. Co. INSURER E : INSURER F :	
INSURED American Fireworks Company 7041 Darrow Road P. O. Box 1447 Hudson OH 44236-2254	54	

COVERAGES **CERTIFICATE NUMBER:** 132759986 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PROJECT <input type="checkbox"/> LOC OTHER:			SIBML02518-241	4/1/2024	2/1/2025	EACH OCCURRENCE	\$ 1,000,000
							DAMAGE TO RENTED PREMISES (Ea occurrence)	\$ 500,000
							MED EXP (Any one person)	\$
							PERSONAL & ADV INJURY	\$ 1,000,000
							GENERAL AGGREGATE	\$ 2,000,000
							PRODUCTS - COMP/OP AGG	\$ 2,000,000
								\$
B	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS			SIBCA00291-241	4/1/2024	2/1/2025	COMBINED SINGLE LIMIT (Ea accident)	\$ 1,000,000
							BODILY INJURY (Per person)	\$
							BODILY INJURY (Per accident)	\$
							PROPERTY DAMAGE (Per accident)	\$
								\$
C	<input type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$			P-001-000841157-03	4/1/2024	2/1/2025	EACH OCCURRENCE	\$ 4,000,000
							AGGREGATE	\$ 4,000,000
								\$
D	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below		Y/N	ARP12001125200 (MI)	4/19/2024	4/19/2025	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER	
			N/A				E.L. EACH ACCIDENT	\$ 1,000,000
							E.L. DISEASE - EA EMPLOYEE	\$ 1,000,000
							E.L. DISEASE - POLICY LIMIT	\$ 1,000,000
A	Excess Liability #2			SIBEX02318-241	4/1/2024	2/1/2025	Each Occ Aggregate	\$5,000,000
							Total Excess Limits	\$9,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
Additional insured extension of coverage is provided by above referenced General Liability policy where required by written agreement.
Display Date: June 26, 2024 Rain Date: July 10, 2024
Location: Borden Park, 1400 East Hamilin Road, Rochester Hills, Michigan

RE: General Liability, the following are named as additional insured in respects to the negligence of the named insured:

See Attached...

CERTIFICATE HOLDER City of Rochester Hills Rochester Hills MI	CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE



ADDITIONAL REMARKS SCHEDULE

AGENCY Acrisure, LLC dba Britton Gallagher		NAMED INSURED American Fireworks Company 7041 Darrow Road P. O. Box 1447 Hudson OH 44236-2254	
POLICY NUMBER		EFFECTIVE DATE:	
CARRIER	NAIC CODE		

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,
 FORM NUMBER: 25 FORM TITLE: CERTIFICATE OF LIABILITY INSURANCE

Additional Insureds: the City of Rochester Hills, all elected and appointed officials, all employees and volunteers, all boards, commissions and/or authorities and board members, including employees and volunteers

SAFETY DATA SHEET

QUICK IDENTIFIER

UN0335 1.3G DISPLAY FIREWORKS

May be used to comply with OSHA's Hazard Communication Standard, 29CFR 1910.1200. Standard must be consulted for specific requirements.

Common Name: (Used on label and list)

SECTION 1

Manufacturer's

Name:

Address:

City, State & Zip

Signature of Person

Responsible for Preparation (Optional)

Emergency

Telephone No.

Other

Information Calls: **Enroute Inquiry**

Date

Prepared: **January 1, 2024**

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTIFY

Hazardous Component(s) (chemical & common name(s))	% (Optional)	OSHA PEL	ACGIH TL	Other Exposure Limits	CAS NO
--	--------------	----------	----------	-----------------------	--------

CONTAINS EXPLOSIVE AND PYROTECHNIC COMPOSITIONS AND ARE CLASSIFIED AS EXPLOSIVES

1.3G UN0335 PGII BY THE DEPARTMENT OF TRANSPORTATION.

NO CHEMICAL COMPOSITIONS ARE EXPOSED DURING HANDLING AND STORAGE

SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point	N/A	Specific Gravity (H ₂ O = 1)	N/A	Vapor Pressure (mm Hg)	N/A
		Vapor Density (Air = 1)	N/A		
Solubility in Water	SLIGHT	Reactivity in Water	N/A		
Appearance and Odor	CONTAINED IN CARDBOARD CASING	Melting Point	N/A		

SECTION 4 - FIRE & EXPLOSION DATA

Flash Point	N/A	Method Used	Flammable Limits In Air % by Volume	LEL Lower	UEL Upper
Auto-ignition Temperature		Extinguisher Media		N/A	N/A
Special Fire Fighting Procedures	DO NOT ATTEMPT TO FIGHT FIRE IN VICINITY - EVACUATE				
	EVACUATE FIRE AREA IMMEDIATELY AND SEEK SHELTER				

Unusual Fire and

Explosion Hazards

MAY MASS EXPLODE

SECTION 5 - PHYSICAL HAZARDS (REACTIVITY DATA)

Stability Unstable Conditions
Stable to Avoid **OPEN FLAMES, SMOKING OR MOISTURE/FRICTION & IMPACT**

Incompatibility **SOAKING WET OR DAMP**

(Materials to Avoid)

Hazardous Decomposition Products **DEVICES WILL EXPLODE IN FIRE SITUATION**

Hazardous May Occur Conditions
Polymerization Will Not Occur to Avoid

SECTION 6 - HEALTH HAZARDS

1. Acute (Immediate) 2. Chronic (Delayed Effect)
CLORATE OF SODA-ALUMINUM

Signs and Symptoms of Exposure
Medical Conditions Generally
Aggravated by Exposure **N/A**

Chemical Listed as Carcinogen National Toxicology Yes I.A.R.C. Yes OSHA Yes
or Potential Carcinogen **N/A** Program No Monographs No No

Emergency and First Aid Procedures **N/A**

ROUTES OF ENTRY }
1. Inhalation **NO**
2. Eyes **NO**
3. Skin **NO**
4. Ingestion **NO**

SECTION 7 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

Precautions to be Taken
In Handling and Storage **KEEP COOL AND DRY, AVOID IMPACT, NO SMOKING**

Other
Precautions **KEEP FIRE AWAY - HANDLE CAREFULLY**

Steps to be Taken in Case
Material is Released or Spilled **CAUTIOUSLY PICK UP SPILLED DEVICES AND PLACE IN CASE**

Waste Disposal Methods
(Consult Federal, State and Local Regulations) **REPACK PRODUCT AND TRANSPORT BACK TO ATF APPROVED MAGAZINE**

SECTION 8 - SPECIAL PROTECTION INFORMATION/CONTROL MEASURES

Respiratory Protection
(Specify Type) **N/A**

Ventilation Local Mechanical Special Other
OUTDOOR USE ONLY Exhaust (General)

Protective Eye
Gloves **N/A** Protection **N/A**

Other Protective
Clothing or Equipment **N/A**

Work/Hygienic Practices **N/A**

IMPORTANT
Do not leave any blank spaces. If required information is unavailable, unknown or does not apply, so indicate.
CU-F1R Printed by Labelmaster, An American Labelmark Company, Chicago, IL 60646 (800) 621-5808

EMERGENCY RESPONSE INFORMATION

SPECIAL FIREWORKS (UN0335 -FIREWORKS 1.3G)

Special Fireworks contain explosive and pyrotechnic compositions and are classified as Fireworks 1.3G by the U.S. Department of Transportation. No chemical components are released during normal handling and storage of shells.

No chemical components are released during normal handling of shells, storage, and transportation. In the event of a vehicle fire that reached the cargo area, the fireworks are likely to ignite. They will explode rapidly, spreading burning particles over a several hundred-foot areas. A mass explosion is unlikely, but precautions should be taken if one does occur. Smoke and potentially irritating gases will be produced in a fire. If the fireworks are spilled as the result of an accident but do not ignite, they can safely be picked up and repackaged. The area should be kept cleared of unnecessary people while this is being done.

EMERGENCY ACTION

In case of fire, stop traffic and begin to clear the area for 2,500 feet (1/2 mile) in all directions. Keep unnecessary people away. **DO NOT** fight fire in cargo area. Try to prevent other types of fire from reaching the cargo area. Self-contained breathing apparatus (SCBA) and structural firefighter's protective clothing will provide some limited protection. Firefighters should retreat if fire approaches cargo area.

For additional information, call the shipper using the emergency telephone number listed on the shipping papers; if there is no answer; call Chemtel's 24-Hour number 800-255-3924.

FIRE

Truck fire (other than cargo area): Flood with water. The fires may start again. Unhook and separate tractor from trailer, if possible.

Cargo fire: **DO NOT** move cargo or vehicle if cargo has been exposed to heat. **DO NOT** fight fire when it reaches cargo. Withdraw from area and let fire burn. Use firefighting team to prevent spread of fire to adjacent structures and materials. Promptly isolate the scene by removing all persons from the vicinity of the incident. First, move people out of line-of-sight of the scene and away from windows. Obtain more information from competent authorities listed on the shipping papers.

SPILL OF CARGO

Shut off all ignition sources. There shall be no flares, smoking, tools capable of producing sparks, or flames in the vicinity of the spilled material. Cautiously pick up the spilled devices and place them in cardboard cartons.

FIRST AID

Call emergency medical care.

Use first aid treatment according to the nature of the injury.

2024

Permit for Fireworks Other Than Consumer or Low Impact
Michigan Department of Licensing & Regulatory Affairs
Bureau of Fire Services
P.O. Box 30700
Lansing MI 48909
(517) 241-8847

Authority: 2011 PA 266	The Department of Licensing & Regulatory Affairs will not discriminate against any individual or group because of race, sex, religion, age, national origin, color, marital status, disability, or political beliefs. If you need assistance with reading, writing, hearing, etc., under the Americans with Disabilities Act, you may make your needs known to this agency.
Compliance: Voluntary	
Penalty: Permit will not be issued	

This permit is not transferable. Possession of this permit authorizes the herein named person to possess, transport and display fireworks in the amounts, for the purpose of and at the place listed below only.

Display Fireworks														
ISSUED TO	AMERICAN FIREWORKS COMPANY FOR THE CITY OF ROCHESTER HILLS, MICHIGAN	AGE (18 or over)												
ADDRESS	7041 DARROW ROAD, HUDSON, OHIO													
NAME OF ORGANIZATION, GROUP, FIRM OR CORPORATION	CITY OF ROCHESTER HILLS, MICHIGAN - LISA CUMMINGS													
ADDRESS	1000 ROCHESTER HILLS DRIVE, ROCHESTER HILLS, MI													
NUMBER AND TYPES OF FIREWORKS	<table border="0"> <tr><td>2200</td><td>1.5" ASSORTED AERIAL SHELLS</td></tr> <tr><td>936</td><td>3" ASSORTED AERIAL SHELLS</td></tr> <tr><td>378</td><td>4" ASSORTED AERIAL SHELLS</td></tr> <tr><td>234</td><td>5" ASSORTED AERIAL SHELLS</td></tr> <tr><td>108</td><td>6" ASSORTED AERIAL SHELLS</td></tr> <tr><td>19</td><td>8" ASSORTED AERIAL SHELLS</td></tr> </table>		2200	1.5" ASSORTED AERIAL SHELLS	936	3" ASSORTED AERIAL SHELLS	378	4" ASSORTED AERIAL SHELLS	234	5" ASSORTED AERIAL SHELLS	108	6" ASSORTED AERIAL SHELLS	19	8" ASSORTED AERIAL SHELLS
2200	1.5" ASSORTED AERIAL SHELLS													
936	3" ASSORTED AERIAL SHELLS													
378	4" ASSORTED AERIAL SHELLS													
234	5" ASSORTED AERIAL SHELLS													
108	6" ASSORTED AERIAL SHELLS													
19	8" ASSORTED AERIAL SHELLS													
EXACT LOCATION OF DISPLAY OR USE	BORDEN PARK, 1400 EAST HAMLIN ROAD, ROCHESTER HILLS, MI													
CITY, VILLAGE, TOWNSHIP	DATE	TIME												
ROCHESTER HILLS, MICHIGAN	JUNE 26, 2024	9:30 PM												
BOND OR INSURANCE FILED	AMOUNT													
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	\$10,000,000													

Issued by action of the Legislative Body of a

City Village Township of _____ on the _____ day of _____

(Signature and Title of Legislative Body Representative)

THIS FORM IS VALID FOR THE YEAR SHOWN ONLY