

SAFETY DATA SHEET

QUICK IDENTIFIER

UN0335 1.3G DISPLAY FIREWORKS

Common Name: (Used on label and list)

May be used to comply with OSHA's Hazard Communication Standard.
29CFR 1910.1200. Standard must be consulted for specific requirements.

SECTION 1

Manufacturer's

Name:

Address:

City, State & Zip

Signature of Person

Responsible for Preparation (Optional)

Emergency

Telephone No.

Other

Information Calls: **Enroute Inquiry**

Date

Prepared: **January 1, 2023**

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTIFY

Hazardous Component(s) (chemical & common name(s))	% (Optional)	OSHA PEL	ACGIH TL	Other Exposure Limits	CAS NO
--	-----------------	-------------	-------------	--------------------------	-----------

CONTAINS EXPLOSIVE AND PYROTECHNIC COMPOSITIONS AND ARE CLASSIFIED AS EXPLOSIVES

1.3G UN0335 PGII BY THE DEPARTMENT OF TRANSPORTATION.

NO CHEMICAL COMPOSITIONS ARE EXPOSED DURING HANDLING AND STORAGE

SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point	N/A	Specific Gravity (H ₂ O = 1)	N/A	Vapor Pressure (mm Hg)	N/A
		Vapor Density (Air = 1)	N/A		
Solubility in Water	SLIGHT	Reactivity in Water		N/A	
Appearance and Odor	CONTAINED IN CARDBOARD CASING	Melting Point		N/A	

SECTION 4 - FIRE & EXPLOSION DATA

Flash Point	N/A	Method Used	Flammable Limits In Air % by Volume	LEL Lower	N/A	UEL Upper	N/A
Auto-ignition Temperature		Extinguisher Media	DO NOT ATTEMPT TO FIGHT FIRE IN VICINITY - EVACUATE				
Special Fire Fighting Procedures	EVACUATE FIRE AREA IMMEDIATELY AND SEEK SHELTER						
Unusual Fire and Explosion Hazards	MAY MASS EXPLODE						

SECTION 5 - PHYSICAL HAZARDS (REACTIVITY DATA)

Stability	Unstable <input type="checkbox"/>	Conditions	
	Stable <input checked="" type="checkbox"/>	to Avoid	OPEN FLAMES, SMOKING OR MOISTURE/FRICTION & IMPACT
Incompatibility	SOAKING WET OR DAMP		
(Materials to Avoid)			
Hazardous	DEVICES WILL EXPLODE IN FIRE SITUATION		
Decomposition Products			
Hazardous	May Occur <input type="checkbox"/>	Conditions	
Polymerization	Will Not Occur <input type="checkbox"/>	to Avoid	

SECTION 6 - HEALTH HAZARDS

1. Acute (Immediate)	2. Chronic (Delayed Effect)
CLORATE OF SODA-ALUMINUM	
Signs and Symptoms of Exposure	
Medical Conditions Generally	
Aggravated by Exposure	N/A
Chemical Listed as Carcinogen	National Toxicology Yes <input type="checkbox"/>
or Potential Carcinogen	Program No <input checked="" type="checkbox"/>
Emergency and First Aid Procedures	I.A.R.C. Yes <input type="checkbox"/>
	Monographs No <input checked="" type="checkbox"/>
	OSHA Yes <input type="checkbox"/>
	No <input checked="" type="checkbox"/>
ROUTES OF ENTRY	1. Inhalation NO
	2. Eyes NO
	3. Skin NO
	4. Ingestion NO

SECTION 7 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

Precautions to be Taken in Handling and Storage	KEEP COOL AND DRY, AVOID IMPACT, NO SMOKING
Other Precautions	KEEP FIRE AWAY - HANDLE CAREFULLY
Steps to be Taken in Case Material is Released or Spilled	CAUTIOUSLY PICK UP SPILLED DEVICES AND PLACE IN CASE
Waste Disposal Methods (Consult Federal, State and Local Regulations)	REPACK PRODUCT AND TRANSPORT BACK TO ATF APPROVED MAGAZINE

SECTION 8 - SPECIAL PROTECTION INFORMATION/CONTROL MEASURES

Respiratory Protection (Specify Type)	N/A
Ventilation	Local Exhaust
OUTDOOR USE ONLY	Mechanical (General)
Protective	Eye Protection
Gloves	N/A
Other Protective	
Clothing or Equipment	N/A
Work/Hygienic Practices	N/A

IMPORTANT
 Do not leave any blank spaces. If required information is unavailable, unknown or does not apply, so indicate.
 CU-F1R Printed by Labelmaster, An American Labelmark Company, Chicago, IL 60646 (800) 621-5808

EMERGENCY RESPONSE INFORMATION

SPECIAL FIREWORKS (UN0335 -FIREWORKS 1.3G)

Special Fireworks contain explosive and pyrotechnic compositions and are classified as Fireworks 1.3G by the U.S. Department of Transportation. No chemical components are released during normal handling and storage of shells.

No chemical components are released during normal handling of shells, storage, and transportation. In the event of a vehicle fire that reached the cargo area, the fireworks are likely to ignite. They will explode rapidly, spreading burning particles over a several hundred-foot areas. A mass explosion is unlikely, but precautions should be taken if one does occur. Smoke and potentially irritating gases will be produced in a fire. If the fireworks are spilled as the result of an accident but do not ignite, they can safely be picked up and repackaged. The area should be kept cleared of unnecessary people while this is being done.

EMERGENCY ACTION

In case of fire, stop traffic and begin to clear the area for 2,500 feet (1/2 mile) in all directions. Keep unnecessary people away. **DO NOT** fight fire in cargo area. Try to prevent other types of fire from reaching the cargo area. Self-contained breathing apparatus (SCBA) and structural firefighter's protective clothing will provide some limited protection. Firefighters should retreat if fire approaches cargo area.

For additional information, call the shipper using the emergency telephone number listed on the shipping papers; if there is no answer; call Chemtel's 24-Hour number 800-255-3924.

FIRE

Truck fire (other than cargo area): Flood with water. The fires may start again. Unhook and separate tractor from trailer, if possible.

Cargo fire: **DO NOT** move cargo or vehicle if cargo has been exposed to heat. **DO NOT** fight fire when it reaches cargo. Withdraw from area and let fire burn. Use firefighting team to prevent spread of fire to adjacent structures and materials. Promptly isolate the scene by removing all persons from the vicinity of the incident. First, move people out of line-of-sight of the scene and away from windows. Obtain more information from competent authorities listed on the shipping papers.

SPILL OF CARGO

Shut off all ignition sources. There shall be no flares, smoking, tools capable of producing sparks, or flames in the vicinity of the spilled material. Cautiously pick up the spilled devices and place them in cardboard cartons.

FIRST AID

Call emergency medical care.

Use first aid treatment according to the nature of the injury.