SANITARY SEWER EASEMENT

<u>Pulte Homes of Michigan, LLC. a Michigan limited liability company of 100 Bloomfield Hills Parkway, Suite 140 Bloomfield Hills, Michigan 48304</u> grants to the CITY OF ROCHESTER HILLS, a Michigan municipal corporation, of 1000 Rochester Hills Drive, Rochester Hills, Michigan 48309, an easement for the construction, operation, maintenance, repair and/or replacement of a sanitary sewer on, under through and across land more particularly described as:

See attached Exhibits A and B

In connection with the grant of easement, Grantor waives and relinquishes any right, title or interest in the sanitary sewer, or the facilities incidental thereto, which may be located in the easement.

All property disturbed or altered, now or in the future, by reason of the construction, operation, maintenance, repair and/or replacement of the sanitary sewer shall be restored by the City to its immediately prior condition, except to the extent permanent improvements or alterations necessary to the use and exercise of easement rights granted hereunder are made.

The easement shall be irrevocable and non-exclusive, and Grantor and Grantor's successors and assigns may use and enjoy the easement area in common with the City.

Grantor expressly reserves to Grantor and Grantor's successors and assigns, so long as there is no interference with the construction, operation, maintenance, repair and/or replacement of the sanitary sewer: (a) the right of ingress and egress over, through and across the easement, and (b) the right to grant other non-exclusive easements and rights-of-way across, over, under and through the easement parcel, with the condition that prior to such a grant written consent shall be obtained from the City.

Exempt from Transfer Taxes under MCL 207.505(a) and 207.526(a).

IN WITNESS HEREOF, the undersigned have hereunto affixed their signatures on this _23_ day of _Ave.___, 20 _/6_.

23 day of 46 , $20/6$.	
	Pulte Homes of Michigan, LLC.
	Sighature Paul W. Schyck
	(Print Name) <u>Division Director of Land Development</u>
	Title
	Signature
	(Print Name)
	Title
STATE OF MICHIGAN. COUNTY OF WILLIAM	
The foregoing instrument was acknowledged before 20 6, by 6 who	e me this, day of, of, of
100 ROOM FIRED HILL PARKET a Michigan limited	liability company, on behalf of the company. Director of Land Development
Drafted by:	Ja: Villa
BLOOMFIELD HILLS PARKWAY SUITE 140 BLOOMFIELD HILLS, MI. 48304 When recorded, return to:	, Notary Public County, Michigan My Commission Expires:
City of Rochester Hills	Zina P. Thomas

City of Rochester Hills 1000 Rochester Hills Drive Rochester Hills, MI 48309

John Staran Approved 8/25/14


Notary Public, State of Michigan

County of Wayne

My Commission Expires Feb. 01, 2019 Action in the County of WWW and

EXHIBIT "A" SKETCH OF EASEMENT FOR SANITARY SEWER

PART OF THE NORTHEAST $\frac{1}{4}$ OF SECTION 28, TOWN 3 NORTH, RANGE 11 EAST, CITY OF ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN




CLIENT PULTE HOMES	PROJECT NO. 15-002	FIELD BOOK 000
OF MICHIGAN, LLC	DATE 03-08-16	SHEET 1 OF 3
SCALE 1"=150'	DRAWN BY L.A.	CHECKED BY D.H.K.

M	FAZAL	KHAN	& ASSO(CIATES,	INC.
			S & LAND		
	43279 SCF	OENHERR	STERLING H	HEIGHTS, MI	48313
	PHONE	(586) 739-	-8007 FAX	(586) 739	-6994
	W.F.	AZAL	_KHA	N.CC	NC

EXHIBIT "A" SKECTH OF EASEMENT FOR SANITARY SEWER

PART OF THE NORTHEAST $\frac{1}{4}$ OF SECTION 28, TOWN 3 NORTH, RANGE 11 EAST, CITY OF ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN



CLIENT PULTE HOMES	PROJECT NO. 15-002	FIELD BOOK 000
OF MICHIGAN, LLC	DATE 03-08-16	SHEET 2 OF 3
SCALE 1"=150'	DRAWN BY L.A.	CHECKED BY D.H.K.



EXHIBIT "A" DESCRIPTION OF SANITARY SEWER EASEMENT

PART OF THE NORTHEAST $\frac{1}{4}$ OF SECTION 28, TOWN 3 NORTH, RANGE 11 EAST, CITY OF ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN

LEGAL DESCRIPTION

A PARCEL OF LAND LOCATED IN THE NORTHEAST 1/4 OF SECTION 28, TOWN 3 NORTH, RANGE 11 EAST, CITY OF ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS; COMMENCING AT NORTHEAST CORNER OF SAID SECTION 28; THENCE SOUTH 705.50 FEET ALONG THE EAST LINE OF SECTION 28 AND N87°1047"W 60.07 FEET TO THE POINT OF BEGINNING; THENCE EXTENDING SOUTH 530.28 FEET ALONG THE WEST LINE OF LIVERNOIS ROAD (60.00 FEET 1/2 WIDTH); THENCE N.86°50'01"W 271.11 FEET; THENCE SOUTH 1.60 FEET; THENCE ALONG THE NORTHERLY AND EASTERLY LINE OF "WHISPERING WILLOWS NO. 1 AS RECORDED IN LIBER 173 ON PAGES 1-4, OAKLAND COUNTY RECORDS THE FOLLOWING COURSES AND DISTANCES; N87°10'47"W 898.39 FEET, N00°38'51"W 172.73 FEET, S88°51'51"W 314.56 FEET AND N01°17'26"W 927.16 FEET TO THE SOUTH RIGHT OF WAY LINE OF HAMLIN ROAD; THENCE ALONG THE SOUTH RIGHT OF WAY LINE OF HAMLIN ROAD THE FOLLOWING (3) THREE COURSES AND DISTANCES. (1) N89°12'02"E 226.31 FEET, (2) S00°47'58"E 12.00 FEET, (3) N89°12'02"E 98.62 FEET; THENCE S00°38'51"E 328.00 FEET; THENCE S86°46'06"E 271.56 FEET; THENCE SOUTH 225.34 FEET; THENCE S87°10'47"E 906.53 FEET TO THE POINT OF BEGINNING. CONTAINING 22.423 ACRES OF LAND.

SUBJECT TO ANY EASEMENTS AND/OR RIGHTS OF WAY RECORDED OR OTHERWISE.

DESCRIPTION OF SANITARY SEWER EASEMENT:

PARCEL OF LAND LOCATED IN THE NORTHEAST 1/4 OF SECTION 28, TOWN 3 NORTH, RANGE 11 EAST, CITY OF ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS; COMMENCING AT NORTHEAST CORNER OF SAID SECTION 28; THENCE SOUTH 1105.59 FEET ALONG THE EAST LINE OF SECTION 28; THENCE N87°10'47"W 60.07 FEET; TO THE POINT OF BEGINNING 1; THENCE CONTINUING N87°10'47"W 921.66 FEET; THENCE 22.68 FEET ALONG AN ARC OF A CURVE TO THE LEFT; SAID CURVE HAVING A RADIUS OF 188.50 FEET, AND A CHORD BEARING S89°22'25"W 22.67 FEET; THENCE 27.25 FEET ALONG AN ARC OF A CURVE TO THE RIGHT; SAID CURVE HAVING A RADIUS OF 226.50 FEET, AND A CHORD BEARING S89°22'25"W 27.23 FEET; THENCE 115.54 FEET ALONG AN ARC OF A CURVE TO THE RIGHT; SAID CURVE HAVING A RADIUS OF 76.50 FEET, AND A CHORD BEARING N43°54'49"W 104.86 FEET; THENCE 27.25 FEET ALONG AN ARC OF A CURVE TO THE RIGHT; SAID CURVE HAVING A RADIUS OF 226.50 FEET, AND A CHORD BEARING N02°47'57"E 27.23 FEET; THENCE 22.68 FEET ALONG AN ARC OF A CURVE TO LEFT; SAID CURVE HAVING A RADIUS OF 188.50 FEET, AND A CHORD BEARING N02°47'57"E 22.67 FEET; THENCE N00°38'51"W 218.23 FEET; THENCE N87°10'47"W 202.30 FEET; THENCE 23.14 FEET ALONG AN ARC OF A CURVE TO THE LEFT; SAID CURVE HAVING A RADIUS OF 193,50 FEET, AND A CHORD BEARING S89°23'39"W 23.13 FEET; THENCE 27.09 FEET ALONG AN ARC OF A CURVE TO THE RIGHT; SAID CURVE HAVING A RADIUS OF 226.50 FEET, AND A CHORD BEARING S89°23'39"W 27.07 FEET; THENCE 115.54 FEET ALONG AN ARC OF A CURVE TO THE RIGHT; SAID CURVE HAVING A RADIUS OF 76.50 FEET, AND A CHORD BEARING N43°54'49"W 104.86 FEET; THENCE 27.25 FEET ALONG AN ARC OF A CURVE TO THE RIGHT; SAID CURVE HAVING A RADIUS OF 226.50 FEET, AND A CHORD BEARING N02°47'57"E 27.23 FEET; THENCE 22.68 FEET ALONG AN ARC OF A CURVE TO THE LEFT; SAID CURVE HAVING A RADIUS OF 188.50 FEET, AND A CHORD BEARING N02°47'57"E 22.67 FEET; N00°38'51"W 499.48 FEET; THENCE S89°12'02"W 5.00 FEET; THENCE S00°38'51"E 499.47 FEET; THENCE 22.08 FEET ALONG AN ARC OF A CURVE TO THE RIGHT; SAID CURVE HAVING A RADIUS OF 183.50 FEET, AND A CHORD BEARING S02°47'57"W 22.06 FEET; THENCE 27.85 FEET ALONG AN ARC OF A CURVE TO THE LEFT; SAID CURVE HAVING A RADIUS OF 231.50 FEET, AND A CHORD BEARING S02°47'57"W 27.84 FEET; THENCE 123.09 FEET ALONG AN ARC OF A CURVE TO THE LEFT; SAID CURVE HAVING A RADIUS OF 81.50 FEET, AND A CHORD BEARING S43°54'49"E 111.72 FEET; THENCE 27.69 FEET ALONG AN ARC OF A CURVE TO THE LEFT; SAID CURVE HAVING A RADIUS OF 231.50 FEET, AND A CHORD BEARING N89°23'39"E 27.67 FEET; THENCE 22.54 FEET ALONG AN ARC OF A CURVE TO THE RIGHT; SAID CURVE HAVING A RADIUS OF 188.50 FEET, AND A CHORD BEARING N89°23'39"E 22.53 FEET; THENCE S87°10'47"E 197.59 FEET TO A POINT ALSO KNOWN AS POINT "A"; THENCE S00°38'51"E 213.52 FEET; THENCE 22.08 FEET ALONG AN ARC OF A CURVE TO THE RIGHT; SAID CURVE TO THE RIGHT; HAVING A RADIUS OF 183.50 FEET, AND A CHORD BEARING S02°47'57"W 22.06 FEET; THENCE 27.85 FEET ALONG AN ARC OF A CURVE TO THE LEFT; SAID CURVE HAVING A RADIUS OF 231.50 FEET, AND A CHORD BEARING S02°47'57"W 27.84 FEET; THENCE 123.09 FEET ALONG AN ARC OF A CURVE TO THE LEFT; SAID CURVE HAVING A RADIUS OF 81.50 FEET, AND A CHORD BEARING S43°554'49"E 111.72 FEET; THENCE 27.85 FEET ALONG AN ARC OF A CURVE TO THE LEFT; SAID CURVE HAVING A RADIUS OF 231.50 FEET, AND A CHORD BEARING N89°22'25"E 27.84 FEET; THENCE 22.08 FEET ALONG AN ARC OF A CURVE TO THE RIGHT: SAID CURVE HAVING A RADIUS OF 183.50 FEET, AND A CHORD BEARING N89°22'25"E 22.06 FEET; THENCE S87°10'47"E 786.74 FEET TO A POINT ALSO KNOWN AS POINT "B"; THENCE CONTINUING S87°10'47"E 135.15 FEET; THENCE NORTH 5.01 FEET TO THE POINT OF BEGINNING.

THENCE COMMENCING FROM A POINT ALSO KNOWN AS POINT "A"; THENCE \$87°10'47"E 65.12 FEET TO THE POINT OF BEGINNING 2; THENCE CONTINUING \$87°10'47"E 781.45 FEET; THENCE 12.01 FEET ALONG AN ARC OF A CURVE TO THE LEFT; SAID CURVE HAVING A RADIUS OF 13.50 FEET, AND A CHORD BEARING N61°41'28"W 11.62 FEET; THENCE N87°10'47"W 771.26 FEET; THENCE \$00°38'51"E 5.01 FEET TO THE POINT OF BEGINNING.

THENCE COMMENCING AT A POINT ALSO KNOWN AS POINT "B"; THENCE N00°00'01"E 65.08 FEET TO THE POINT OF BEGINNING 3; THENCE CONTINUING N00°00'01"E 217.18 FEET; THENCE 22.54 FEET ALONG AN ARC OF A CURVE TO THE RIGHT; SAID CURVE HAVING A RADIUS OF 188.50 FEET, AND A CHORD BEARING N03°25'35"E 22.53 FEET; THENCE 27.69 FEET ALONG AN ARC OF A CURVE TO THE LEFT; SAID CURVE HAVING A RADIUS OF 231.50 FEET, AND A CHORD BEARING N03°25'35"E 27.67 FEET; THENCE 95.31 FEET ALONG AN ARC OF A CURVE TO THE LEFT; SAID CURVE HAVING A RADIUS OF 81.50 FEET, AND A CHORD BEARING N33°30'10"W 89.97 FEET; THENCE N87°10'47"W 28.11 FEET; THENCE 116.40 FEET ALONG AN ARC OF A CURVE TO THE RIGHT; SAID CURVE HAVING A RADIUS OF 76.50 FEET, AND A CHORD BEARING S43°35'23"E 105.49 FEET' THENCE 27.09 FEET ALONG AN ARC OF A CURVE TO THE RIGHT; SAID CURVE HAVING A RADIUS OF 226.50 FEET, AND A CHORD BEARING S03°25'35"W 27.07 FEET; THENCE 23.14 FEET ALONG AN ARC OF A CURVE TO THE LEFT; SAID CURVE HAVING A RADIUS OF 193.50 FEET, AND A CHORD BEARING S03°25'35"W 23.13 FEET; THENCE S00°00'01"W 216.93 FEET; THENCE S87°10'47"E 5.01 FEET.

CLIENT PULTE HOMES	PROJECT NO. 15-002	FIELD BOOK 000
OF MICHIGAN, LLC	DATE 03-08-16	SHEET 3 OF 3
SCALE NO SCALE	DRAWN BY L.A.	CHECKED BY D.H.K.

