

Oakville Estates


Planned Unit Development
Submitted for Final PUD Review

Rochester Hills,


Oakland County, Michigan

Sheet Index:

Land Planner/ Landscape Architect	
DesignTeam Limited 17255 W. Ten Mile Road Southfield, MI 48075 248.559.1000 Fax: 248.559.5717 email: meamr@go2.com	SP - 1.0 Cover SP - 2.0 Zoning Plan SP - 2.1 Natural Feature Plan SP - 3.0 Overall Final Site Plan SP - 3.1 Open Space Plan SP - 4.0 Oakville Estates North - Final Site Plan SP - 5.0 Oakville Estates South - Final Site Plan SP - 6.0 Section Plan LA - 1.0 Overall Final Landscape Plan LA - 1.1 Complete Cost Estimate LA - 2.0 Oakville Estates Phase I 'Section A' - Final Landscape Plan LA - 2.1 Oakville Estates Phase I 'Section B' - Final Landscape Plan LA - 3.0 Oakville Estates Phase II 'Section A' - Final Landscape Plan LA - 3.1 Oakville Estates Phase II 'Section B' - Final Landscape Plan LA - 4.0 Detailed Unit & Entrance Landscape Plan LA - 5.0 Amenities, Specifications & Details



DesignTeam
Landscape Architecture
Land Planning
Urban Design
Environmental Planning



Location Map

Not to Scale



Legal Description (Provided by MCS Associates, Inc.)

LEGAL DESCRIPTION: TOTAL PARCEL

Part of the NW 1/4 of Section 24, T.3N., R.11E., Rochester Hills, Oakland County, Michigan, being more particularly described as follows:

Beginning at a point which is S87°37'27"E 769.35 feet along the East-West 1/4 line of Section 24 and centerline of School Road (North 43 ft wd. R.O.W.) and N00°42'00"E 43.02 feet to the North R.O.W. line of School Road (North 43 ft wd. R.O.W.) from the West 1/4 corner of Section 24; thence continuing N00°42'00"E 853.35 feet; thence S87°36'01"W 720.03 feet to the East 60 ft R.O.W. line of John R. Road (East 60 ft wd. R.O.W.); thence N00°00'00"E 149.99 feet along said East 60 ft R.O.W. line of John R. Road (East 60 ft wd. R.O.W.); thence S87°36'24"W 60.05 feet to the West line of Section 24 and centerline of John R. Road (East 60 ft wd. R.O.W.); thence N00°00'00"E 348.00 feet along said West line of Section 24 and centerline of John R. Road (East 60 ft wd. R.O.W.); thence N87°36'06"E 1326.16 feet to the 1/8 line of Section 24; thence S00°01'42"W 1377.16 feet along said 1/8 line of Section 24 to the North R.O.W. line of School Road (North 43 ft wd. R.O.W.); thence N87°37'27"W 555.59 feet along said North R.O.W. line of School Road (North 43 ft wd. R.O.W.) to the Point of Beginning.
Containing 1,121,893 square feet --- 25.755 acres.

Subject to the rights of the public and any governmental unit in any part thereof taken, used or needed for street, road or highway purposes.

NOTE:
NET ACREAGES ARE CALCULATED TO THE PROPOSED 60 FT R.O.W. OF JOHN R. ROAD, AND THE EXISTING 43 FT R.O.W. OF SCHOOL ROAD.

Project Engineer	
JJ Associates (Formerly MCS Associates) Civil Engineering and Surveying 44444 Mound Road Suite 100 Sterling Heights, Michigan 48314 Phone: 586.726.9111 Fax: 586.726.9112	C - 1 BOUNDARY SURVEY C - 2 TOPOGRAPHIC SURVEY C - 3 JOHN R. ROAD TOPOGRAPHIC SURVEY C - 4 SCHOOL ROAD TOPOGRAPHIC SURVEY C - 5 UTILITY LAYOUT C - 6 GRADING PLAN C - 7 GRADING PLAN C - 8 STRIPING DETAIL, SOIL MAP, SLOPE GRADIENT, WATERSHED MAP C - 9 DRAINAGE MAP C - 10 TREE PRESERVATION PLAN C - 11 TREE PRESERVATION PLAN C - 12 TREE PRESERVATION PLAN C - 13 TREE LISTING C - 14 TREE LISTING A - 1 UNIT A, B AND C ELEVATIONS A - 2 UNIT A AND B ELEVATIONS WE-1 BOARDWALK LOCATION & DETAILS

Wetland Consultant
Brooks Williamson and Associates
30366 Beck Road
Wixom, Michigan 48393

Phone: 248.624.9100
Fax: 248.624.3983

Planned issued

DATE : 11/30/06
 FOR REVIEW
 FOR APPROVAL
 FOR BIDDING
 FOR CONSTRUCTION


Client/Applicant

Oakville Estates L.L.C.
Mr. Greg Custer
42850 Schoenherr Road
Sterling Heights, Michigan 48313

Phone: 586.566.8100
Fax: 586.566.0210



Project

Oakville Estates
Rochester Hills, Oakland County, Michigan
Submitted For Final PUD Approval



DesignTeam	11/13/06	Final PUD Approval
Checked/Approved	11/13/06	Final PUD Approval
Job #	037526	
File	D37216 Cover 11-13-06.dwg	
Date/Version	Issued For	
11/13/06	Final PUD Approval	
02/27/06	Concept Review & Approval	
02/07/06	Concept Review & Approval	
01/27/06	Staff Review	
02/27/06	Final PUD Approval	
11/20/06	Final PUD Approval	

Copyright © 2006
DesignTeam Limited
This Document and the subject matter contained therein is proprietary and is not to be used or reproduced without the written permission of DesignTeam Limited.
Date



Location Map

Legal Description (Provided by MCS Associates, Inc.)

LEGAL DESCRIPTION TOTAL PARCEL
 Part of the NW 1/4 of Section 24, T.3N., R.11E., Rochester Hills, Oakland County, Michigan, being more particularly described as follows:
 Beginning at a point which is S87°37'37"E 759.35 feet along the East-West 1/4 line of Section 24 and centerline of School Road (North 43 ft wd. R.O.W.) and N00°42'00"E 43.01 feet to the North R.O.W. line of School Road (North 43 ft wd. R.O.W.) from the West 1/4 corner of Section 24; thence continuing N00°42'00"E 533.35 feet; thence S87°38'01"W 720.03 feet to the East 60 ft R.O.W. line of John R. Road (East 60 ft wd. R.O.W.); thence N00°00'00"E 149.99 feet along said East 60 ft R.O.W. line of John R. Road (East 60 ft wd. R.O.W.); thence S87°36'24"W 60.05 feet to the West line of Section 24 and centerline of John R. Road (East 60 ft wd. R.O.W.); thence N87°36'08"E 1326.16 feet to the 1/8 line of Section 24; thence S00°01'42"W 1377.16 feet along said 1/8 line of Section 24 to the North R.O.W. line of School Road (North 43 ft wd. R.O.W.); thence N87°37'27"W 556.59 feet along said North R.O.W. line of School Road (North 43 ft wd. R.O.W.) to the Point of Beginning. Containing 1,121,893 square feet -- 25.755 acres.

Subject to the rights of the public and any governmental unit in any part thereof taken, used or dedicated for street, road or highway purposes.

NOTE:
 NET ACRES ARE CALCULATED TO THE PROPOSED 60 FT R.O.W. OF JOHN R. ROAD AND THE EXISTING 43 FT R.O.W. OF SCHOOL ROAD.



DesignTeam Limited
 17255 W. Tim Mill Road
 Southfield, MI 48075
 248 559 1000
 Fax: 248 559 5717
 email: dtteam@dtteam.com


Client:
 Oakville Estates L.L.C.
 42850 Schoenher Road
 Sterling Heights, Michigan 48313
 PH: 586 566 8100
 FAX: 586 566 0210


Project:
 Oakville Estates
 Rochester Hills,
 Oakland County,
 Michigan

Date/Revision	Issued For
1/13/06	For Staff Review
2/23/06	Concept Review & Approval
5/8/06	Concept Review & Approval
6/12/06	Staff Review
6/27/06	Final Staff Approval
11/20/06	Final Staff Approval


Copyright © 2006
 DesignTeam Limited
 This document and the subject matter contained therein are proprietary and in not to be used or reproduced without the written permission of DesignTeam Limited.
 Date

- NOTES:**
1. Base, boundary, topographic, and legal description information provided by MCS & Associates, received on 5/2/06.
 2. Wetland limit verified by Brooks Williamson and Associates, provided by MCS & Associates, received on 5/2/06.
 3. Subject to city and agency reviews and modifications.





DesignTeam
 Landscape Architecture
 Land Planning
 Urban Design
 Environmental Planning



LEGEND:

- Property Line
- Existing Vegetation
- Wetlands
- 25' Buffer
- Ridge
- *H.P. High Point
- *L.P. Low Point

WETLAND REPORT:

For description of the wetlands refer to report prepared and submitted by Brooks Williamson and Associates, dated 11-9-05.

NOTES:

1. Base, boundary, topographic, and legal description information provided by MCS & Associates, received on 5/2/06.
2. Wetland limit verified by Brooks Williamson and Associates, provided by MCS & Associates, received on 5/2/06.
3. Subject to city and agency reviews and modifications.

15000 W. TWIN MILE ROAD, SOUTHFIELD, MI 48075
 TEL: 248.559.5177 FAX: 248.559.5177
 WWW.DESIGNTEAMLLC.COM



DesignTeam Limited
 17255 W. Ten Mile Road
 Southfield, MI 48075


248.559.5100
 Fax: 248.559.5177
 email: dteam@td@aol.com

Client: Oakville Estates L.L.C.
 42850 Schoonen Road
 Sterling Heights, Michigan 48313
 PH: 586.566.8100
 FAX: 586.566.0210



Project: Oakville Estates
 Rochester Hills,
 Oakland County,
 Michigan

Date/Revision	Issued For
11/11/06	For Staff Review
2/22/06	Cancel: NARA S. Approval
5/10/06	Cancel: NARA S. Approval
6/12/06	Staff Review
9/27/06	Final P&ID Approval
11/21/06	Final P&ID Approval

Copyright © 2006
 DesignTeam Limited
 This document and the subject matter contained herein is proprietary and is not to be used or reproduced without the written permission of DesignTeam Limited.
 Date



Natural Features Plan



SITE DATA:

ITEM	
ZONING	PUD
SITE AREA	
Gross Site Area	25.755 Acres
Existing ROW	+/- 0.263 Acres
Future ROW	+/- 0.216 Acres
Net Site Area (Excluding ROW)	+/- 25.492 Acres
Net Site Area (Excluding Future ROW)	+/- 25.276 Acres
DENSITY (Gross)	+/- 4.74 DU/Ac.
Oakville Estates (Total Number of Units)	122
SETBACKS	
Front Yard	25
Minimum Separation Between Units	15
Rear Yard	30
Minimum Rear Yard Separation Between Units	45

NOTES:

1. Base, boundary, and topographic information provided by MCS & Associates, received on 5/2/06.
2. Wetland limit verified by Brooks Williamson and Associates, provided by MCS & Associates, received on 5/2/06.
3. Subject to city and agency reviews and modifications.
4. Parking to occur on side in which carriage walk occurs, opposite side of fire hydrants.



DesignTeam Limited
17255 W. Ten Mile Road
Southfield, MI 48075


248.559.1000
Fax: 248.556.1717
email: dt@dmtdesign.com

Client: **Oakville Estates L.L.C.**
42800 Schoonhoven Road
Sterling Heights, Michigan 48313
PH: 586.566.8100
FAX: 586.566.0210

Project: **Oakville Estates**
Rochester Hills,
Oakland County,
Michigan


Date/Revision	Issued For
11/13/04	Final Plan Review
02/22/05	Concept Review & Approval
04/07/05	Concept Review & Approval
05/12/05	Self Review
06/27/05	Final Plan Approval
11/22/05	Final Plan Approval

Copyright © 2006
DesignTeam Limited
This document and the subject matter contained therein is proprietary and is not to be used or reproduced without the written permission of DesignTeam Limited.
Sheet




Overall Final Site Plan

SP-3.0



DesignTeam
Landscape Architecture
Land Planning
Urban Design
Environmental Planning



OPEN SPACE DATA:

ITEM			
TOTAL SITE AREA	25.755 Acres (Gross)	100.00 %	
TOTAL OPEN SPACE	+/- 10.27 Acres	39.88 %	

NOTES:

1. Base, boundary, and topographic information provided by MCS & Associates, received on 5/2/06.
2. Wetland limit verified by Brooks Williamson and Associates, provided by MCS & Associates, received on 5/2/06.
3. Subject to city and agency reviews and modifications.
4. Parking to occur on side in which carriage walk occurs, opposite side of fire hydrants.



DesignTeam Limited
17256 W. Ten Mile Road
Southfield, MI 48075


248.559.1000
Fax: 248.559.6717
email: dtteam@att.net

Client:
Oakville Estates L.L.C.
42850 Schoenherr Road
Sterling Heights, Michigan 48313
PH: 586.566.8100
FAX: 586.566.0010

Project:
Oakville Estates
Rochester Hills,
Oakland County,
Michigan



Date/Revision	Drawn By
5/21/06	DesignTeam
6/12/06	DesignTeam
8/27/06	DesignTeam
11/20/06	DesignTeam

Approval:
Checked/Approved: [Signature]
Date: 03/22/06
File: 03/22/06 open space 11-10-06.dwg
Title: [Blank]
Scale: [Blank]
Author: [Blank]
Date: [Blank]
Description: [Blank]
Project: [Blank]
Drawing: [Blank]
Sheet: [Blank]



SCALE: 1"=100'-0"

Open Space Plan



SITE DATA:

ITEM	PUD
ZONING	PUD
SITE AREA	
Gross Site Area	25.755 Acres
Existing ROW	+/- 0.263 Acres
Future ROW	+/- 0.216 Acres
Net Site Area (Excluding ROW)	+/- 25.492 Acres
Net Site Area (Excluding Future ROW)	+/- 25.276 Acres
DENSITY (Gross)	+/- 4.74 DU/Ac.
Total Number of Units for Oakville Estates	122
Oakville Estates North	62
SETBACKS - (61 Units)	
Front Yard	25
Minimum Separation Between Units	15
Rear Yard	30
Minimum Rear Yard Separation Between Units	45


- NOTES:**
1. Base, boundary, and topographic information provided by MCS & Associates, received on 5/2/06.
 2. Wetland limit verified by Brooks Williamson and Associates, provided by MCS & Associates, received on 5/2/06.
 3. Subject to city and agency reviews and modifications.
 4. Parking to occur on side in which carriage walk occurs, opposite side of fire hydrants.



DesignTeam Limited
 17256 W. Ten Mile Road
 Southfield, MI 48075
 248.559.1000
 Fax: 248.559.6717
 email: dteam@aol.com

Oakville Estates L.L.C.
 42850 Schoerner Road
 Sterling Heights, Michigan 48313
 PH: 586.566.8100
 FAX: 586.566.0210

Oakville Estates
 Rochester Hills,
 Oakland County,
 Michigan

Date/Revision	Drawn By
11/11/06	W. Scott Newell
2/21/06	Concept Review & Approval
2/21/06	Geotechnical & Approval
6/12/06	Staff Review
9/27/06	Final PUD Approval
11/20/06	Final PUD Approval





SITE DATA:

ITEM	
ZONING	PUD
SITE AREA	
Gross Site Area	25.755 Acres
Existing ROW	+/- 0.263 Acres
Future ROW	+/- 0.216 Acres
Net Site Area (Excluding ROW)	+/- 25.492 Acres
Net Site Area (Excluding Future ROW)	+/- 25.276 Acres
DENSITY (Gross)	+/- 4.74 DU/Ac.
Total Number of Units for Oakville Estates	122
Oakville Estates South	60
SETBACKS - (60 Units)	
Front Yard	25
Minimum Side Yard Separation Between Units	15
Rear Yard	30
Minimum Rear Yard Separation Between Units	45

- NOTES:**
1. Base, boundary, and topographic information provided by MCS & Associates, received on 5/2/06.
 2. Wetland limit verified by Brooks Williamson and Associates, provided by MCS & Associates, received on 5/2/06.
 3. Subject to city and agency reviews and modifications.
 4. Parking to occur on site in which carriage walk occurs, opposite side of fire hydrants.

DesignTeam Limited
17256 W. Ten Mile Road
Southfield, MI 48075


248.569.1000
Fax: 248.569.5117
email: dt@dtmtd.com

Oakville Estates L.L.C.
42850 Schoenher Road
Sterling Heights, Michigan 48313
PH: 586.566.8100
FAX: 586.566.0210


Project:
Oakville Estates
Rochester Hills,
Oakland County,
Michigan

Date/Revision	Issued For
11/1/05	Final Staff Review
11/1/05	Staff Review & Approve
11/1/05	Control Review & Approve
11/1/05	Staff Review
11/1/05	Final ICD Approval
11/1/05	Final ICD Approval


Created	Checked	Approved




PROJECT NO: 248-569-1000 / SHEET NO: SP-5.0 / DATE: 11/05/05 / BY: DTM/ALB / CHECKED: DTM/ALB / APPROVED: DTM/ALB / TITLE: PROJECT MANAGER / DRAWN BY: DTM/ALB / DATE: 11/05/05 / SCALE: AS SHOWN / PROJECT: OAKVILLE ESTATES SOUTH




1 Section A-A' - John R. Road to Back of Building #1



2 Section B-B' - Oakville Estates North - South Side Property Line To Building #14



3 Section C-C' - Oakville Estates South - West Side Property Line to Building #31




4 Section D-D' - School Road to Back of Building #32

NOTES:
1. Base, boundary, and topographic information provided by MCS & Associates, received on 5/2/06.
2. Wetland limit verified by Brooks Williamson and Associates, provided by MCS & Associates, received on 5/2/06.
3. Subject to city and agency reviews and modifications.



Sections Plan



DesignTeam Limited
17325 W. Ten Mile Road
Southfield, MI 48034
248.559.1100
Fax: 248.559.5111
email: dteam@atg.com

Client: Oakville Estates L.L.C.
42620 Schoenher Road
Sterling Heights, Michigan 48310
PH: 585.985.0111
FAX: 585.985.0111

Project: Oakville Estates
Rochester Hills, Oakland County, Michigan

Date/Revision	Issue For
11/11/02	Site Plan Rev.
2/2/03	Concept Review & Approval
9/4/05	Concept Review & Approval
9/12/05	Site Plan Review
9/27/05	Final PUD Approval
10/24/05	Final PUD Approval

Copyright © 2006
DesignTeam Limited
This document and the subject matter contained therein is proprietary and is not to be used or reproduced without the written permission of DesignTeam Limited.

Sheet: **SP-6.0**
ORIGINAL

SITE DATA:

ITEM	
ZONING	PLD
SITE AREA	
Gross Site Area	25.755 Acres
Existing ROW	+/- 0.263 Acres
Future ROW	+/- 0.216 Acres
Net Site Area (Excluding ROW)	+/- 25.492 Acres
Net Site Area (Excluding Future ROW)	+/- 25.276 Acres
DENSITY (Gross)	+/- 4.74 DU/AC
Oakville Estates (Total Number of Units)	122
SETBACKS	
Front Yard	25
Minimum Separation Between Units	15
Rear Yard	35
Minimum Rear Yard Separation Between Units	45

NOTES:

- The notation I.V.O. is Intermittent Visual Obstruction, as defined by the City of Rochester Hills Ordinance.
- Base, boundary, and topographic information provided by MCS & Associates, received on 5/2/06.
- Wetland limit verified by Brooks Williamson and Associates, provided by MCS & Associates, received on 5/2/06.
- Subject to city and agency reviews and modifications.
- Plant material to be planted as Buffer Plantings will meet the minimum sizes and standards set forth by the City of Rochester Hills Ordinance.

LANDSCAPE ISLAND CALCULATION:

For every 10 parking spaces, or fraction thereof, 150 square feet of landscape islands.
For every 300 square feet of landscape islands, or fraction thereof, 1 medium shade tree shall be provided.

Phase I - 16 Parking Spaces = 2 Islands
2 Islands x 150 SF. = 300 SF. of Landscape Islands Required
1 Tree Required

Phase II - 6 Parking Spaces = 1 Island
1 Island x 150 SF. = 150 SF. of Landscape Islands Required
1 Tree Required

2 Island Trees Provided in Phase I
1 Island Tree Provided in Phase II

REPLACEMENT TREE CALCULATION:

Total Number of Trees Surveyed	1,405
Minus Off-Site Trees	- 25
Minus Ash Trees	- 40
Minus R.O.W. Trees	- 9
Minus Dead Trees	- 14

Total Number of Regulated Trees Onsite: 1,317
Total Number of Regulated Trees Saved: - 205

Total Number of Regulated Trees Removed: 1,112

Total Number of Trees to be Classified as Removals: 1,112 Trees

Required Number of Tree Credits for Replacement:	1,112 Credits
Total Number of Tree Credits Provided:	
112 - 2" caliper trees	= 112.0
97 - 2.5" caliper trees	= 145.5
3 - 3" caliper trees	= 6.0
41 - 10' tall trees	= 61.5
98 - 12' tall trees	= 294.0
Total	619.0

Number of Buffer Trees for Credits Towards Replacement: 255 Trees
255 Buffer Trees = 510.0 Credits
(3.5" caliper canopy trees & 14' tall evergreen trees - to count at a 2:1 credit.)

Total Credits Provided for Replacement: **1,129.0 Credits**


Amount due to City Tree Fund = \$0.00

DesignTeam Limited
17266 W. Ten Mile Road
Southfield, MI 48075


Oakville Estates L.L.C.
42850 Schenker Road
Sterling Heights, Michigan 47113
PH: 586.566.8190
FAX: 586.566.0210

Project: **Oakville Estates**
Rochester Hills,
Oakland County,
Michigan

Date/Revision	Issued For
11/11/05	Final (100% Approval)
11/11/05	Final (100% Approval)
11/11/05	Final (100% Approval)
11/11/05	Final (100% Approval)
11/11/05	Final (100% Approval)
11/11/05	Final (100% Approval)



Overall Final Landscape Plan



REPLACEMENT TREE CREDIT TABLE

Tree Type and Size	Replacement Credits
2" Caliper Shade Tree	1 Credit
2.5" Caliper Shade Tree	1.5 Credits
3" Caliper Shade Tree	2 Credits
8' Evergreen Trees	1 Credit
9' Evergreen Trees	1.5 Credits
10' Evergreen Trees	2 Credits
12' Evergreen Trees	3 Credits

TREE NOTATION KEY

B	- Designated Buffer Trees
I	- Designated Island Trees
R	- Designated Replacement Trees

Planting Schedule and Cost Estimate - Phase I - Ground Cover

Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price
19,962		Seed		S1			\$7.45	\$147,829.00
1,062		Seed - R.O.W.		S7			\$7.45	\$7,915.90
Total:								\$9,290.80

Planting Schedule and Cost Estimate - Phase II - Ground Cover

Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price
2,565		Basin - Mixture City Approved		S1			\$7.25	\$18,603.75
2,104		Seed		S1			\$7.45	\$15,684.80
2,650		Seed - R.O.W.		S1			\$7.45	\$19,722.50
Total:								\$16,618.05


LANDSCAPE PLANTING NOTES:

- Plant material for concept only and is subject to municipal review. Landscape contractor to verify and provide all plant materials as shown on the drawings.
- Placement of street trees to be adjusted for underground utilities and driveway placements.
- All trees being retained will be identified by painting, flagging or some other approved method.
- Trees to be located a minimum of 10' from underground utilities, transformers, or fire hydrants and 15' from overhead utilities.
- When protective barriers are required, they will be erected prior to commencement of work.
- All new lawn areas to be either seed/sod, depending on location, over 4" topsoil.
- Shade trees and shrubs must be planted at least 5' from the edge of the 8' safety path. Evergreen and ornamental trees must be planted at least 10' from the edge of the 8' safety path.



DesignTeam

Landscape Architecture
Landscape Planning
Urban Design
Environmental Planning



Planting Schedule and Cost Estimate - Buffer Trees - LA-2.0

Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price
SHADE TREE								
4	AF-B	Acer x fraxinifolia 'Coltan'	Colorado Maple	2.5' Cal	B&B		\$450.00	\$1,800.00
7	AR-B	Acer rubrum	Red Maple	3.5' Cal	B&B		\$450.00	\$3,150.00
4	OP-B	Quercus palustris	Pin Oak	3.5' Cal	B&B		\$450.00	\$1,800.00
5	ZS-B	Larix laricina	Sweet Spruce	3.5' Cal	B&B		\$450.00	\$2,250.00
EVERGREEN TREE								
26	PG-B	Picea canadensis	White Spruce	14' Ht	B&B	15' O.C.	\$950.00	\$24,700.00
7	PC-B	Picea glauca densata	Black Hills Spruce	14' Ht	B&B	15' O.C.	\$950.00	\$6,650.00
9	PP-B	Picea mariana	Colorado Blue Spruce	14' Ht	B&B	15' O.C.	\$950.00	\$8,550.00
11	PS-B	Pinus strobus	Scotch Pine	14' Ht	B&B	15' O.C.	\$950.00	\$10,450.00
SHRUBS								
14	AP-B	Juniperus horizontalis	Red Chokeberry	48" Ht	Cont.	4' x 5' O.C.	\$95.00	\$1,330.00
26	OP-B	Salix serotina	Salix Cootwood	48" Ht	Cont.	4' x 5' O.C.	\$45.00	\$1,170.00
17	ZS-B	Comarostaphylis canadensis	Caroline Red Cedar Dogwood	48" Ht	Cont.	4' x 5' O.C.	\$45.00	\$765.00
32	EA-B	Euonymus alata 'Compacta'	Lowland Burning Bush	48" Ht	Cont.	4' x 5' O.C.	\$95.00	\$3,040.00
24	HO-B	Hamamelis virginiana	Chinese Witch Hazel	48" Ht	Cont.	4' x 5' O.C.	\$75.00	\$1,800.00
28	SP-B	Syringa palustris 'Missouri'	Missouri Lilac	48" Ht	Cont.	4' x 5' O.C.	\$85.00	\$2,380.00
MATERIALS								
41		Match					\$40.00	\$1,640.00
41		Plant Box					\$30.00	\$1,230.00
32		Myrc					\$13.00	\$416.00
							Total:	\$58,955.00

Planting Schedule and Cost Estimate - Replacement Trees - LA-2.0

Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price
SHADE TREE								
4	AF	Acer x fraxinifolia 'Coltan'	Colorado Maple	2.5' Cal	B&B		\$325.00	\$1,300.00
10	AR	Acer rubrum	Red Maple	2.5' Cal	B&B		\$225.00	\$2,250.00
1	AP	Acer rubrum	Red Maple	3' Cal	B&B		\$175.00	\$175.00
18	US	Ulmus americana	Sweet Gum	2.5' Cal	B&B		\$375.00	\$6,750.00
2	OP	Quercus palustris	Pin Oak	3.5' Cal	B&B		\$375.00	\$750.00
3	OP-B	Quercus palustris	Pin Oak	3' Cal	B&B		\$475.00	\$1,425.00
2	ZS	Larix laricina	Sweet Spruce	2.5' Cal	B&B		\$375.00	\$750.00
EVERGREEN TREE								
10	PC	Picea canadensis	White Spruce	14' Ht	B&B		\$550.00	\$5,500.00
14	PP	Picea mariana	Colorado Blue Spruce	14' Ht	B&B		\$550.00	\$7,700.00
10	PS	Pinus strobus	Scotch Pine	14' Ht	B&B		\$550.00	\$5,500.00
ORNAMENTAL TREE								
7	AS	Amelanchier canadensis	Shadblow Serviceberry	10' Ht	B&B	Multi-Stem	\$250.00	\$1,750.00
25	OP	Pinus strobus 'Dawson's Select'	Colorado Spruce	21' Cal	B&B		\$225.00	\$5,625.00
12	UT	ULMUS TREES - Trees to be randomly mixed from list below to provide a diversified streetscape at the discretion of the designer.					\$225.00	\$2,700.00
SHRUBS								
1	BE	Betula nana 'Pendula'	Hamamelis River Birch	18" Ht	B&B	Multi-Stem	\$250.00	\$250.00
1	CO	Cornus rugosa 'Lanceolata'	Indigo Spice Dogwood	18" Ht	B&B	Multi-Stem	\$250.00	\$250.00
1	MA	Malus x Snowdrift	Snowdrift Flowering Crabapple	7' Cal	B&B		\$250.00	\$250.00
1	SP	Spirea x Spring Snow	Spring Snow Flowering Crabapple	7' Cal	B&B		\$250.00	\$250.00
1	CA	Camellia japonica	Camellian Charm	7' Cal	B&B		\$250.00	\$250.00
1	JA	Jasminum reticulatum 'Lacepede'	Japanese Tree Lilac	10' Ht	B&B	Multi-Stem	\$250.00	\$250.00
MATERIALS								
		Match					\$40.00	\$1,600.00
		Plant Box					\$30.00	\$1,200.00
		Myrc					\$13.00	\$520.00
							Total:	\$41,074.00

Planting Schedule and Cost Estimate - Island Trees - LA-2.0



Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price
SHADE TREE								
2	AF	Acer x fraxinifolia 'Coltan'	Colorado Maple	2' Cal	B&B		\$225.00	\$450.00
							Total:	\$450.00

- NOTES:**
- The notation I.V.O. is Intermittent Visual Obstruction, as defined by the City of Rochester Hills Ordinance.
 - Base, boundary, and topographic information provided by MCS & Associates, received on 5/2/06.
 - Wetland limit verified by Brooks Williamson and Associates, provided by MCS & Associates, received on 5/2/06.
 - Subject to city and agency reviews and modifications.
 - Plant material to be planted as Buffer Plantings will meet the minimum sizes and standards set forth by the City of Rochester Hills Ordinance.

- LANDSCAPE PLANTING NOTES:**
- Plant material for concept only and is subject to municipal review. Landscape contractor to verify and provide all plant materials as shown on the drawings.
 - Placement of street trees to be adjusted for underground utilities and driveway placements.
 - All trees being retained will be identified by painting, tagging or some other approved method.
 - Trees to be located a minimum of 10' from underground utilities, transformers, or fire hydrants and 15' from overhead utilities.
 - When protective barriers are required, they will be erected prior to commencement of work.
 - All new lawn areas to be either seed/sod, depending on location, over 4" topsoil.
 - Shade trees and shrubs must be planted at least 5' from the edge of the 8' safety path. Evergreen and ornamental trees must be planted at least 10' from the edge of the 8' safety path.

REPLACEMENT TREE CREDIT TABLE

Tree Type and Size	Replacement Credits
2" Caliper Shade Tree	1 Credit
2.5" Caliper Shade Tree	1.5 Credits
3" Caliper Shade Tree	2 Credits
8' Evergreen Trees	1 Credit
9' Evergreen Trees	1.5 Credits
10' Evergreen Trees	2 Credits
12' Evergreen Trees	3 Credits




DesignTeam Limited
17255 W. Ten Mile Road
Southfield, MI 48075
248.566.1000
Fax: 248.566.5717
email: dteam@dt.com

Oakville Estates LLC
42800 Schroeder Road
Sterling Heights, Michigan 48313
PH: 566.566.5100
FAX: 566.566.0210

Oakville Estates
Rochester Hills,
Oakland County,
Michigan

Project: Oakville Estates Phase I Section A'
Scale: 1"=30'-0"
Date: 11/11/09
Author: [Name]
Checked: [Name]
Reviewed: [Name]
Approved: [Name]
Date: [Date]
Scale: 1"=30'-0"
North Arrow: [Symbol]
Revision: [Table]
Copyright: DesignTeam Limited
This document and the subject matter contained herein is preliminary and is not to be used or reproduced without the written permission of DesignTeam Limited.



Planting Schedule and Cost Estimate - Buffer Trees - LA-2.1

Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price
3	OP-B	SHADE TREE <i>Quercus velutina</i>	Pin Oak	3.5" Cal	B&F		\$450.00	\$1,350.00
4	PG-B	EVERGREEN TREE <i>Thuja occidentalis</i>	White Spruce	14" H	B&B	1" O.C.	\$650.00	\$2,600.00
15	PD-B	EVERGREEN TREE <i>Picea canadensis</i>	Black Hills Spruce	14" H	B&B	1" O.C.	\$550.00	\$8,250.00
17	EA-B	SHRUBS <i>Euonymus alata Compacta</i>	Dwarf Burning Bush	45" H	Cont.	4" - 6" O.C.	\$65.00	\$1,105.00
5		MATERIALS						
5		Mulch					\$40.00	\$200.00
5		Plant Mix					\$30.00	\$150.00
4		Mycor					\$13.00	\$52.00
Total:							\$9,357.00	

Planting Schedule and Cost Estimate - Replacement Trees - LA-2.1

Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price
4	AF	SHADE TREE <i>Aster + Berberis</i>	Carroll Wood Spire	2" Cal	B&B		\$375.00	\$1,500.00
7	AP	SHADE TREE <i>Pinus nigra</i>	Black Pine	2" Cal	B&B		\$125.00	\$875.00
7	BT	SHADE TREE <i>Betula nigra</i>	River Birch	10" - 12" H	B&B	Multi-Stem	\$125.00	\$875.00
7	GT	SHADE TREE <i>Gleditsia triacanthos 'Skyline'</i>	Skyline Redbud	2" Cal	B&B		\$125.00	\$875.00
4	LG	SHADE TREE <i>Liquidambar styraciflua</i>	Swamp Gum	2" Cal	B&B		\$125.00	\$500.00
5	NS	SHADE TREE <i>Nyssa sylvatica</i>	Black Gum	2" Cal	B&B		\$125.00	\$625.00
10	OP	SHADE TREE <i>Quercus laevis</i>	Scrub White Oak	2" Cal	B&B		\$125.00	\$1,250.00
8	PD	EVERGREEN TREE <i>Picea canadensis</i>	Black Hills Spruce	12" H	B&B		\$550.00	\$4,400.00
17	PP	EVERGREEN TREE <i>Picea canadensis</i>	Black Hills Spruce	12" H	B&B		\$550.00	\$9,350.00
10	PE	EVERGREEN TREE <i>Pinus strobus</i>	Scotch Pine	12" H	B&B		\$550.00	\$5,500.00
10	AS	ORNAMENTAL TREE <i>Aster + Berberis</i>	Carroll Wood Spire	2" Cal	B&B	Multi-Stem	\$225.00	\$2,250.00
13	PK	ORNAMENTAL TREE <i>Pinus nigra</i>	Black Pine	2" Cal	B&B		\$225.00	\$2,925.00
18	UT	ORNA. TREES - Trees to be randomly mixed from list below to provide a diversified streetscape at the developer's expense.					\$225.00	\$4,050.00
		<i>Betula nigra</i>	River Birch	10" H	B&B	Multi-Stem		
		<i>Claytonia virginica</i>	Flowering Dogwood	2" Cal	B&B			
		<i>Hamamelis virginica</i>	Witch Ham	2" Cal	B&B			
		<i>Malus 'Spring Snow'</i>	Spring Snow Flowering Crabapple	2" Cal	B&B			
		<i>Pinus strobus</i>	Scotch Pine	12" H	B&B			
		<i>Prunella virginiana</i>	Black Cherry	2" Cal	B&B			
		<i>Swingula reticulata</i>	Japanese Tree Lilac	10" H	B&B	Multi-Stem		
29		MATERIALS						
29		Mulch					\$40.00	\$1,160.00
29		Plant Mix					\$30.00	\$870.00
27		Mycor					\$13.00	\$351.00
Total:							\$43,706.00	

- NOTES:**
- The notation I.V.O. is Intermittent Visual Obstruction, as defined by the City of Rochester Hills Ordinance.
 - Basic, boundary, and topographic information provided by MCS & Associates, received on 5/2/06.
 - Wetland limit verified by Brooks Williamson and Associates, provided by MCS & Associates, received on 5/2/06.
 - Subject to city and agency reviews and modifications.
 - Plant material to be planted as Buffer Plantings will meet the minimum sizes and standards set forth by the City of Rochester Hills Ordinance.


- LANDSCAPE PLANTING NOTES:**
- Plant material for concept only and is subject to municipal review. Landscape contractor to verify and provide all plant materials as shown on the drawings.
 - Placement of street trees to be adjusted for underground utilities and driveway placements.
 - All trees being retained will be identified by painting, flagging or some other approved method.
 - Trees to be located a minimum of 10' from underground utilities, transformers, or fire hydrants and 15' from overhead utilities.
 - When protective barriers are required, they will be erected prior to commencement of work.
 - All new lawn areas to be either seed/sod, depending on location, over 4" topsoil.
 - Shade trees and shrubs must be planted at least 5' from the edge of the 8' safety path. Evergreen and ornamental trees must be planted at least 10' from the edge of the 8' safety path.

REPLACEMENT TREE CREDIT TABLE

Tree Type and Size	Replacement Credits
2" Caliper Shade Tree	1 Credit
2.5" Caliper Shade Tree	1.5 Credits
3" Caliper Shade Tree	2 Credits
8" Evergreen Trees	1 Credit
9" Evergreen Trees	1.5 Credits
10" Evergreen Trees	2 Credits
12" Evergreen Trees	3 Credits

TREE NOTATION KEY

B	- Designated Buffer Trees
I	- Designated Island Trees
R	- Designated Replacement Trees



DesignTeam
Landscape Architecture
Land Planning
Urban Design
Environmental Planning



DesignTeam Limited
17255 W. Ten Mile Road
Southfield, MI 48076

248.559.1000
Fax: 248.559.5317
email: deartmtd@aol.com

Oakville Estates L.L.C.
42850 Schoenher Road
Sterling Heights, Michigan 48313
Ph: 586.566.9100
Fax: 586.566.0210

Oakville Estates
Rochester Hills,
Oakland County,
Michigan

DESIGN REVISIONS

Date/Revision	Issued For
11-17-06	For Staff Review
12-13-06	Concept Review & Approval
12-13-06	Concept Review & Approval
12-13-06	Staff Review
12-13-06	Final PUD Approval
12-13-06	Final PUD Approval




Oakville Estates Phase I 'Section B' -
Final Landscape Plan

LA-2.1



DesignTeam
Landscape Architecture
Urban Design
Environmental Planning



Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price
Planting Schedule and Cost Estimate - Buffer Trees - LA-3.0								
SHADE TREE								
4	AR-B	Acer glabrum	Red Maple	3" Cal	B&B		\$300.00	\$1,200.00
4	CO-B	Quercus occidentalis	Common Hackberry	3" Cal	B&B		\$450.00	\$1,800.00
4	PIS-B	Pinus strobus	Black Gum	3" Cal	B&B		\$300.00	\$1,200.00
2	OB-B	Quercus bicolor	Swamp White Oak	3" Cal	B&B		\$450.00	\$900.00
2	OP-B	Quercus bicolor	Swamp White Oak	3" Cal	B&B		\$450.00	\$900.00
2	PS-B	Pinus strobus	Black Gum	3" Cal	B&B		\$450.00	\$900.00
EVERGREEN TREE								
2	PA-B	Prunella sp.	Black Gum	14 Ht.	B&B	15' O.C.	\$250.00	\$500.00
2	PD-B	Prunella sp.	Black Gum	14 Ht.	B&B	15' O.C.	\$250.00	\$500.00
2	PP-B	Prunella sp.	Black Gum	14 Ht.	B&B	15' O.C.	\$250.00	\$500.00
SHRUBS								
21	CR-B	Cornus amomum	Red Dogwood	4" Ht.	Cont.	4" x 5" O.C.	\$45.00	\$945.00
21	CR-B	Cornus amomum	Red Dogwood	4" Ht.	Cont.	4" x 5" O.C.	\$45.00	\$945.00
21	CR-B	Cornus amomum	Red Dogwood	4" Ht.	Cont.	4" x 5" O.C.	\$45.00	\$945.00
MATERIALS								
1	UT	Utility Easement					\$40.00	\$40.00
1	UT	Utility Easement					\$20.00	\$20.00
1	UT	Utility Easement					\$14.00	\$14.00
Total:							\$29,564.00	

Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price
Planting Schedule and Cost Estimate - Replacement Trees - LA-3.0								
SHADE TREE								
4	AR	Acer glabrum	Red Maple	3" Cal	B&B		\$450.00	\$1,800.00
4	CR	Quercus bicolor	Swamp White Oak	3" Cal	B&B		\$450.00	\$1,800.00
4	CO	Quercus occidentalis	Common Hackberry	3" Cal	B&B		\$450.00	\$1,800.00
4	OT	Quercus occidentalis	Common Hackberry	3" Cal	B&B		\$450.00	\$1,800.00
4	LG	Liquidambar styraciflua	Sweet Gum	3" Cal	B&B		\$450.00	\$1,800.00
4	NS	Quercus bicolor	Swamp White Oak	3" Cal	B&B		\$450.00	\$1,800.00
4	PS	Pinus strobus	Black Gum	3" Cal	B&B		\$450.00	\$1,800.00
EVERGREEN TREE								
4	PA	Prunella sp.	Black Gum	14 Ht.	B&B	15' O.C.	\$250.00	\$1,000.00
4	PD	Prunella sp.	Black Gum	14 Ht.	B&B	15' O.C.	\$250.00	\$1,000.00
4	PS	Pinus strobus	Black Gum	14 Ht.	B&B	15' O.C.	\$250.00	\$1,000.00
ORNAMENTAL TREE								
8	AN	Amelanchier canadensis	Shadblow	10" Ht.	B&B	Multi-Stem	\$25.00	\$200.00
10	UT	Utility Easement					\$25.00	\$250.00
MATERIALS								
1	UT	Utility Easement					\$40.00	\$40.00
1	UT	Utility Easement					\$20.00	\$20.00
1	UT	Utility Easement					\$13.00	\$13.00
Total:							\$28,340.00	


Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price
Planting Schedule and Cost Estimate - Island Trees - LA-3.0								
SHADE TREE								
1	PIS	Pinus strobus	Black Gum	3" Cal	B&B		\$225.00	\$225.00
Total:							\$225.00	

- NOTES:**
- The notation I.V.O. is Intermittent Visual Obstruction, as defined by the City of Rochester Hills Ordinance.
 - Base, boundary, and topographic information provided by MCS & Associates, received on 5/2/06.
 - Wetland limit verified by Brooks Williamson and Associates, provided by MCS & Associates, received on 5/2/06.
 - Subject to city and agency reviews and modifications.
 - Plant material to be planted as Buffer Plantings will meet the minimum sizes and standards set forth by the City of Rochester Hills Ordinance.

- LANDSCAPE PLANTING NOTES:**
- Plant material for concept only and is subject to municipal review. Landscape contractor to verify and provide all plant materials as shown on the drawings.
 - Placement of street trees to be adjusted for underground utilities and driveway placements.
 - All trees being retained will be identified by painting, flagging or some other approved method.
 - Trees to be located a minimum of 10' from underground utilities, transformers, or fire hydrants and 15' from overhead utilities.
 - When protective barriers are required, they will be erected prior to commencement of work.
 - All new lawn areas to be either seed/sod, depending on location, over 4" topsoil.

Tree Type and Size	Replacement Credits
2" Caliper Shade Tree	1 Credit
2.5" Caliper Shade Tree	1.5 Credits
3" Caliper Shade Tree	2 Credits
8' Evergreen Trees	1 Credit
9' Evergreen Trees	1.5 Credits
10' Evergreen Trees	2 Credits
12' Evergreen Trees	3 Credits

Symbol	Description
B	Designated Buffer Trees
I	Designated Island Trees
R	Designated Replacement Trees



Oakville Estates Phase II 'Section A' - Final Landscape Plan

DesignTeam Limited
17265 W. Ten Mile Road
Southfield, MI 48075


248.558.1000
Fax: 248.568.5717
email: dteam@ptol.com

Oakville Estates L.L.C.
42850 Schoenherr Road
Sterling Heights, Michigan 48313
PH: 586.566.8100
FAX: 586.566.0210

PROJECT:
Oakville Estates
Rochester Hills,
Oakland County,
Michigan

Date/Revision	Issued For
11/11/05	For Start Meeting
2/22/06	Contract Review & Approval
3/01/06	Contract Review & Approval
8/12/06	Staff Review
8/22/06	Final PSD Approval
11/20/06	Final PSD Approval

Copyright © 2006
DesignTeam Limited
This document and the subject matter contained herein are proprietary and are not to be used or reproduced without the written permission of DesignTeam Limited.
Sheet



DesignTeam
Landscape Architecture
Land Planning
Urban Design
Environmental Planning

DesignTeam Limited
17255 W. Ten Mile Road
Southfield, MI 48075


248.559.1000
Fax: 248.559.8711
email: dt@rambling.com

Oakville Estates L.L.C.
42850 Screenshot Road
Sterling Heights, Michigan 48313
PH: 586.566.8100
FAX: 586.566.0210

Oakville Estates
Rochester Hills,
Oakland County,
Michigan

Design/Drawn:	MAK/BAV
Checked/Approved:	NLM
Job #:	0572-06
File:	0372-06-LS-11-23-06.dwg
Date/Revision:	Issued For:
11/11/06	For Start Review
2/22/07	Concept Review & Approval
6/21/07	Concept Review & Approval
8/12/07	Start Review
8/27/07	Final LNSD Approval
12/20/07	Final LNSD Approval

Copyright © 2006
DesignTeam Limited
This document and the subject matter contained herein is proprietary and is not to be used or reproduced without the written permission of DesignTeam Limited.



Planting Schedule and Cost Estimate - Buffer Trees - LA-3.1

Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price
SHADE TREE								
1	AR-B	Aster multiflorus	Red Maple	2.5" Cal	B&B		\$450.00	\$450.00
5	CO-B	Quercus macrocarpa	Common Hackberry	2.5" Cal	B&B		\$450.00	\$2,250.00
5	LG-B	Liquidambar styraciflua	Sweet Gum	2.5" Cal	B&B		\$450.00	\$2,250.00
5	GP-B	Gleditsia triacanthos	Iron Tree	2.5" Cal	B&B		\$450.00	\$2,250.00
5	ZS-B	Zelkova serotina	Seamless Zelkova	2.5" Cal	B&B		\$450.00	\$2,250.00
EVERGREEN TREE								
6	PA-B	Prinos glauca	Hervey Spruce	12" H	B&B	11' O.C.	\$350.00	\$2,100.00
21	FG-B	Ficus glauca	White Spruce	14" H	B&B	15' O.C.	\$250.00	\$5,250.00
40	PS-B	Podocarpus neriifolia	Black Hills Spruce	14" H	B&B	15' O.C.	\$240.00	\$9,600.00
2	PP-B	Podocarpus neriifolia	Chickadee Blue Spruce	14" H	B&B	15' O.C.	\$345.00	\$690.00
14	PS-B	Pinus strobus	Scotch Pine	14" H	B&B	15' O.C.	\$150.00	\$2,100.00
13	TW-B	Taxus canadensis 'Mill'	White Cedar	11" H	B&B	15' O.C.	\$350.00	\$4,550.00
ORNAMENTAL TREE								
6	PA-B	Prinos serotina Kwanzan	Kwanzan Cherry	7" Cal	B&B		\$225.00	\$1,350.00
SHRUBS								
61	AR-B	Ardisia cuneata	Red Chokeberry	27" H	Can	4' - 6' O.C.	\$50.00	\$3,050.00
19	CR-B	Cornus racemosa	White Dogwood	48" H	Can	4' - 6' O.C.	\$15.00	\$285.00
65	CS-B	Cornus sericea 'Carolin'	Carolin Red Cover Dogwood	48" H	Can	4' - 6' O.C.	\$45.00	\$2,925.00
84	EA-B	Eugenia sata Compacta	Dwarf Burning Bush	48" H	Can	4' - 6' O.C.	\$65.00	\$5,460.00
25	HQ-B	Hemlock virginiana	Common Winter Hazel	62" H	Can	4' - 6' O.C.	\$75.00	\$1,875.00
54	SP-B	Syringa reticulata 'Black King'	Black King Lilac	48" H	Can	4' - 6' O.C.	\$80.00	\$4,320.00
MATERIALS								
60		Mulch					\$10.00	\$600.00
60		Plant Mix					\$20.00	\$1,200.00
40		Styrol					\$13.00	\$520.00
Total:								\$93,692.00

Planting Schedule and Cost Estimate - Replacement Trees - LA-3.1

Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price
SHADE TREE								
4	AF	Aster multiflorus	Red Maple	2.5" Cal	B&B		\$225.00	\$900.00
7	AR	Aster multiflorus	Red Maple	2.5" Cal	B&B		\$150.00	\$1,050.00
1	LG	Liquidambar styraciflua	Sweet Gum	2.5" Cal	B&B		\$150.00	\$150.00
4	LG	Liquidambar styraciflua	Sweet Gum	2.5" Cal	B&B		\$325.00	\$1,300.00
EVERGREEN TREE								
8	PA	Prinos glauca	Hervey Spruce	12" H	B&B		\$350.00	\$2,800.00
ORNAMENTAL TREE								
6	PA	Prinos serotina Kwanzan	Kwanzan Cherry	7" Cal	B&B		\$225.00	\$1,350.00
24	UT	UT "FREE" TREES - Trees to be randomly mixed from list below to provide a pedestrian streetscape					\$125.00	\$3,000.00
MATERIALS								
14		Mulch					\$40.00	\$560.00
10		Plant Mix					\$30.00	\$300.00
12		Styrol					\$13.00	\$156.00
Total:								\$16,811.00

- NOTES:**
- The notation I.V.O. is Intermittent Visual Obstruction, as defined by the City of Rochester Hills Ordinance.
 - Base, boundary, and topographic information provided by MCS & Associates, received on 5/2/06.
 - Wetland limit verified by Brooks Williamson and Associates, provided by MCS & Associates, received on 5/2/06.
 - Subject to city and agency reviews and modifications.
 - Plant material to be planted as Buffer Plantings will meet the minimum sizes and standards set forth by the City of Rochester Hills Ordinance.


- LANDSCAPE PLANTING NOTES:**
- Plant material for concept only and is subject to municipal review. Landscape contractor to verify and provide all plant materials as shown on the drawings.
 - Placement of street trees to be adjusted for underground utilities and driveway placements.
 - All trees being retained will be identified by painting, flagging or some other approved method.
 - Trees to be located a minimum of 10' from underground utilities, transformers, or fire hydrants and 15' from overhead utilities.
 - When protective barriers are required, they will be erected prior to commencement of work.
 - All new lawn areas to be either seed/sod, depending on location, over 4" topsoil.

REPLACEMENT TREE CREDIT TABLE


Tree Type and Size	Replacement Credits
2" Caliper Shade Tree	1 Credit
2.5" Caliper Shade Tree	1.5 Credits
3" Caliper Shade Tree	2 Credits
8" Evergreen Trees	1 Credit
9" Evergreen Trees	1.5 Credits
10" Evergreen Trees	2 Credits
12" Evergreen Trees	3 Credits

TREE NOTATION KEY

- B - Designated Buffer Trees
- I - Designated Island Trees
- R - Designated Replacement Trees




Oakville Estates Phase II 'Section B' -
Final Landscape Plan




Planting Schedule and Cost Estimate - Two Unit Building - Typ. - LA-4.0

Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price	
SHRUBS									
4	RM	Rosa 'Meidandyn'	Knockout Rose	24" Ht.	Cont.		\$40.00	\$160.00	
13	SJ	Spiraea japonica 'Little Princess'	Little Princess Spiraea	24" Sp.	Cont.		\$40.00	\$520.00	
5	TD	Taxus x media 'Densiformis'	Dense Yew	24" Ht.	Cont.		\$50.00	\$250.00	
2	VE	Viburnum plicatum 'Emerald Triumph'	Emerald Triumph Viburnum	24" Ht.	Cont.		\$55.00	\$110.00	
PERENNIALS									
10	HS	Hemerocallis 'Stella D'Ore'	Stella D'Ore Daylily	1 Gal. Cont.			\$15.00	\$150.00	
5	HP	Hosta x 'Patrol'	Patrol Hosta	1 Gal. Cont.			\$15.00	\$75.00	
MATERIALS									
2		Mulch		CY			\$40.00	\$80.00	
5		Plant Mix		CY			\$39.00	\$195.00	
5		Mulch		LBS			\$13.00	\$65.00	
							Total per Unit:	\$1,680.00	
25 Two Unit Buildings Proposed on Site							\$1,680.00	Per Unit	Total: \$42,000.00




Planting Schedule and Cost Estimate - John R. Road Entrance - Typ. - LA-4.0

Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price
SHRUBS								
40	VE	Spiraea japonica 'Bridal Wreath'	Bridal Wreath Spiraea	24" Sp.	Cont.		\$35.00	\$1,400.00
25	RM	Rosa 'Meidandyn'	Knockout Rose	24" Ht.	Cont.		\$40.00	\$1,000.00
30	SE	Spiraea japonica 'Snowmound'	Snowmound Spiraea	24" Ht.	Cont.		\$38.00	\$1,140.00
10	TD	Taxus x media 'Densiformis'	Dense Yew	24" Ht.	Cont.		\$55.00	\$550.00
20	TD	Taxus x media 'Emerald'	Emerald Yew	24" Sp.	Cont.		\$40.00	\$800.00
PERENNIALS								
50	HE	Hemerocallis 'Branford'	Branford Daylily	17" O.C.	11 Gal. Cont.		\$12.00	\$600.00
22	HP	Hemerocallis 'Haley Returns'	Haley Returns Daylily	17" O.C.	11 Gal. Cont.		\$12.00	\$264.00
2	HS	Hemerocallis 'Stella D'Ore'	Stella D'Ore Daylily	15" O.C.	11 Gal. Cont.		\$33.00	\$66.00
1	PA	Prinoskia atrorubra 'Little Spire'	Little Spire Russian Sage	24" O.C.	11 Gal. Cont.		\$33.00	\$33.00
MATERIALS								
24		Mulch		CY			\$40.00	\$960.00
24		Plant Mix		CY			\$39.00	\$936.00
15		Mulch		LBS			\$13.00	\$195.00
							Total:	\$8,904.00



Planting Schedule and Cost Estimate - Three Unit Building - Typ. - LA-4.0

Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price	
SHRUBS									
7	RM	Rosa 'Meidandyn'	Knockout Rose	24" Ht.	Cont.		\$40.00	\$280.00	
13	SJ	Spiraea japonica 'Little Princess'	Little Princess Spiraea	24" Sp.	Cont.		\$40.00	\$520.00	
5	TD	Taxus x media 'Densiformis'	Dense Yew	24" Ht.	Cont.		\$50.00	\$250.00	
2	VE	Viburnum plicatum 'Emerald Triumph'	Emerald Triumph Viburnum	24" Ht.	Cont.		\$55.00	\$110.00	
3	WF	Wisteria 'Red Prince'	Red Prince Wisteria	24" Ht.	Cont.		\$45.00	\$135.00	
PERENNIALS									
10	HS	Hemerocallis 'Stella D'Ore'	Stella D'Ore Daylily	1 Gal. Cont.			\$15.00	\$150.00	
5	HP	Hosta x 'Patrol'	Patrol Hosta	1 Gal. Cont.			\$15.00	\$75.00	
MATERIALS									
2		Mulch		CY			\$40.00	\$80.00	
5		Plant Mix		CY			\$39.00	\$195.00	
5		Mulch		LBS			\$13.00	\$65.00	
							Total:	\$2,440.00	
24 Three Unit Buildings Proposed on Site							\$2,440.00	Per Unit	Total: \$58,560.00



NOTES:

- The notation I.V.O. is Intermittent Visual Obstruction, as defined by the City of Rochester Hills Ordinance.
- Base, boundary, and topographic information provided by MCS & Associates, received on 5/2/06.
- Wetland limit verified by Brooks Williamson and Associates, provided by MCS & Associates, received on 5/2/06.
- Subject to city and agency reviews and modifications.

LANDSCAPE PLANTING NOTES:


- Plant material for concept only and is subject to municipal review. Landscape contractor to verify and provide all plant materials as shown on the drawings.
- Placement of street trees to be adjusted for underground utilities and driveway placements.
- All trees being retained will be identified by painting, flagging or some other approved method.
- Trees to be located a minimum of 10' from underground utilities, transformers, or fire hydrants and 15' from overhead utilities.
- When protective barriers are required, they will be erected prior to commencement of work.
- All new lawn areas to be either seed/sod, depending on location, over 4" topsoil.




GENERAL NOTES

PLANTING NOTES:


- LANDSCAPE CONTRACTOR SHALL VISIT SITE, INSPECT EXISTING CONDITIONS AND REVIEW PROPOSED PLANTING AND RELATED WORK. IN CASE OF DISCREPANCY BETWEEN PLAN AND PLANT LIST, PLAN SHALL GOVERN QUANTITIES. CONTACT LANDSCAPE ARCHITECT WITH ANY CONCERNS.
- CONTRACTOR SHALL VERIFY LOCATIONS OF ALL ON-SITE UTILITIES PRIOR TO BEGINNING CONSTRUCTION OR HIS/HER PHASE OF WORK. ELECTRIC, GAS, TELEPHONE, CABLE TELEVISION MAY BE LOCATED BY CALLING MISS DIG 1-800-482-7171. ANY DAMAGE OR INTERRUPTION OF SERVICES SHALL BE THE RESPONSIBILITY OF CONTRACTOR. CONTRACTOR SHALL COORDINATE ALL RELATED ACTIVITIES WITH OTHER TRADES ON THE JOB AND SHALL REPORT ANY UNACCEPTABLE JOB CONDITIONS TO OWNER'S REPRESENTATIVE PRIOR TO COMMENCING.
- CONTRACTOR WILL SUPPLY FINISHED GRADE AND EXCAVATE AS NECESSARY TO SUPPLY 4" TOPSOIL DEPTH IN ALL PLANTING BEDS AND 4" TOPSOIL DEPTH IN ALL LAWN AREAS. BACK FILL AND CROWN PARKING LOT ISLANDS 12" ABOVE ADJACENT CURBS.
- ALL PLANT MATERIAL TO BE PREMIUM GRADE NURSERY STOCK. PLANT MATERIAL SHALL CONFORM TO THE GUIDELINES ESTABLISHED IN THE MOST RECENT EDITION OF THE AMERICAN STANDARD FOR NURSERY STOCK. CONTRACTOR TO SUPPLY NURSERY SOURCES FOR ALL PURCHASED MATERIAL. NO BARE ROOT OR PINK GRADE MATERIAL WILL BE ACCEPTED.
- INSTALL SOD IN ALL AREAS INDICATED ON PLAN. SOD TO BE WELL ESTABLISHED, MINERAL GROWTH, NO PEST SOD WILL BE ALLOWED. SOD BLEND SHALL CONSIST OF A MINIMUM OF THREE (3) IMPROVED VARIETIES OF BLUEGRASS. ACCEPTANCE AND GUARANTEE NOTES SHALL APPLY TO ALL SOD.
- EDGING SHALL BE 4" x 1/8" METAL EDGING OR APPROVED EQUAL. TO BE INSTALLED WITH HORIZONTAL METAL STAKES AT 36" SPACING. COLOR TO BE BLACK OR DARK GREEN. SILVER COLOR OR PLASTIC IS NOT ACCEPTABLE. INSTALL PER MANUFACTURER'S SPECIFICATIONS IN ALL AREAS INDICATED ON PLAN.
- THE CONTRACTOR SHALL GUARANTEE ALL LANDSCAPING FOR A PERIOD OF TWO (2) YEARS BEGINNING AFTER APPROVAL BY THE CITY OF ROCHESTER HILLS LANDSCAPE ARCHITECT. THE CONTRACTOR SHALL REPLACE DURING AND AT THE END OF THE GUARANTEE PERIOD, ANY DEAD OR UNACCEPTABLE PLANTS, AS DETERMINED BY THE CITY OF ROCHESTER HILLS LANDSCAPE ARCHITECT, WITHOUT COST TO THE OWNER.
- ACCEPTANCE OF GRADING AND SOD SHALL BE BY LANDSCAPE ARCHITECT AND/OR PROJECT REPRESENTATIVE AND AS DETERMINED BY THE CITY'S LANDSCAPE ARCHITECT. THE CONTRACTOR SHALL ASSUME MAINTENANCE RESPONSIBILITY FOR A MINIMUM OF TWO (2) YEAR. MAINTENANCE SHALL INCLUDE WATERING, WEEDING, REPLACEMENTS OF WASHOUTS AND OTHER OPERATIONS NECESSARY TO KEEP SOD IN A THRIVING CONDITION. UPON FINAL ACCEPTANCE BY LANDSCAPE ARCHITECT AND/OR PROJECT REPRESENTATIVE AND AS DETERMINED BY THE CITY'S LANDSCAPE ARCHITECT, THE OWNER SHALL ASSUME ALL MAINTENANCE RESPONSIBILITIES.
- ALL TREE PITS MUST BE TESTED FOR PROPER DRAINAGE PRIOR TO PLANTING TREES. A DRAINAGE SYSTEM MUST BE INSTALLED IF PLANTING PIT DOES NOT DRAIN SUFFICIENTLY (REQUIRED IN HEAVY CLAY SOILS).
- ALL LANDSCAPE AREAS SHALL HAVE PROPER DRAINAGE THAT PREVENTS EXCESS WATER FROM STANDING ON LAWN AREAS OR AROUND TREES AND SHRUBS.
- STAKES USED FOR TREE SUPPORTS SHALL POINT AWAY FROM ANY CIRCULATION ROUTES.
- IN CASE OF DISCREPANCY BETWEEN PLAN AND SPECIFICATIONS, THE PLAN SHALL GOVERN PROPER PROCEDURE.
- MULCHING AND WATERING OF ALL PLANTS AND TREES SHALL BE IMMEDIATELY OR WITHIN 16 HOURS AFTER INSTALLATION.
- CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL QUANTITIES SHOWN ON LANDSCAPE PLAN PRIOR TO PRICING THE WORK.
- THE OWNER'S REPRESENTATIVE RESERVES THE RIGHT TO REJECT ANY PLANT MATERIAL NOT MEETING SPECIFICATIONS.
- REMOVE ALL TREE STAKES AND GUY WIRES AFTER ONE WINTER.
- INSTALL AND MAINTAIN ALL LANDSCAPING ACCORDING TO ROCHESTER HILLS STANDARDS.
- PLANTING TO START FALL 2006.
- USE GRADE "A" DOUBLE SHREDDED HARDWOOD BARK.
- PLANT TREES AND SHRUBS NO CLOSER THAN THE FOLLOWING MINIMUM DISTANCE FROM SIDEWALKS, CURBS, AND PARKING STALLS:
 - A. SHADE/CANOPY TREES 5 FEET
 - B. ORNAMENTAL/FLOWERING TREES 10 FEET
 - C. EVERGREEN TREES 10 FEET
 - D. EVERGREEN/FLOWERING SHRUBS 5 FEET
- DIG SHRUB PITS 1" LARGER THAN SHRUB ROOT BALLS AND TREE PITS 2" LARGER THAN ROOT BALLS. BACK FILL WITH ONE PART TOPSOIL AND ONE PART SOIL FROM THE EXCAVATED PLANTING HOLE. PLANT TREES AND SHRUBS AT THE SAME GRADE LEVEL AT WHICH THEY WERE PLANTED AT THE NURSERY. IF WET, CLAY SOILS ARE EVIDENT, PLANT TREES AND SHRUBS HIGHER.
- REMOVE ALL TWINE, WIRE, AND BURLAP FROM THE TOP 1/3 OF TREE AND SHRUB EARTH BALLS AND FROM TREE TRUNKS.
- LAWN TREES ARE TO BE MULCHED WITH A MINIMUM OF 4" WIDE BY 4" DEEP SHREDDED BARK OR APPROVED DESIGN FOR TRUNK PROTECTION. ONLY NATURAL-COLORED SHREDDED HARDWOOD BARK MULCH WILL BE ACCEPTED.
- SHRUB BEDS ARE TO BE MULCHED WITH SHREDDED BARK MULCH TO A MINIMUM DEPTH OF 4". ONLY NATURAL-COLORED SHREDDED HARDWOOD BARK MULCH WILL BE ACCEPTED.
- BACKFILL DIRECTLY BEHIND ALL CURBS AND ALONG SIDEWALKS AND COMPACT TO THE TOP OF CURB OR WALK TO SUPPORT VEHICLE AND PEDESTRIAN WEIGHT WITHOUT SETTLING.
- ALL LANDSCAPE AREAS, SPECIAL PARKING LOT ISLANDS AND LANDSCAPE BEDS NEXT TO BUILDINGS SHALL BE EXCAVATED OF ALL BUILDING MATERIALS AND POOR SOILS TO A DEPTH OF 12"-18" AND BACK-FILLED WITH GOOD, MEDIUM TEXTURED PLANTING SOIL (LOAM OR LIGHT YELLOW CLAY). ADD 4"-6" OF TOPSOIL OVERFILL MATERIAL AND CROWN A MINIMUM OF 6" ABOVE TOP OF CURBS AND/OR WALKS AFTER EARTH SETTLING UNLESS OTHERWISE NOTED ON THE LANDSCAPE PLAN.
- CONVERSION OF ALL ASPHALT AND GRAVEL AREAS TO LANDSCAPE SHALL BE DONE IN THE FOLLOWING MANNER:
 - A. REMOVE ALL ASPHALT, GRAVEL AND COMPACTED EARTH TO A DEPTH OF 6"-18" DEPENDING ON THE DEPTH OF THE SUB-BASE AND DISPOSE OF OFF SITE.
 - B. REPLACE EXCAVATED MATERIAL WITH GOOD, MEDIUM TEXTURE PLANTING SOIL (LOAM OR LIGHT YELLOW CLAY) TO A MINIMUM OF 2" ABOVE TOP OF CURB AND SIDEWALK ADD 4"-6" OF TOPSOIL AND CROWN TO A MINIMUM OF 6" ABOVE ADJACENT CURB AND WALK AFTER EARTH SETTLING UNLESS OTHERWISE NOTED ON THE LANDSCAPE PLAN.
- REMOVE ALL ASPHALT, GRAVEL AND COMPACTED EARTH TO A DEPTH OF 6"-18" DEPENDING ON THE DEPTH OF THE SUB-BASE AND DISPOSE OF OFF SITE.
- REPLACE EXCAVATED MATERIAL WITH GOOD, MEDIUM TEXTURE PLANTING SOIL (LOAM OR LIGHT YELLOW CLAY) TO A MINIMUM OF 2" ABOVE TOP OF CURB AND SIDEWALK ADD 4"-6" OF TOPSOIL AND CROWN TO A MINIMUM OF 6" ABOVE ADJACENT CURB AND WALK AFTER EARTH SETTLING UNLESS OTHERWISE NOTED ON THE LANDSCAPE PLAN.
- CONVERSION TO LANDSCAPE OCCURS IN AN EXISTING (OR BETWEEN) LANDSCAPE AREA(S). REPLACE EXCAVATED MATERIAL TO 4"-6" BELOW ADJACENT EXISTING GRADES WITH GOOD MEDIUM TEXTURED PLANTING SOIL (LOAM OR LIGHT YELLOW CLAY) AND ADD 4"-6" OF TOPSOIL TO MEET EXISTING GRADES AFTER EARTH SETTLING.
- ALL PLANT MATERIAL TO RECEIVE TERMO-SORB SUPER ABSORBENT POLYMER OR APPROVED EQUAL BY LANDSCAPE ARCHITECT, FOLLOW MANUFACTURER'S SPECIFICATIONS.
- THE CLEAR ZONE SHALL BE MAINTAINED AT ALL INTERSECTIONS THAT INGRESS AND EGRESS TO THE SITE. IT IS THE OWNER'S RESPONSIBILITY TO MAINTAIN THE PLANT MATERIAL AT A HEIGHT OF NOT OVER THIRTY (30) INCHES ABOVE PAVEMENT AND PROVIDE UNOBSTRUCTED SIGHT DISTANCE FOR DRIVERS IN VEHICLES APPROACHING THE INTERSECTION.
- VERTICAL CLEARANCE OF AT LEAST EIGHTY (80) INCHES MUST BE PROVIDED ABOVE WALKS AT ALL TIMES. IT IS THE OWNER'S RESPONSIBILITY TO MAINTAIN TREES AND OTHER OVERHANGING OBJECTS TO PROVIDE ADEQUATE HEADROOM TO COMPLY WITH ADA GUIDELINES.




1. DECIDUOUS TREE PLANTING DETAIL




2. EVERGREEN TREE PLANTING DETAIL




3. ORNAMENTAL TREE PLANTING DETAIL



4. SHRUB PLANTING DETAIL




5. ANNUAL, PERENNIAL, GROUND COVER PLANTING DETAIL




- Zone 1 - Directly under to 30 feet away: Do not plant trees or shrubs - only grass
- Zone 2 - From 30 - 60 feet away: Trees with maximum height of 15 feet
- Zone 3 - From 60 - 80 feet away: Trees with maximum height of 25 feet
- Zone 4 - From 80 - 120 feet away: Trees with maximum height of 60 feet

6. Transmission Zone Planting Detail



- Zone 1 - Directly under to 20 feet away: Maximum height of trees or shrubs to 25 feet
- Zone 2 - From 20 - 50 feet away: Trees with maximum height of 45 feet
- Zone 3 - More than 50 feet away: Trees greater than 45 feet in height

7. Distribution Zone Planting Detail



8. Entrance Lighting Detail (- or Approved Equal)

Scale: 1" = 50'-0"

LANDSCAPE NOTES:

- Prior to the release of the Performance Bond, the City of Rochester Hills Landscape Architect must inspect all landscape planting including but not limited to existing trees, replacement trees, suffer plantings, and parking lot islands. The right-of-way will be inspected by the Forestry Division to identify any plantings new or existing that pose a hazard to the safe use of the right-of-way. Forestry may require the developer to remove and possibly replace any such trees.
- All trees and shrubs must be planted at least 10' from the edge of the public roadway. Shade trees and shrubs must be planted at least 5' from the edge of the public walkway. Evergreen and ornamental trees must be planted at least 10' from the edge of the public walkway. All trees and shrubs must be planted at least 10' from any fire hydrant. Shade and evergreen trees must be planted at least 15' from the nearest overhead wire and at least 10' from the nearest underground utility.
- No trees or shrubs may be planted within the triangular area formed at the intersection of any street right-of-way at a distance of 15' from their point of intersection. No trees or shrubs may be planted in the triangular area formed at the intersection of any driveway with a public walkway at a distance along each line of 15' from their point of intersection.
- Prior approval is required to plant any tree or shrub in the public right-of-way.
- No substitutions or changes of location or plant types shall be made without the approval of the developer and the City of Rochester Hills Landscape Architect.
- The developer and/or the City of Rochester Hills Landscape Architect shall have the right, at any stage of the installation, to reject any work of material that does not meet the requirements of the plans or specifications.
- Replacement trees may not be planted within the drip line of existing trees.
- No substitutions or changes of location or plant type shall be made without the approval of the developer and the City of Rochester Hills Landscape Architect.
- Trees must be at least 10' from underground utilities and 15' from overhead utilities.

SPACING GUIDE LINES:


- All trees or shrubs may not be planted within 4' of any property line.
- All trees and shrubs must be planted within 10' of a fire hydrant.
- Shade trees are not to be planted within 5' any walkway.
- Evergreen trees and ornamental trees are not to be planted within 10' a public walkway.
- Trees are not to be planted within 10' of any underground utility or 15' of any overhead utility.
- The planting of trees and shrubs is not permitted within any right-of-way.

PARKS AND FORESTRY NOTES:

- All trees and shrubs must be planted at least 10' from the edge of the public road. Shade trees and shrubs must be planted at least 5' from the edge of the public walkway. Evergreen and ornamental trees must be planted at least 10' from the edge of the public walkway. No trees or shrubs may be planted within the triangular area formed at the intersection of any street right-of-way lines at a distance along each line 15' from their point of intersection. No trees or shrubs may be planted in the triangular area formed at the intersection of any driveway with a public walkway at a distance along each line of 15' from their point of intersection. All trees and shrubs must be planted at least 10' from any fire hydrant.

FIRE DEPARTMENT NOTES:


- CONSTRUCTION SITE SHALL BE SAFEGUARDED IN ACCORDANCE WITH UNIFORM FIRE CODE ARTICLE 57, UNIFORM FIRE CODE 67.01
- OPEN BURNING IS NOT PERMITTED INCLUDING THE BURNING OF TRASH, DEBRIS, OR LAND CLEARING MATERIALS. OPEN BURNING FOR WARMING OF SAND AND/OR WATER FOR THE PREPARATION OF MORTAR SHALL BE WITHIN CITY OF ROCHESTER HILLS BURN PERMIT GUIDELINES. CONTACT ROCHESTER HILLS FIRE DEPARTMENT FOR PERMIT INFORMATION. FIRE PREVENTION ORDINANCE CHAPTER 56, SECTION 1102.2.2 & 1102.5.2.3



9. TREE PROTECTION FENCE DETAIL

TREE PROTECTION NOTES:

- The tree protection fencing (TPF) shall be erected per the plans approved by the City of Rochester Hills Planning Department. The TPF must be in place and be inspected by the City of Rochester Hills' Landscape Architect prior to the start of any earthwork or construction operations. It is the developer's responsibility to contact the City Planning Department at 1-248-656-4660 to schedule a TPF inspection. The TPF shall remain in place throughout the entire construction process or until the City authorizes the removal or issues a final Certificate of Occupancy, whichever occurs first.
- Upon completion of grading and the installation of the infrastructure a second inspection of the TPF and the trees designated for preservation is required by the City of Rochester Hills' Landscape Architect prior to the start of any additional construction. It is the developer's responsibility to contact the City Planning Department at 1-248-656-4660 to schedule this TPF inspection.
- Upon Completion of all construction and prior to the removal of the City of Rochester Hills' Landscape Architect must inspect all trees designated to be preserved. The Landscape Performance Bond will not be released until this inspection is complete and all related issues are resolved. It is the developer's responsibility to contact the City Planning Department at 1-248-656-4660 to schedule this inspection.
- A final inspection by the City of Rochester Hills' Landscape Architect is required at the end of the warranty and maintenance period. The Landscape Performance Bond will not be released until this inspection is complete and all related issues are resolved. It is the developer's responsibility to contact the City Planning Department at 1-248-656-4660 to schedule this inspection.
- The Tree Conservation Ordinance prohibits any construction or development activities within the drip line of and regulated trees not approved for removal, including but not limited to land clearing, grubbing, trenching, grading or filling, no person shall place any solvents, building materials, construction equipment, soil deposits, or harmful materials within the drip line limit of trees designated for preservation.
- Proposed grades are to match the existing elevations outside the limits of the TPF. No grading other cut or fill is permitted within the drip line of any tree designated for preservation.
- During the construction process no person shall attach any device or wire/cable/drop to an existing tree designated to be preserved.
- All utility service request must include notification to the installer that protected trees must be avoided. All trenching shall occur outside the TPF.
- Swales shall be routed to avoid the area within the drip line of any tree designated for preservation. Swales shall be constructed so as not to direct any additional flow into the drip line a tree designated for preservation.
- If tree protection cannot be maintained for a tree throughout entire period required. The replacement of that tree will be required on and inch for each basis prior to the issuance of the Certificate of Occupancy.
- Regulated trees located off-site on adjacent properties that may be affected by construction operations must be protected as defined here in.
- The TPF shall consist of 4 foot high orange snow fencing to be installed around the drip line of all tree designated to be saved. This fencing shall be supported by 6 foot metal T-bar posts 5 feet on center and driven a minimum of 24" into ground. The TPF fencing shall remain upright and securely in place for the required time as specified above.



10. Bench Detail (- or Approved Equal)



DesignTeam Limited
17255 W. Two Mile Road
Southfield, MI 48175


248.559.1000
Fax: 248.569.5717
email: dteam@dtmi.com

Oakville Estates L.L.C.
42850 Schooner Road
Sterling Heights, Michigan 48313
Ph: 586.566.8100
FAX: 586.566.0210

Oakville Estates
Rochester Hills,
Oakland County,
Michigan

Design/Drawn:	ADD/SLK/SLK
Checked/Approved:	N/A
2006 03 20	
PR: 0372 OK Specs 11-11-06 OK	
Date/Revision:	Issued For:
11/11/06	Final Approval
02/22/06	Concept Review & Approval
04/06/06	Checklist Review & Approval
04/22/06	Shop Review
04/27/06	Final T.O. Approval
11/22/06	Final T.O. Approval


Copyright © 2006
DesignTeam Limited
This document and the subject matter contained therein are proprietary and it is not to be used or reproduced without the written permission of DesignTeam Limited.
Date



Planting Schedule and Cost Estimate - Two Unit Building - Typ. - LA-4.0


Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price
SHRUBS								
4	RM	Rosa 'Meivert'	Knockout Rose	24" Ht.	Cont.		\$40.00	\$160.00
13	SJ	Spiraea japonica 'Little Princess'	Little Princess Spiraea	24" Sp.	Cont.		\$40.00	\$520.00
5	TD	Taxus x m. 'densiformis'	Dense Yew	24" Ht.	Cont.		\$50.00	\$250.00
2	VE	Viburnum plicatum 'Emerald Triumph'	Emerald Triumph Viburnum	24" Ht.	Cont.		\$55.00	\$110.00
PERENNIALS								
10	HS	Heimericallis 'Stella D'Oro'	Stella D'Oro Daylily	1 Gal. Cont.			\$15.00	\$150.00
5	HP	Hosta x 'Patinoz'	Patinoz Hosta	1 Gal. Cont.			\$15.00	\$75.00
MATERIALS								
5		Mulch		CY			\$40.00	\$200.00
5		Plant Mat.		CY			\$30.00	\$150.00
5		Mulch		LBS			\$13.00	\$65.00
Total per Unit:							\$1,680.00	

25	Two Unit Buildings Proposed on Site	\$1,680.00	Per Unit	Total:	\$42,000.00
----	-------------------------------------	------------	----------	---------------	--------------------



Planting Schedule and Cost Estimate - John R. Road Entrance - Typ. - LA-4.0


Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price
SHRUBS								
40	JE	Juniperus horizontalis 'Spartan'	Emerald Spreading Juniper	24" Sp.	Cont.		\$35.00	\$1,400.00
12	RM	Rosa 'Meivert'	Knockout Rose	24" Ht.	Cont.		\$40.00	\$480.00
30	SP	Spiraea japonica 'Snowmound'	Snowmound Spiraea	24" Ht.	Cont.		\$38.00	\$1,140.00
15	TD	Taxus x media 'Censiformis'	Dense Yew	24" Ht.	Cont.		\$50.00	\$750.00
24	TD	Taxus x media 'Everline'	Everline Yew	24" Sp.	Cont.		\$45.00	\$1,080.00
PERENNIALS								
33	HP	Heimericallis 'Stella D'Oro'	Stella D'Oro Daylily	1" Gal. Cont.			\$12.00	\$396.00
22	HP	Heimericallis 'Miss Watumi'	Miss Watumi Daylily	1" Gal. Cont.			\$12.00	\$264.00
5	HS	Heimericallis 'Stella D'Oro'	Stella D'Oro Daylily	1" Gal. Cont.			\$15.00	\$75.00
7	PL	Panicum arrigidifolium 'Little Sore'	Little Sore Russian Sage	24" O.C.	1 Gal. Cont.		\$12.00	\$84.00
MATERIALS								
24		Mulch		CY			\$40.00	\$960.00
24		Plant Mat.		CY			\$30.00	\$720.00
15		Mulch		LBS			\$13.00	\$195.00
Total:							\$8,904.00	



Planting Schedule and Cost Estimate - Three Unit Building - Typ. - LA-4.0


Qty.	Key	Botanical Name	Common Name	Size	Root	Notes	Unit Price	Total Price
SHRUBS								
7	RM	Rosa 'Meivert'	Knockout Rose	24" Ht.	Cont.		\$40.00	\$280.00
13	SJ	Spiraea japonica 'Little Princess'	Little Princess Spiraea	24" Sp.	Cont.		\$40.00	\$520.00
5	TD	Taxus x m. 'densiformis'	Dense Yew	24" Ht.	Cont.		\$50.00	\$250.00
2	VE	Viburnum plicatum 'Emerald Triumph'	Emerald Triumph Viburnum	24" Ht.	Cont.		\$55.00	\$110.00
8	WP	Wynona 'Red Prince'	Purple Leaf Viburnum	24" Ht.	Cont.		\$45.00	\$360.00
PERENNIALS								
10	HS	Heimericallis 'Stella D'Oro'	Stella D'Oro Daylily	1 Gal. Cont.			\$15.00	\$150.00
5	HP	Hosta x 'Patinoz'	Patinoz Hosta	1 Gal. Cont.			\$15.00	\$75.00
MATERIALS								
7		Mulch		CY			\$40.00	\$280.00
5		Plant Mat.		CY			\$30.00	\$150.00
5		Mulch		LBS			\$13.00	\$65.00
Total:							\$2,440.00	

24	Three Unit Buildings Proposed on Site	\$2,440.00	Per Unit	Total:	\$58,560.00
----	---------------------------------------	------------	----------	---------------	--------------------



- NOTES:**
- The notation I.V.O. is Intermittent Visual Obstruction, as defined by the City of Rochester Hills Ordinance
 - Base, boundary, and topographic information provided by MCS & Associates, received on 5/2/06
 - Wetland limit verified by Brooks Williamson and Associates, provided by MCS & Associates, received on 5/2/06.
 - Subject to city and agency reviews and modifications.

- LANDSCAPE PLANTING NOTES:**
- Plant material for concept only and is subject to municipal review. Landscape contractor to verify and provide all plant materials as shown on the drawings.
 - Placement of street trees to be adjusted for underground utilities and driveway placements.
 - All trees being retained will be identified by painting, flagging or some other approved method.
 - Trees to be located a minimum of 10' from underground utilities, transformers, or fire hydrants and 15' from overhead utilities.
 - When protective barriers are required, they will be erected prior to commencement of work.
 - All new lawn areas to be either seed/sod, depending on location, over 4" topsoil.



248.569.1000
Fax: 248.569.5717
email: dteamtd@aol.com

Oakville Estates L.L.C.
42550 Schoonover Road
Stirling Heights, Michigan 48313
PH: 586.566.8100
FAX: 586.566.0210

Project: Oakville Estates
Rochester Hills,
Oakland County,
Michigan

Designed/Drawn: M40/F4/E
Checked/Reviewed: PJA
Job #: 0372.06
File: 0372.06.14.11.22.06.dwg

Date/Revisions: issued for:
11/11/05 - 2nd 30% review
2/23/06 - General Review & Approval
5/11/06 - General Review & Approval
8/12/06 - Shall Issue
9/27/06 - Final PDD Approval
11/20/06 - Final PDD Approval

Copyright © 2006
DesignTeam Limited
This Document and the subject matter contained therein is proprietary, and is not to be used or reproduced without the written permission of DesignTeam Limited.


















Detailed Unit & Entrance Landscape Plan

LA-4.0

GENERAL NOTES

PLANTING NOTES:

- LANDSCAPE CONTRACTOR SHALL VISIT SITE, INSPECT EXISTING CONDITIONS AND REVIEW PROPOSED PLANTING AND RELATED WORK. IN CASE OF DISCREPANCY BETWEEN PLAN AND PLANT LIST, PLAN SHALL GOVERN QUANTITIES. CONTACT LANDSCAPE ARCHITECT WITH ANY CONCERNS.
- CONTRACTOR SHALL VERIFY LOCATIONS OF ALL ON-SITE UTILITIES PRIOR TO BEGINNING CONSTRUCTION OR HIS/HER PHASE OF WORK. ELECTRIC, GAS, TELEPHONE, CABLE TELEVISION MAY BE LOCATED BY CALLING MISS DIG 1-800-482-7171. ANY DAMAGE OR INTERRUPTION OF SERVICES SHALL BE THE RESPONSIBILITY OF CONTRACTOR. CONTRACTOR SHALL COORDINATE ALL RELATED ACTIVITIES WITH OTHER TRADES ON THE JOB AND SHALL REPORT ANY UNACCEPTABLE JOB CONDITIONS TO OWNER'S REPRESENTATIVE PRIOR TO COMMENCING.
- CONTRACTOR WILL SUPPLY FINISHED GRADE AND EXCAVATE AS NECESSARY TO SUPPLY 4" TOPSOIL DEPTH IN ALL PLANTING BEDS AND 4" TOPSOIL DEPTH IN ALL LAWN AREAS. BACK FILL AND CROWN PARKING LOT ISLANDS 12" ABOVE ADJACENT CURBS.
- ALL PLANT MATERIAL TO BE PREMIUM GRADE NURSERY STOCK. PLANT MATERIAL SHALL CONFORM TO THE GUIDELINES ESTABLISHED IN THE MOST RECENT EDITION OF THE AMERICAN STANDARD FOR NURSERY STOCK. CONTRACTOR TO SUPPLY NURSERY SOURCES FOR ALL PURCHASED MATERIAL. NO BARE ROOT OR PAK GRADE MATERIAL WILL BE ACCEPTED.
- INSTALL SOD IN ALL AREAS INDICATED ON PLAN. SOD TO BE WELL ESTABLISHED. MINERAL GROWTH, NO PEST SOD WILL BE ALLOWED. SOD BLEND SHALL CONSIST OF A MINIMUM OF THREE (3) IMPROVED VARIETIES OF BLUEGRASS. ACCEPTANCE AND GUARANTEE NOTES SHALL APPLY TO ALL SOD.
- EDGING SHALL BE 4" x 1/8" METAL EDGING OR APPROVED EQUAL. TO BE INSTALLED WITH HORIZONTAL METAL STAKES AT 36" SPACING. COLOR TO BE BLACK OR DARK GREEN. SILVER COLOR OR PLASTIC IS NOT ACCEPTABLE. INSTALL PER MANUFACTURER'S SPECIFICATIONS IN ALL AREAS INDICATED ON PLAN.
- THE CONTRACTOR SHALL GUARANTEE ALL LANDSCAPING FOR A PERIOD OF TWO (2) YEARS BEGINNING AFTER APPROVAL BY THE CITY OF ROCHESTER HILLS LANDSCAPE ARCHITECT. THE CONTRACTOR SHALL ASSUME MAINTENANCE RESPONSIBILITY FOR A MINIMUM OF TWO (2) YEAR. MAINTENANCE SHALL INCLUDE WATERING, WEEDING, REPLACEMENTS OF WASHOUTS AND OTHER OPERATIONS NECESSARY TO KEEP SOD IN A THRIVING CONDITION. UPON FINAL ACCEPTANCE BY LANDSCAPE ARCHITECT AND/OR PROJECT REPRESENTATIVE AND AS DETERMINED BY THE CITY'S LANDSCAPE ARCHITECT, THE OWNER SHALL ASSUME ALL MAINTENANCE RESPONSIBILITIES.
- ALL TREE PITS MUST BE TESTED FOR PROPER DRAINAGE PRIOR TO PLANTING TREES. A DRAINAGE SYSTEM MUST BE INSTALLED IF PLANTING PIT DOES NOT DRAIN SUFFICIENTLY (REQUIRED IN HEAVY CLAY SOILS).
- ALL LANDSCAPE AREAS SHALL HAVE PROPER DRAINAGE THAT PREVENTS EXCESS WATER FROM STANDING ON LAWN AREAS OR AROUND TREES AND SHRUBS.
- STAKES USED FOR TREE SUPPORTS SHALL POINT AWAY FROM ANY CIRCULATION ROUTES.
- IN CASE OF DISCREPANCY BETWEEN PLAN AND SPECIFICATIONS, THE PLAN SHALL GOVERN PROPER PROCEDURE.
- MULCHING AND WATERING OF ALL PLANTS AND TREES SHALL BE IMMEDIATELY OR WITHIN 16 HOURS AFTER INSTALLATION.
- CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL QUANTITIES SHOWN ON LANDSCAPE PLAN PRIOR TO PRICING THE WORK.
- THE OWNER'S REPRESENTATIVE RESERVES THE RIGHT TO REJECT ANY PLANT MATERIAL NOT MEETING SPECIFICATIONS.
- REMOVE ALL TREE STAKES AND GUY WIRES AFTER ONE WINTER.
- INSTALL AND MAINTAIN ALL LANDSCAPING ACCORDING TO ROCHESTER HILLS STANDARDS.
- PLANTING TO START FALL 2006.
- USE GRADE "A" DOUBLE SHEATHED HARDWOOD BARK.
- PLANT TREES AND SHRUBS NO CLOSER THAN THE FOLLOWING MINIMUM DISTANCE FROM SIDEWALKS, CURBS, AND PARKING STALLS:
 - A. SHADE/CANOPY TREES 5 FEET
 - B. ORNAMENTAL/FLOWERING TREES 10 FEET
 - C. EVERGREEN TREES 10 FEET
 - D. EVERGREEN/FLOWERING SHRUBS 5 FEET
- DIG SHRUB PITS 1' LARGER THAN SHRUB ROOT BALLS AND TREE PITS 2' LARGER THAN ROOT BALLS. BACK FILL WITH ONE PART TOPSOIL AND ONE PART SOIL FROM THE EXCAVATED PLANTING HOLE. PLANT TREES AND SHRUBS AT THE SAME GRADE LEVEL AT WHICH THEY WERE PLANTED AT THE NURSERY. IF WET, CLAY SOILS ARE EVIDENT, PLANT TREES AND SHRUBS HIGHER.
- REMOVE ALL TWINE, WIRE, AND BURLAP FROM THE TOP 1/3 OF TREE AND SHRUB EARTH BALLS AND FROM TREE TRUNKS.
- LAWN TREES ARE TO BE MULCHED WITH A MINIMUM OF 4" WIDE BY 4" DEEP SHREDDED BARK OR APPROVED DESIGN FOR TRUNK PROTECTION. ONLY NATURAL COLORED SHREDDED HARDWOOD BARK MULCH WILL BE ACCEPTED.
- SHRUB BEDS ARE TO BE MULCHED WITH SHREDDED BARK MULCH TO A MINIMUM DEPTH OF 4". ONLY NATURAL COLORED SHREDDED HARDWOOD BARK MULCH WILL BE ACCEPTED.
- BACKFILL DIRECTLY BEHIND ALL CURBS AND ALONG SIDEWALKS AND COMPACT TO THE TOP OF CURB OR WALK TO SUPPORT VEHICLE AND PEDESTRIAN WEIGHT WITHOUT SETTLING.
- ALL LANDSCAPE AREAS, SPECIAL PARKING LOT ISLANDS AND LANDSCAPE BEDS NEXT TO BUILDINGS SHALL BE EXCAVATED OF ALL BUILDING MATERIALS AND POOR SOILS TO A DEPTH OF 12"-18" AND BACK-FILLED WITH GOOD, MEDIUM TEXTURED PLANTING SOIL (LOAM OR LIGHT YELLOW CLAY). ADD 4"-6" OF TOPSOIL OVERFILL MATERIAL AND CROWN A MINIMUM OF 6" ABOVE TOP OF CURBS AND/OR WALKS AFTER EARTH SETTLING UNLESS OTHERWISE NOTED ON THE LANDSCAPE PLAN.
- CONVERSION OF ALL ASPHALT AND GRAVEL AREAS TO LANDSCAPE SHALL BE DONE IN THE FOLLOWING MANNER:
 - A. REMOVE ALL ASPHALT, GRAVEL AND COMPACTED EARTH TO A DEPTH OF 6"-18" DEPENDING ON THE DEPTH OF THE SUB-BASE AND DISPOSE OF OFF SITE.
 - B. REPLACE EXCAVATED MATERIAL WITH GOOD, MEDIUM TEXTURE PLANTING SOIL (LOAM OR LIGHT YELLOW CLAY) TO A MINIMUM OF 2" ABOVE TOP OF CURB AND SIDEWALK. ADD 4"-6" OF TOPSOIL AND CROWN TO A MINIMUM OF 6" ABOVE ADJACENT CURBS AND/OR WALKS AFTER EARTH SETTLING UNLESS OTHERWISE NOTED ON THE LANDSCAPE PLAN. IF CONVERSION TO LANDSCAPE OCCURS IN AN EXISTING (OR BETWEEN) LANDSCAPE AREA(S), REPLACE EXCAVATED MATERIAL TO 4"-6" BELOW ADJACENT EXISTING GRADES WITH GOOD MEDIUM TEXTURED PLANTING SOIL (LOAM OR LIGHT YELLOW CLAY) AND ADD 4"-6" OF TOPSOIL TO MEET EXISTING GRADES AFTER EARTH SETTLING.
- ALL PLANT MATERIAL TO RECEIVE TERRAZO-SORB SUPER ABSORBENT POLYMER OR APPROVED EQUAL BY LANDSCAPE ARCHITECT, FOLLOW MANUFACTURER'S SPECIFICATIONS.
- THE CLEAR ZONE SHALL BE MAINTAINED AT ALL INTERSECTIONS THAT INGRESS AND EGRESS TO THE SITE. IT IS THE OWNERS RESPONSIBILITY TO MAINTAIN THE PLANT MATERIAL AT A HEIGHT OF NOT OVER THIRTY (30) INCHES ABOVE PAVEMENT AND PROVIDE UNOBSTRUCTED SIGHT DISTANCE FOR DRIVERS IN VEHICLES APPROACHING THE INTERSECTION.
- VERTICAL CLEARANCE OF AT LEAST EIGHTY (80) INCHES MUST BE PROVIDED ABOVE WALKS AT ALL TIMES. IT IS THE OWNERS RESPONSIBILITY TO MAINTAIN TREES AND OTHER OVERHANGING OBJECTS TO PROVIDE ADEQUATE HEADROOM TO COMPLY WITH ADA GUIDELINES.



DesignTeam Limited
Landscape Architecture
Land Planning
Urban Design
Environmental Planning

17255 W. Ten Mile Road
Southfield, MI 48075

248.559.1000
Fax: 248.559.5717
email: dtteam@dtteam.com

Client: Oakville Estates L.L.C.
42850 Schoonherd Road
Sterling Heights, Michigan 48313
PH: 586.566.8100
FAX: 586.566.0210

Project: Oakville Estates L.L.C. 42850 Schoonherd Road Sterling Heights, Michigan 48313

Design: 10/2006
Checked/Approved: N/A
Job #: 0372-06
PR: 0372-06 Scale: 11-10-06 (in)

Date/Revision: N/A
11/13/06: 6. 2006/11/13
2/23/06: 5. 2006/02/23
2/16/06: 4. 2006/02/16
2/12/06: 3. 2006/02/12
2/12/06: 2. 2006/02/12
11/30/06: 1. 2006/11/30

Copyright © 2006
Design: DesignTeam Limited
This document and the subject matter contained therein are proprietary and are not to be used or reproduced without the written permission of DesignTeam Limited.



Scale: 1" = 50'-0"

Amenities, Specifications, & Details

LA-50

"OAKVILLE ESTATES"

PART OF THE NW 1/4 OF SECTION 24,
T. 3N., R. 11E., ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN.



THE FOLLOWING NINE (9) LEGAL DESCRIPTIONS ARE AS CITED ON THE TITLE COMMITMENT NO. 63-554369, AS ISSUED BY "THE PHILIP F. GRECO TITLE COMPANY", DATED AT MT. CLEMENS, MICHIGAN, ON NOVEMBER 22, 2005 AT 8:00 A.M.

LEGAL DESCRIPTION: PARCEL 15-24-100-040 (PARCEL 1)
Part of the NW 1/4 of Section 24, T.3N., R.11E., Rochester Hills, Oakland County, Michigan, being more particularly described as follows:
Beginning at a point distant S88°20'40"E 769.00 feet from the West 1/4 corner; thence N00°00'00"E 175.60 feet; thence N88°47'00"E 27.65 feet; thence S00°00'00"W 912.30 feet; thence S88°49'50"W 201.26 feet; thence S00°00'00"W 276.45 feet; thence N88°20'40"W 70.03 feet to the Point of Beginning, except the South 43 feet.

LEGAL DESCRIPTION: PARCEL 15-24-100-037 (PARCEL 2)
Part of the NW 1/4 of Section 24, T.3N., R.11E., Rochester Hills, Oakland County, Michigan, being more particularly described as follows:
Beginning at a point distant S02°50'24"W 850.85 feet from the Northwest section corner; thence S89°28'59"E 450.00 feet; thence S00°37'00"W 70.00 feet; thence N89°28'59"W 150.00 feet; thence S85°10'41"W 128.16 feet; thence N88°55'50"W 175.62 feet; thence N02°50'24"E 80.00 feet to the Point of Beginning.

LEGAL DESCRIPTION: PARCEL 15-24-100-028 (PARCEL 3)
Part of the NW 1/4 of Section 24, T.3N., R.11E., Rochester Hills, Oakland County, Michigan, being more particularly described as follows:
Beginning at a point distant S88°20'40"E 129.00 feet from the West 1/4 corner; thence N00°00'00"E 290.75 feet; thence S88°49'50"W 88.65 feet; thence N00°00'00"E 912.30 feet; thence N88°47'00"E 27.65 feet; thence S00°37'00"W 931.44 feet; thence N88°20'40"W 126.00 feet; thence S00°37'44"E 290.75 feet; thence N88°20'40"W 70.09 feet to the Point of Beginning, except south 43 feet taken for road.

LEGAL DESCRIPTION: PARCEL 15-24-100-038 (PARCEL 4)
Part of the NW 1/4 of Section 24, T.3N., R.11E., Rochester Hills, Oakland County, Michigan, being more particularly described as follows:
Beginning at a point distant S02°50'24"W 930.85 feet from the Northwest section corner; thence S88°55'50"E 175.62 feet; thence N85°18'41"E 128.16 feet; thence S89°28'59"E 150.00 feet; thence N00°37'00"W 70.00 feet; thence S89°28'59"E 876.16 feet; thence S02°28'24"W 198.00 feet; thence N89°28'52"W 1327.43 feet; thence N02°50'24"E 118.00 feet to the Point of Beginning.

LEGAL DESCRIPTION: PARCEL 15-24-100-018 (PARCEL 5)
Part of the NW 1/4 of Section 24, T.3N., R.11E., Rochester Hills, Macomb County, Michigan, being more particularly described as follows:
Beginning at a point distant S88°20'40"E 999.00 feet from the West 1/4 corner; thence N00°00'00"E 284.25 feet; thence N88°49'50"E 130.00 feet; thence S00°00'00"W 290.75 feet; thence N88°20'40"W 130.00 feet to the Point of Beginning, except South 43.00 feet taken for road.

LEGAL DESCRIPTION: PARCEL 15-24-100-019 (PARCEL 6)
Part of the NW 1/4 of Section 24, T.3N., R.11E., Rochester Hills, Oakland County, Michigan, being more particularly described as follows:
Beginning at a point distant N88°20'40"W 1325.90 feet from the center of Section; thence N88°20'40"W 126.00 feet; thence N00°40'20"W 290.75 feet; thence S88°20'40"E 126.00 feet; thence S00°40'20"E 290.75 feet to the Point of Beginning, except South 43.00 feet taken for road.


LEGAL DESCRIPTION: PARCEL 15-24-100-029 (PARCEL 7)
Part of the NW 1/4 of Section 24, T.3N., R.11E., Rochester Hills, Oakland County, Michigan, being more particularly described as follows:
Beginning at a point distant S88°20'40"E 839.03 feet from the West 1/4 corner; thence N00°00'00"E 276.45 feet; thence N88°49'50"E 159.91 feet; thence S00°00'00"W 254.25 feet; thence N88°20'40"W 159.97 feet to the Point of Beginning, except the south 43 feet taken for road.

LEGAL DESCRIPTION: PARCEL 15-24-100-009 (PARCEL 8)
Part of the NW 1/4 of Section 24, T.3N., R.11E., Avon Township, now Rochester Hills, Oakland County, Michigan, being more particularly described as follows:
Beginning at a point distant N00°00'00"E 961.75 feet from the West 1/4 corner; thence N00°00'00"E 150.00 feet; thence N87°34'50"E 784.16 feet; thence S00°00'00"W 150.00 feet; thence S87°34'50"W 780.00 feet to the Point of Beginning.

LEGAL DESCRIPTION: PARCEL 15-24-100-010 (PARCEL 9)
Part of the NW 1/4 of Section 24, T.3N., R.11E., Rochester Hills, Oakland County, Michigan, being more particularly described as follows:
Beginning at a point distant N00°00'00"E 811.75 feet from the West 1/4 corner; thence N00°00'00"E 150.00 feet; thence N87°34'50"E 780.00 feet; thence S00°00'00"W 150.00 feet; thence S88°48'40"W 780.00 feet to the Point of Beginning, except west 60.00 feet taken for road.

SURVEY CERTIFICATION:
I hereby certify to FFth Third Bank and to the PHILIP F. GRECO TITLE COMPANY that: (1) this print of the survey was actually made upon the ground; (2) the survey information, courses and distances shown thereon are correct and there are no buildings or other structures on the Property, except as shown; (3) all easements, rights of way or similar encumbrances creating rights in, on, over, under, across or through the Property of benefiting the Property as Shown on the Philip F. Greco Title Commitment no. 63-554369 are noted and located hereon, and are identified by Liber and Page of recording of the instrument(s) creating them; (4) the buildings located thereon do not encroach on such easements, rights of way or similar encumbrances in, on, over, under, across or through the Property, nor do the buildings on the adjoining property encroach upon the Property or such easements, except as shown; and (5) the Property has direct access to John R. Road and School Road, dedicated public roads.

DATE:



LEGAL DESCRIPTION: TOTAL PARCEL
Part of the NW 1/4 of Section 24, T.3N., R.11E., Rochester Hills, Oakland County, Michigan, being more particularly described as follows:
Beginning at a point which is S87°37'27"E 769.35 feet along the East-West 1/4 line of Section 24 and centerline of School Road (North 43 ft wd. R.O.W.) and N00°42'00"E 43.02 feet to the North R.O.W. line of School Road (North 43 ft wd. R.O.W.) from the West 1/4 corner of Section 24; thence continuing N00°42'00"E 833.35 feet; thence S87°36'07"W 720.03 feet to the East 60 ft R.O.W. line of John R. Road (East 60 ft wd. R.O.W.); thence N00°00'00"E 149.99 feet along said East 60 ft R.O.W. line of John R. Road (East 60 ft wd. R.O.W.); thence S87°35'24"W 60.03 feet to the West line of Section 24 and centerline of John R. Road (East 60 ft wd. R.O.W.); thence N00°00'00"E 348.00 feet along said West line of Section 24 and centerline of John R. Road (East 60 ft wd. R.O.W.); thence N87°36'06"E 1326.16 feet to the 1/8 line of Section 24; thence S00°00'00"W 1377.16 feet along said 1/8 line of Section 24 to the North R.O.W. line of School Road (North 43 ft wd. R.O.W.); thence N87°37'27"W 555.59 feet along said North R.O.W. line of School Road (North 43 ft wd. R.O.W.) to the Point of Beginning.
Containing 1,121,893 square feet --- 25.755 acres (Gross).
Containing 1,101,018 square feet --- 25.276 acres (Net), more or less.

SUBJECTS PERTAINING TO SURVEY AS STATED ON TITLE POLICY NUMBER 63-554369.

Subject to a Right-of-Way in favor of Susquehanna Pipe Line Company, a Pa. Corp., as recorded in liber 2654, page 329, as to Parcels 1, 5, 6, and 7, in liber 2650, page 599, as to Parcels 2 and 4 and in liber 2650, page 603, Oakland County Records, as to Parcels 8 and 9. (Item 10)

Subject to an Easement in favor of the County of Oakland for water supply, as set forth in instrument(s) recorded in liber 6653, page 866, and in liber 6653, page 867, as to Parcel 1, in liber 6653, page 868, Oakland County Records, as to Parcel 3. (Item 11)

Subject to a Right-of-Way in favor of the Detroit Edison Company, as recorded in Register No. 115475, and in liber 5683, page 782, as to Parcels 1 and 3, in liber 5 of Miscellaneous, page 22, as to Parcels 2 and 4, in liber 5653, page 784, as to Parcel 3, in liber 5 of miscellaneous, page 12, in liber 200, page 21 and in liber 5683, page 787, as to Parcel 5, in liber 5683, page 788, as to Parcel 6, in liber 5686, page 786, as to Parcel 7, in liber 5 of miscellaneous, page 21 and in liber 4026, page 517, Oakland County Records, as to Parcel 9. (Item 12)

Subject to a Right-of-Way in favor of the Revold Drain, as recorded in liber 35330, page 25, as to Parcel 2, in liber 33530, page 29; as to Parcel 4 and in liber 35227, page 82, Oakland County Records, as to Parcel 8. (Item 13)

Subject to the terms and conditions of a certain Utility Obligation Agreement, as recorded in Liber 14109, page 61, in liber 9256, page 868, as to Parcel 2 and in liber 10163, page 44, Oakland County Records, as to Parcel 4. (Item 14)

Subject to an Easement in favor of the City of Rochester for sanitary sewer, as set forth in instrument(s) recorded in liber 11290, page 819, as to Parcel 2, in liber 11290, page 822, as to Parcel 4, in liber 11290, page 821, as to Parcel 6 and in liber 11293, page 695, Oakland County Records, as to Parcel 5. (Item 15)

Subject to the terms and conditions of a certain Mutual Driveway Easement, as recorded in liber 6875, page 650, Oakland County Records, as to Parcels 2 and 4. (Item 16)

Subject to the terms and conditions of a certain Agreement, as recorded in liber 11092, page 537, Oakland County Records, as to Parcel 6. (Item 17)

Subject to the rights of the public and any governmental unit in any part thereof taken, used or deemed for street, road or highway purposes. (Item 18)

NOTE:
1. NET ACRES ARE CALCULATED TO THE PROPOSED 60 FT R.O.W. OF JOHN R. ROAD, AND THE EXISTING 43 FT R.O.W. OF SCHOOL ROAD.
2. WETLANDS FLAGGED BY "BROOKS WILLIAMSON ASSOCIATES".

© 2006 - JJ ASSOCIATES, INC. ALL RIGHTS RESERVED.
THESE PLANS AND DRAWINGS ARE OWNED BY AND THE SOLE PROPERTY OF JJ ASSOCIATES, INC. ANY REPRODUCTION, COPYING, REUSE OR DISTRIBUTION OF THESE PLANS AND DRAWINGS IS STRICTLY PROHIBITED WITHOUT THE PRIOR WRITTEN CONSENT OF JJ ASSOCIATES, INC.

REV. 01-09-07 PER CITY
REV. 11-27-06 PER CITY

JJ ASSOCIATES, INC.
Civil Engineering and Surveying

FORMERLY MCS ASSOCIATES, INC.

Civil Engineering and Surveying
4044 Mound Road, Suite 108
Sterling Heights, Michigan 48314
Telephone (586) 726-6310

OAKVILLE ESTATES
PART OF THE NW 1/4 OF SECTION 24, T.3N., R.11E., ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN

DATE 09-13-06 SCALE 1" = 100'
DRAWN BY A.P. SHEET C-1
CHECKED BY J.C.W. DRAWING PS-06-815

BOUNDARY SURVEY





PHILIP F. GRECO TITLE COMPANY, 49430

CITY FILE #04-037

"OAKVILLE ESTATES"

PART OF THE NW 1/4 OF SECTION 24,
T. 3N., R. 11E., CITY OF ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN.



CONTROL POINTS:

NUMBER	NORTHING	EASTING	ELEVATION
2	4927.5142	6334.9651	742.13
80	5209.3988	6183.9030	745.27
81	5245.1487	5995.4235	748.01
82	5502.3907	5819.3138	751.24
89	5866.5836	5391.5164	754.31
92	5990.3420	6230.1099	747.19
93	5757.9573	6396.0587	741.85
94	5512.0843	6276.2032	748.63
213	4961.2161	6241.0966	741.07
3148	5016.1388	6187.3148	747.34
3180	5126.8055	6316.2334	746.80
3181	5103.2362	5049.2367	752.57
3206	5178.5543	6085.9869	746.23
3316	5552.5291	5812.3551	751.76
3323	5858.7521	5995.0361	754.27
3401	5548.5525	6213.8595	749.33
3445	5822.5552	6254.0763	749.11
3472	5701.5691	6254.1728	751.61
3490	5985.4236	6329.6372	748.08
3571	6400.4867	5939.0597	760.48
3631	6244.2963	5294.6683	761.79
3680	6452.6373	5426.9011	765.74
3758	5997.5582	5158.9321	758.33
3814	5722.9880	4980.7734	755.66

BENCHMARKS:

NUMBER	NORTHING	EASTING	ELEVATION
3143	4988.7302	5998.3640	742.65
3144	4942.4393	5789.3212	743.98
3188	5038.4985	4958.0797	754.17
3343	6269.7555	6312.3620	763.99
3476	5728.1204	6332.2470	747.15
3815	5992.2263	4969.9797	760.86
3816	6334.1450	5865.0043	757.92
4015	5506.7278	4970.4528	756.23

PRIMARY BENCHMARK:

3188 ARROW ON HYDRANT LOCATED ON THE WEST SIDE OF JOHN R. ROAD ± 40' FROM THE WEST 1/4 CORNER OF SECTION 24.
ELEV: 754.17

BENCHMARK DESCRIPTION:

3143 ARROW ON HYDRANT LOCATED ON THE NORTH SIDE OF SCHOOL ROAD APPROXIMATELY ± 230' EAST FROM THE WEST PROPERTY LINE.
ELEV: 743.98

3144 ARROW ON HYDRANT LOCATED ON THE NORTH SIDE OF SCHOOL ROAD APPROXIMATELY ± 20' EAST FROM THE WEST PROPERTY LINE.
ELEV: 743.89


3343 TOP OF THE SOUTHWEST LOWER BRACE OF D.E. TOWER LOCATED ± 95' SOUTH FROM THE NORTH PROPERTY LINE AND ± 15' WEST FROM THE EAST PROPERTY LINE.
ELEV: 763.99

3476 MAG NAIL IN SOUTHWEST FACE OF 15" OAK LOCATED ± 5' EAST FROM THE EAST PROPERTY LINE AND ± 60' SOUTH FROM THE NORTH PROPERTY LINE.
ELEV: 747.15

3815 ARROW ON HYDRANT LOCATED ON THE WEST SIDE OF JOHN R. ROAD AND ± 180' NORTH FROM THE SOUTH PROPERTY LINE.
ELEV: 760.86

3816 MAG NAIL IN SOUTHWEST FACE OF 15" OAK LOCATED ± 480' WEST FROM THE EAST PROPERTY LINE AND ± 10' SOUTH FROM THE NORTH PROPERTY LINE.
ELEV: 757.92

4015 ARROW ON HYDRANT LOCATED ON THE WEST SIDE OF JOHN R. ROAD AND ± 300' SOUTH FROM THE SOUTH PROPERTY LINE.
ELEV: 756.23



LEGAL DESCRIPTION: TOTAL PARCEL

Part of the NW 1/4 of Section 24, T.3N., R.11E., Rochester Hills, Oakland County, Michigan, being more particularly described as follows:
Beginning at a point which is S87°37'27"E 789.35 feet along the East-West 1/4 line of Section 24 and centerline of School Road (North 43 ft wd. R.O.W.) and N00°42'00"E 43.02 feet to the North R.O.W. line of School Road (North 43 ft wd. R.O.W.); from the West 1/4 corner of Section 24; thence containing N00°42'00"E 833.35 feet; thence S87°36'07"W 720.03 feet to the East 60 ft R.O.W. line of John R. Road (East 60 ft wd. R.O.W.); thence N00°00'00"E 149.99 feet along said East 60 ft R.O.W. line of John R. Road (East 60 ft wd. R.O.W.); thence S87°36'24"W 60.05 feet to the West line of Section 24 and centerline of John R. Road (East 60 ft wd. R.O.W.); thence N00°00'00"E 348.00 feet along said East 60 ft R.O.W. line of Section 24 and centerline of John R. Road (East 60 ft wd. R.O.W.); thence N87°36'06"E 1326.16 feet to the 1/8 line of Section 24; thence S00°00'02"W 1377.16 feet along said 1/8 line of Section 24 and centerline of John R. Road (East 60 ft wd. R.O.W.); thence N87°37'27"W 555.59 feet along said North R.O.W. line of School Road (North 43 ft wd. R.O.W.) to the Point of Beginning.
Containing 1,121,893 square feet — 25,755 acres.

Subject to the rights of the public and any governmental unit in any part thereof taken, used or deemed for street, road or highway purposes.

NOTE:
NET ACRES ARE CALCULATED TO THE PROPOSED 60 FT R.O.W. OF JOHN R. ROAD, AND THE EXISTING 43 FT R.O.W. OF SCHOOL ROAD.

LEGEND



- △ CONTROL POINT
- ✕ FIRE HYDRANT
- ⊗ GATE VALVE
- MANHOLE - STM OR SAN AS INDICATED
- REAR YARD CATCH BASIN
- ⊠ GAS MARKER
- ⊛ UTILITY POLE
- > GUY POLE
- ⚡ SIGN
- ⊞ MAIL BOX
- TOP OF BANK
- - - CL OF DITCH
- EX. STORM SEWER
- EX. SANITARY SEWER
- EX. WATERMAIN
- FENCE
- GAS MAIN
- O'HEAD LINES
- EDGE OF TREE LINE
- REWOLD DRAIN

© 2005 - MCS ASSOCIATES, INC. ALL RIGHTS RESERVED.
THESE PLANS AND DRAWINGS ARE OWNED BY AND THE SOLE PROPERTY OF MCS ASSOCIATES, INC. ANY REPRODUCTION, COPYING, REUSE OR DISTRIBUTION OF THESE PLANS AND DRAWINGS IS STRICTLY PROHIBITED WITHOUT THE PRIOR WRITTEN CONSENT OF MCS ASSOCIATES, INC.




REV: 01-09-07 PER CITY OF ROCHESTER HILLS


JF ASSOCIATES, INC. Civil Engineering and Surveying	
<p>FORMERLY MCS ASSOCIATES, INC.</p>	<p>44444 Pound Road, Suite 100 Sterling Heights, Michigan 48314 Telephone: (586) 726-9111 Fax: (586) 726-9112 Website: www.jfassociates.net</p>
<p>OAKVILLE ESTATES PART OF THE NW 1/4 OF SECTION 24, T. 3N., R. 11E., ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN</p>	
DATE: 09-13-06	SCALE: 1"=100'
DRAWN BY: A.P.	SHEET: C-2
CHECKED BY: J.C.W.	DRAWING: PS-06-815
TOPOGRAPHIC SURVEY	



JOHN R. ROAD
(EAST 60 FT WD. R.O.W.)



JOHN R. ROAD
(EAST 60 FT WD. R.O.W.)



REV: 01-09-07 PER CITY op
REV: 11-27-06 GED CITY op




JF ASSOCIATES, INC.
Civil Engineering and Surveying

43244 Mound Road, Suite 800
Sterling Heights, Michigan 48314
Telephone (586) 726-9111
Fax (586) 726-9112
Website www.jfassociates.net

FORMERLY **MCS** ASSOCIATES, INC.
OAKVILLE ESTATES
PART OF THE N.W. 1/4 OF SECTION 24, T.3N., R.1E., OAKLAND COUNTY, MICHIGAN



DATE 09-13-06 SCALE 1"=50'
DRAWN BY A.P. SHEET C-3
CHECKED BY J.C.W. DRAWING PS-06-815

JOHN R ROAD TOPO



(NORTH 43 FT WD. R.O.W.)


 BEFORE YOU DIG
 CALL MISS DIG
 1-800-482-7171
 REV: 01-09-07 PER CITY OP
 REV: 11-27-06 PER CITY OP



 ASSOCIATES, INC. Civil Engineering and Surveying	
FORMERLY  MCS ASSOCIATES, INC.	44444 Mount Road, Suite 100 Sterling Heights, Michigan 48314 Telephone (586) 726-9111 Fax (586) 726-9112 Website www.jfassociates.net
OAKVILLE ESTATES PART OF THE N.W. 1/4 OF SECTION 24, T.3N., R.1E., ROCHESTER HILLS OAKLAND COUNTY, MICHIGAN	
DATE 09-13-06	SCALE 1"=50'
DRAWN BY A.P.	SHEET C-4
CHECKED BY J.C.W.	DRAWING PS-06-815
SCHOOL ROAD TOPO	

"OAKVILLE ESTATES"

PART OF THE NW 1/4 OF SECTION 24,
T. 3N., R. 11E., CITY OF ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN.

NOTE:
OPEN BURNING IS NOT PERMITTED, INCLUDING THE BURNING OF TRASH, DEBRIS, OR LAND CLEARING MATERIALS. OPEN BURNING FOR WARMING OF SAND AND / OR WATER FOR THE PREPARATION OF MORTAR SHALL BE WITHIN CITY OF ROCHESTER HILLS BURN PERMIT GUIDELINES. CONTACT ROCHESTER HILLS FIRE DEPARTMENT FOR PERMIT INFORMATION.

FIRE LANES SHALL BE DESIGNATED BY THE FIRE CODE OFFICIAL, AND SHALL BE CONSPICUOUSLY POSTED ON BOTH SIDES OF THE FIRE LANE, WITH FIRE LANE SIGNS SPACED NOT MORE THAN 100 FEET APART. NO STOPPING, STANDING, PARKING, FIRE LANE - AND IN CONFORMANCE WITH THE MICHIGAN MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES. FIRE PREVENTION ORDINANCE CHAPTER 58 SEC. 90.14.2. CONSTRUCTION SITES SHALL BE SAFEGUARDED IN ACCORDANCE WITH UFC ART 87, SEC. 8701



C FACTOR CALCULATION

IMPERVIOUS AREA = 10.11 Ac. x 0.90 = 9.10 CFS
 PERVIOUS AREA = 12.73 Ac. x 0.20 = 2.55 CFS
 POND AREA = 0.29c. x 1.00 = 0.29 CFS
 TOTAL = 11.94 CFS

$C = \text{TOTAL}/\text{AC} = 11.94/23.00 = 0.52$

DETENTION CALCULATIONS

REQUIRED STORAGE PER O.C.D.C. STANDARDS: (10 YEAR STORM)

DEVELOPED AREA: 23.00 Ac. C = 0.52

EQUIVALENT AREA: (23.00 Ac.)(10.52) = 11.96 Ac.

$Q_0 = (23.00 \text{ Ac.})(10.20 \text{ CFS}/\text{Ac.}) = 4.60 \text{ CFS}$
 $Q_0 = \text{USE } 4.17 \text{ CFS}$
 $Q_0 = (4.17 \text{ CFS})/(11.96 \text{ Ac.}) = 0.35$
 $T = -25 + [6,562.5/(0.35)^2]^{0.5} = 111.93 \text{ MIN}$
 $V_s = [0.50(111.93 \text{ MIN})] - 40(0.35)(111.93 \text{ MIN}) = 7,015.95 \text{ CF}$
 $(111.93 \text{ MIN}) + 25$
 $V_l = (7,015.94 \text{ CF})(11.96 \text{ Ac.}) = 83,910.6 \text{ CF}$
 ACTUAL POND VOLUME:

$VOLUME = H/3(A_1 + A_2 + A_1 \times A_2/0.5)$
 A1 = AREA OF TOP SURFACE
 A2 = AREA OF BOTTOM SURFACE
 H = HEIGHT

ELEVATION	AREA	VOLUME
742	30,502	28,078
741	25,722	23,420
740	21,192	19,016
739	16,920	15,668
738	12,908	12,378

VOLUME FROM STORAGE TO NORMAL (742-738) = 85,078 CF
 VOLUME REQUIRED = 83,910.6 CF

ORFICE CALCULATIONS:

ALLOWABLE DISCHARGE FROM POND = 23.00 Ac x 0.2 CFS/Ac = 4.60 CFS

ASSUME A 9" ORFICE

A = 0.44 SF
 C = 0.62
 H = STORAGE ELEVATION - (C OF PPE = 742-738.37) = 3.63 FT
 $D = (0.62)(0.44 \text{ SF})[2(32.2)(1.63 \text{ FT})]^{0.50} = 4.17 \text{ CFS}$

4.17 CFS < 4.60 CFS
 USE AN 9" ORFICE

OUTLET CALCULATION

Q_{ORFICE} = 41.99 CFS

J0" @ LOS_X = 41.99 CFS


V = 8.55 FT/S

USE 30" @ LOS_X


SECONDARY OVERFLOW WEIR CALCULATIONS

Q_{ORFICE} = (275/175)(41.99) = 65.98 CFS

$Q = c \times L \times H^{3/2}$
 $65.98 = 3.367 \times L \times (0.50)^{3/2}$
 $L = 55.42 \text{ FT}$



DETENTION BASIN-NORTH
 NOT TO SCALE



SECONDARY OVERFLOW WEIR DETAIL
 NOT TO SCALE


PARKING CALCULATIONS:

TOTAL REQUIRED
 FOR MULTIFAMILIES = 72 x 2.5 = 180 spaces
 FOR DUPLEXES = 50 x 2.0 = 100 spaces
 TOTAL = 280 spaces

PARKING PROVIDED
 4 per unit = (2 in garage, 2 in driveway)
 4 x 122 units = 488 spaces provided

PARKING STALLS = 28 spaces
 TOTAL PARKING PROVIDED = 516 spaces

JOHN R. ROAD
 (EAST 60 FT WD. R.O.W.)




LEGAL DESCRIPTION: TOTAL PARCEL
 Part of the NW 1/4 of Section 24, T. 3N., R. 11E., Rochester Hills, Oakland County, Michigan, being more particularly described as follows:
 Beginning of a point which is S87°37'27"E 769.35 feet along the East-West 1/4 line of Section 24 and centerline of School Road (North 43 ft wd. R.O.W.) and N00°42'00"E 43.02 feet to the North R.O.W. line of School Road (North 43 ft wd. R.O.W.) from the West 1/4 corner of Section 24; thence continuing N00°42'00"E 833.35 feet; thence S87°36'01"W 720.03 feet to the East 60 ft R.O.W. line of John R. Road (East 60 ft wd. R.O.W.); thence N00°00'00"E 149.99 feet along said East 60 ft R.O.W. line of John R. Road (East 60 ft wd. R.O.W.); thence S87°36'24"W 60.05 feet to the West line of Section 24 and centerline of John R. Road (East 60 ft wd. R.O.W.); thence N00°00'00"E 348.00 feet along said West line of Section 24 and centerline of John R. Road (East 60 ft wd. R.O.W.); thence N87°36'01"E 1326.16 feet to the 1/8 line of Section 24; thence S00°01'42"W 1377.16 feet along said 1/8 line of Section 24 to the North R.O.W. line of School Road (North 43 ft wd. R.O.W.); thence N87°37'27"W 555.59 feet along said North R.O.W. line of School Road (North 43 ft wd. R.O.W.) to the Point of Beginning.
 Containing 1,121,893 square feet --- 25.755 acres.


Subject to the rights of the public and any governmental unit in any part thereof taken, used or deeded for street, road or highway purposes.
 NOTE:
 NET ACRES ARE CALCULATED TO THE PROPOSED 60 FT R.O.W. OF JOHN R. ROAD, AND THE EXISTING 43 FT R.O.W. OF SCHOOL ROAD.

- NOTE:
- A "KNOX" KEY SYSTEM SHALL BE INSTALLED, IN A LOCATION APPROVED BY THE FIRE CODE OFFICIAL. ORDERING INFORMATION IS AVAILABLE FROM THE FIRE DEPARTMENT.
 - ALL BUILDINGS ARE TYPE V CONSTRUCTION.
 - COMPACTED SAND BACKFILL IS REQUIRED IN ALL UTILITY TRENCHES LOCATED BENEATH, OR WITHIN A 1 HORIZONTAL TO 1 VERTICAL INFLUENCE OF EXISTING OR FUTURE PAVEMENTS, INCLUDING ROADS, DRIVES, SIDEWALKS, PATHWAYS, OR PARKING AREAS.
 - CALCULATIONS WILL BE PROVIDED DURING CONSTRUCTION PLAN REVIEW TO DETERMINE IF THE PROPOSED DEAD END WATERMAIN WILL PROVIDE AN ACCEPTABLE LEVEL OF SERVICE.
 - EXISTING SANITARY SEWER CALCULATIONS HAVE BEEN PROVIDED TO MR. PAUL DAVIS, PE CITY ENGINEER AND IS WAS DETERMINED THAT CAPACITY EXISTS FOR THIS DEVELOPMENT.

PHASE I - 25 BUILDINGS (62 UNITS)
 PHASE II - 24 BUILDINGS (60 UNITS)



BUILDINGS OVERALL DIMENSIONS
 SCALE 1" = 50'



24" PAVEMENT CROSS-SECTION
 (NOT TO SCALE)

NOTE:
 NOT TO BE USED AS CONSTRUCTION DRAWING.

LEGEND

- SANITARY SEWER
- STORM SEWER
- WATER MAIN
- STANDARD MANHOLE
- 4" DIA. R.Y.C.B.
- 2" DIA. R.Y.C.B.
- STD. PAVT. CATCH BASIN - 2' SUMP
- STD. PAVT. INLET - 2' SUMP
- GATE VALVE IN WELL
- EXISTING HYDRANT
- PROPOSED HYDRANT
- DTE TOWER
- GAS MARKER

DENOTES - SOIL BORINGS LOCATIONS

S.B. #




© 2005 - JJ ASSOCIATES, INC. ALL RIGHTS RESERVED.
 THESE PLANS AND DRAWINGS ARE OWNED BY AND THE SOLE PROPERTY OF JJ ASSOCIATES, INC. ANY REPRODUCTION, COPYING, REUSE OR DISTRIBUTION OF THESE PLANS AND DRAWINGS IS STRICTLY PROHIBITED WITHOUT THE PRIOR WRITTEN CONSENT OF JJ ASSOCIATES, INC.

CITY FILE #04-037


REV. 01-09-07 PER CITY OF ROCHESTER HILLS
 JJ ASSOCIATES, INC.
 Civil Engineering and Surveying
 4444 Mound Road, Suite 100
 Sterling Heights, Michigan 48314
 Telephone (586) 726-9111
 Fax (586) 726-9112
 Website www.jjassociates.net
 FORMERLY MCS ASSOCIATES, INC.
 OAKVILLE ESTATES
 PART OF THE NW 1/4 OF SECTION 24, T. 3N., R. 11E., ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN
 DATE 09-13-06 SCALE 1"=100'
 DRAWN BY A.P. SHEET C-5
 CHECKED BY J.C.W. DRAWING PS-06-815
 UTILITY LAYOUT

"OAKVILLE ESTATES"


PART OF THE NW 1/4 OF SECTION 24,
T. 3N., R. 11E., CITY OF ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN.



JOHN R. ROAD
(EAST 60 FT. WD. R.O.W.)




SILTATION FENCE DETAIL
NOT TO SCALE



SECTION A-A

NOTES

CONSTRUCTION TRAFFIC SHALL ACCESS SITE BY THE TEMPORARY DRIVE OFF JOHN R. ROAD.
UNTL PLANS ARE APPROVED FOR CONSTRUCTION THESE PLANS ARE "NOT FOR CONSTRUCTION."
GF - GARAGE FLOOR ELEVATION
FF - FINISH FLOOR ELEVATION
FG - FINISH GRADE ELEVATION



SECTION B-B
NOT TO SCALE

NOTE: THE EMBANKMENT FILL SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE "CONTROLLED DENSITY METHOD" FOR EMBANKMENT CONSTRUCTION PER M.D.O.T. STANDARDS.

484 LF - OF NATURAL FEATURES SETBACK IMPACT (9451 SQUARE FEET)

NOTE: ROUGH AND FINISHED GRADE TO BE COMPLETED DURING DRY WEATHER AS QUICKLY AS POSSIBLE TO MINIMIZE THE CHANCES OF OFF-SITE WETLAND IMPACTS BY SOIL EROSION OR STORMWATER RUNOFF.

NOTE: NOT TO BE USED AS CONSTRUCTION DRAWINGS.

REV. 01-09-07 PER CITY OF ROCHESTER HILLS
REV. 11-27-06 PER CITY OF ROCHESTER HILLS





JF ASSOCIATES, INC.
Civil Engineering and Surveying

44444 Mound Road, Suite 100
Sterling Heights, Michigan 48314
Telephone (586) 726-9111
Fax (586) 726-9112
Website www.jfassociates.net

FORMERLY MCS ASSOCIATES, INC.
OAKVILLE ESTATES
PART OF THE NW 1/4 OF SECTION 24, T. 3N., R. 11E., ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN

DATE 09-13-06 SCALE 1"=50'
DRAWN BY A.P. SHEET C-6
CHECKED BY J.C.W. DRAWING PS-06-815

GRADING PLAN



LEGEND

- SANITARY SEWER
- STORM SEWER
- WATER MAIN
- STANDARD MANHOLE
- 4" DIA. R.Y.C.B.
- 2" DIA. R.Y.C.B.
- STD. PAVT. CATCH BASIN - 2' SUMP
- STD. PAVT. INLET - 2' SUMP
- GATE VALVE IN WELL
- EXISTING HYDRANT
- PROPOSED HYDRANT
- DTE TOWER
- GAS MARKER





NOTES - SOIL BORINGS LOCATIONS

S.B. #


CITY FILE #04-037

"OAKVILLE ESTATES"

PART OF THE NW 1/4 OF SECTION 24,
T. 3N., R. 11E., CITY OF ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN.



NOTE:
1. A "KNOX" KEY SYSTEM SHALL BE INSTALLED, IN A LOCATION APPROVED BY THE FIRE CODE OFFICIAL, ORDERING INFORMATION IS AVAILABLE FROM THE FIRE DEPARTMENT.
2. ALL BUILDINGS ARE TYPE Y CONSTRUCTION.
3. PROPOSED GATE SHALL BE CONSTRUCTED OF WOOD, PLASTIC OR ALUMINUM.



NOTE:
ROUGH AND FINISHED GRADE TO BE COMPLETED DURING DRY WEATHER AS QUICKLY AS POSSIBLE TO MINIMIZE THE CHANCES OF OFF-SITE WETLAND IMPACTS BY SOIL EROSION OR STORMWATER RUNOFF.

LEGEND






---	SANITARY SEWER
---	STORM SEWER
---	WATER MAIN
○	MANHOLE w/ R.Y.C.B. COVER
○	STANDARD MANHOLE
○	3" DIA. R.Y.C.B.
○	2" DIA. R.Y.C.B.
○	MANHOLE w/ PAVT. C.B. COVER - 2' SUMP
○	STD. PAVT. CATCH BASIN - 2' SUMP
○	STD. PAVT. INLET - 2' SUMP
○	GATE VALVE IN WELL
○	EXISTING HYDRANT
○	PROPOSED HYDRANT
○	OTE TOWER
○	GAS MARKER

NOTES:
CONSTRUCTION TRAFFIC SHALL ACCESS SITE BY THE TEMPORARY DRIVE OFF JOHN R. ROAD.
UNTIL PLANS ARE APPROVED FOR CONSTRUCTION THESE PLANS ARE "NOT FOR CONSTRUCTION".
GF - GARAGE FLOOR ELEVATION
FF - FINISH FLOOR ELEVATION
FG - FINISH GRADE ELEVATION

NOTE:
NOT TO BE USED AS CONSTRUCTION DRAWINGS

REV. 01-09-07 PER CITY OF ROCHESTER HILLS
REV. 11-27-16 PER CITY OF ROCHESTER HILLS

J ASSOCIATES, INC. Civil Engineering and Surveying	
FORMERLY MGS ASSOCIATES, INC.	44444 Mound Road, Suite 100 Sterling Heights, Michigan 48314 Telephone (586) 726-9111 Fax (586) 726-9112 Website www.jassociates.net
OAKVILLE ESTATES PART OF THE NW 1/4 OF SECTION 24, T. 3N., R. 11E., ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN	
DATE 09-13-06	SCALE 1"=50'
DRAWN BY A.P.	SHEET C-7
CHECKED BY J.C.W.	DRAWING PS-06-815



LEGEND

○	SANITARY SEWER
○	STORM SEWER
○	WATER MAIN
○	STANDARD MANHOLE
○	4" DIA. R.Y.C.B.
○	2" DIA. R.Y.C.B.
○	STD. PAVT. CATCH BASIN - 2' SUMP
○	STD. PAVT. INLET - 2' SUMP
○	GATE VALVE IN WELL
○	EXISTING HYDRANT
○	PROPOSED HYDRANT
○	OTE TOWER
○	GAS MARKER




DENOTES- SOIL BORINGS LOCATIONS
S.B. #

CITY FILE #04-037



GRADING PLAN

"OAKVILLE ESTATES"


PART OF THE NW 1/4 OF SECTION 24,
T. 3N., R. 11E., CITY OF ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN.



JOHN R. ROAD
(EAST 60 FT WD. R.O.W.)



- LEGEND: SLOPES BASED ON ONSITE TOPOGRAPHY**
- EXISTING SLOPES LESS THAN 2%
 - EXISTING SLOPES 2% - 4%
 - EXISTING SLOPES GREATER THAN 4%



REV. 01-09-07 PER CITY OP
REV. 11-07-06 PER CITY OP

ASSOCIATES, INC.
Civil Engineering and Surveying

FORMERLY
MCS
ASSOCIATES, INC.



OAKVILLE ESTATES
PART OF THE NW 1/4 OF
SECTION 24, T. 3N., R. 11E.,
ROCHESTER HILLS,
OAKLAND COUNTY, MICHIGAN

DATE 09-13-06 SCALE 1" = 40'
DRAWN BY A.P. SHEET C-8
CHECKED BY J.C.W. DRAWING PS-06-815


CITY FILE #04-037
STRIPING DETAIL, SOIL MAP
SLOPE GRADIENT, WATERSHED MAP

"OAKVILLE ESTATES"

PART OF THE NW 1/4 OF SECTION 24,
T. 3N., R. 11E., CITY OF ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN.



JOHN R. ROAD
(EAST 60 FT WD. R.O.W.)



TOTAL NUMBER OF TREES SURVEYED	1405
MINUS OFF-SITE TREES	-25
MINUS ASH TREES (INCLUDING DEAD)	-40
MINUS ROW TREES	-9
MINUS DEAD TREES (EXCLUDING ASH)	-18
TOTAL NUMBER REGULATED TREES ONSITE	1317
TOTAL NUMBER OF REGULATED TREES SAVED	-205
TOTAL NUMBER OF REGULATED TREES REMOVED	1112
TOTAL NUMBER OF REGULATED TREES THAT REQUIRE REPLACEMENT	1112

LEGEND

- SANITARY SEWER
- STORM SEWER
- WATER MAIN
- MANHOLE w/ R.Y.C.B. COVER
- STANDARD MANHOLE
- 3" DIA. R.Y.C.B.
- 2" DIA. R.Y.C.B.
- MANHOLE w/ PAVT. CB. COVER - 2' SUMP
- STD. PAVT. CATCH BASIN - 2' SUMP
- STD. PAVT. INLET - 2' SUMP
- GATE VALVE IN WELL
- EXISTING HYDRANT
- PROPOSED HYDRANT
- DIE POWER
- GAS MARKER

IMPORTANT:

ALL TREES ON ADJACENT PROPERTIES MUST BE PROTECTED. HENCE, THE TREE PROTECTIVE FENCING MAY BE PLACED ALONG THE ACTUAL PROPERTY LINE IF THE BRANCHES OF THE TREES ON THE ADJACENT PROPERTIES DO NOT OVERHANG ONTO THE SITE BEING DEVELOPED. IF THE BRANCHES OVERHANG ONTO THE AREA OF THE SITE BEING DEVELOPED THE TREE PROTECTIVE FENCING MUST BE PLACED AT THE ACTUAL DRIP LINE OF THESE TREES. IT SHOULD ALSO BE NOTED THAT THE SILT FENCING MUST BE PLACED ON THE DEVELOPMENT SIDE OF THE TREE PROTECTIVE FENCING. THE SILT FENCING MAY NOT BE PLACED BETWEEN THE TREE BEING PRESERVED AND THE TREE PROTECTIVE FENCING. IF ANY REGULATED TREES ARE DAMAGED ON THE ADJACENT PROPERTIES THE DAMAGED TREES WILL BE EITHER REPLACED ON THE OWNERS PROPERTY ON AN INCH FOR INCH BASIS OR A FINE IN THE SUM \$122.00 PER CALIPER INCH WILL BE ISSUED AGAINST THE DEVELOPER. THIS FINE WILL BE DUE PRIOR TO THE BUILDING PERMITS BEING ISSUED. IF YOU HAVE ANY QUESTIONS OR NEED ADDITIONAL INFORMATION CALL THE CITY'S LANDSCAPE ARCHITECT AT 248-656-4660.

TREE PROTECTION NOTES


1. The tree protection fencing (TPF) shall be erected per the plans approved by the City of Rochester Hills Planning Department. The TPF must be in place and be inspected by the City of Rochester Hills' Landscape Architect prior to the start of any earthwork or construction operations. It is the developer's responsibility to contact the City Planning Department at 1-248-656-4660 to schedule a TPF inspection. The TPF shall remain in place throughout the entire construction process or until the City authorizes the removal or issues a final Certificate of Occupancy whichever occurs first.
2. Upon completion of grading and the installation of the infrastructure a second inspection of the TPF and the trees designated for preservation is required by the City of Rochester Hills' Landscape Architect prior to the start of any additional construction. It is the developer's responsibility to contact the City Planning Department at 1-248-656-4660 to schedule this TPF inspection.
3. A final inspection by the City of Rochester Hills' Landscape Architect is required at the end of the warranty and maintenance period. The landscape Maintenance Bond will not be released until this inspection is complete and all related issues are resolved. It is the developer's responsibility to contact the City Planning Department at 1-248-656-4660 to schedule this inspection.
4. The Tree Conservation Ordinance prohibits any construction or development activities within the drip line of and requires trees not approved for removal, including but not limited to land clearing, grubbing, trenching, grading or filling, no person shall place any solvents, building material, construction equipment, soil deposits, or harmful materials within the drip line limit of trees designated for preservation.
5. Proposed grades are to match the existing elevations outside the limits of the TPF. No grading either out or fill is permitted within the drip line of any tree designated for preservation.
6. During the construction process no person shall attach any device or wire/cable/cord/rope to an existing tree designated to be preserved.
7. All utility service requests must include notification to the installer that protected trees must be avoided. All trenching shall occur outside the TPF.
8. Swales shall be routed to avoid the area within the drip line of any tree designated for preservation. Swales shall be constructed so as not to direct any additional flow into the drip line of a tree designated for preservation.
9. If tree protection cannot be maintained for a tree throughout entire period required. The replacement of that tree will be required on an inch for inch basis prior to the issuance of the Certificate of Occupancy.
10. Regulated trees located off-site on adjacent properties that may be affected by construction operations must be protected defined here in.
11. The TPF shall consist of 4 foot high orange snow fencing to be installed around the drip line of all tree designated to be saved. The fencing shall be supported by 4 foot metal T-bar posts 5 feet on center and driven a minimum of 24" into ground. The TPF fencing shall remain upright and security in place for the required time as specified above.

Prior approval is required to plant any tree or shrub on the public right-of-way. All trees and shrubs must be planted at least 10' from the edge of the public road. Shade trees and shrubs must be planted at least 5' from the edge of the public roadway. Evergreen and ornamental trees must be planted at least 10' from the edge of the public roadway. No trees or shrubs may be planted within the triangular area formed at the intersection of any street right-of-way lines at a distance along each line of 25' from their point of intersection or any driveway with a public roadway at a distance along each line of 15' from their point of intersection. All trees and shrubs must be planted at least 10' from any fire hydrant. Shade and evergreen trees must be at least 15' away from the nearest overhead wire. Trees must be planted a minimum of 5' from an underground utility, unless the city's landscape architect requires a greater distance.

Prior to the release of the performance bond, the City of Rochester Hills Forestry Division needs to inspect all trees existing or planted, to identify any that pose a hazard to the safe use of the public right-of-way. Forestry may require the developer to remove, and possibly replace, any such trees.


4' HIGH SNOW FENCE TO BE INSTALLED AROUND DRIP LINE OF TREES TO BE SAVED PRIOR TO ANY LAND CLEARING OR CONSTRUCTION

NO CUTTING, FILLING OR TRESPASSING SHALL OCCUR INSIDE FENCED AREAS WITHOUT APPROVAL




4' ORANGE PLASTIC OR WOOD FENCE AT DRIP LINE OF TREE


6' METAL T-BAR POSTS EVERY 5' o.c. INSTALL POSTS 2' IN TO GROUND



4' ORANGE PLASTIC OR WOOD FENCE AT DRIP LINE OF TREE



TREE PROTECTION DETAIL




NOTE: NOT TO BE USED AS CONSTRUCTION DRAWINGS.

REV 01-09-07 PER CITY OF R.H. 11-27-06 PER CITY OF R.H.

	21442 Mount Road, Suite 103 Sterling Heights, Michigan 48314 Telephone: (586) 726-6310 Fax: (586) 726-0142
	OAKVILLE ESTATES PART OF THE NW 1/4 OF SECTION 24, T. 3N., R. 11E., ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN
DATE 09-13-06 DRAWN BY A.P. CHECKED BY J.C.W.	SCALE 1" = 100' SHEET C-10 DRAWING PS-06-815


CITY FILE #04-037

TREE PRESERVATION PLAN



JOHN R. ROAD
(EAST 60 FT WD. R.O.W.)

JOHN R. ROAD
(EAST 60 FT WD. R.O.W.)



15-24-100-003

NOTE
ALL TREES ON THE ADJACENT PROPERTIES TO BE PROTECTED AND MUST NOT BE DAMAGED BY THE CONSTRUCTION ACTIVITIES.

INSTALL
TREE PROTECTION FENCE ON ACTUAL DRIP LINE OF ALL TREES TO BE PRESERVED.

15-24-100-035

INSTALL
TREE PROTECTION FENCE ON ACTUAL DRIP LINE OF ALL OFF-SITE TREES TO BE PRESERVED.

N87°36'06"E 1326.16'

15-24-100-005

IMPORTANT:
ALL TREES ON ADJACENT PROPERTIES MUST BE PROTECTED, HENCE, THE TREE PROTECTIVE FENCING MAY BE PLACED ALONG THE ACTUAL PROPERTY LINE IF THE BRANCHES OF THE TREES ON THE ADJACENT PROPERTIES DO NOT OVERHANG ONTO THE SITE BEING DEVELOPED. IF THE BRANCHES OVERHANG ONTO THE AREA OF THE SITE BEING DEVELOPED THE TREE PROTECTIVE FENCING MUST BE PLACED AT THE ACTUAL DRIP LINE OF THESE TREES. IT SHOULD ALSO BE NOTED THAT THE SILT FENCING MUST BE PLACED ON THE DEVELOPMENT SIDE OF THE TREE PROTECTIVE FENCING. THE SILT FENCING MAY NOT BE PLACED BETWEEN THE TREE BEING PRESERVED AND THE TREE PROTECTIVE FENCING. IF ANY REGULATED TREES ARE DAMAGED ON THE ADJACENT PROPERTIES THE DAMAGED TREES WILL BE EITHER REPLACED ON THE OWNERS PROPERTY ON AN INCH FOR INCH BASIS OR A FINE IN THE SUM \$122.00 PER CALIPER INCH WILL BE ISSUED AGAINST THE DEVELOPER. THIS FINE WILL BE DUE PRIOR TO THE BUILDING PERMITS BEING ISSUED. IF YOU HAVE ANY QUESTIONS OR NEED ADDITIONAL INFORMATION CALL THE CITY'S LANDSCAPE ARCHITECT AT 248-656-4660.

NOTE:
BOLD TREES TO BE SAVED



4' HIGH SNOW FENCE TO BE INSTALLED AROUND DRIP LINE OF TREES TO BE SAVED PRIOR TO ANY LAND CLEARING OR CONSTRUCTION

NO CUTTING, FILLING OR TRESPASSING SHALL OCCUR INSIDE FENCED AREAS WITHOUT APPROVAL

4' ORANGE PLASTIC OR WOOD FENCE AT DRIP LINE OF TREE

6' METAL T-BAR POSTS EVERY 5' o.c. INSTALL POSTS 2" IN TO GROUND

4' ORANGE PLASTIC OR WOOD FENCE AT DRIP LINE OF TREE



TREE PROTECTION DETAIL

3 WORKING DAYS
**BEFORE YOU DIG
CALL MISS DIG**
1-800-482-7171

NOTE:
NOT TO BE USED AS CONSTRUCTION DRAWINGS

REV 01-09-07 PER CITY cc
REV 11-27-06 PER CITY cc

JF ASSOCIATES, INC.
Civil Engineering and Surveying

44444 Mound Road, Suite 200
Sterling Heights, Michigan 48314
Telephone (586) 726-6310
Fax (586) 726-0042




FORMERLY MCS ASSOCIATES, INC.

OAKVILLE ESTATES
PART OF THE N.W. 1/4 OF SECTION 24, T.3N., R.1E., RICHMOND HILLS, OAKLAND COUNTY, MICHIGAN


DATE 09-13-06 SCALE 1" = 60'
DRAWN BY A.P. SHEET C-11
CHECKED BY J.C.W. DRAWING PS-06-815

CITY FILE #04-037

TREE PRESERVATION PLAN



IMPORTANT:
ALL TREES ON ADJACENT PROPERTIES MUST BE PROTECTED. HENCE, THE TREE PROTECTIVE FENCING MAY BE PLACED ALONG THE ACTUAL PROPERTY LINE IF THE BRANCHES OF THE TREES ON THE ADJACENT PROPERTIES DO NOT OVERHANG ONTO THE SITE BEING DEVELOPED. IF THE BRANCHES OVERHANG ONTO THE AREA OF THE SITE BEING DEVELOPED, THE TREE PROTECTIVE FENCING MUST BE PLACED AT THE ACTUAL DRIP LINE OF THESE TREES. IT SHOULD ALSO BE NOTED THAT THE SILT FENCING MUST BE PLACED ON THE DEVELOPMENT SIDE OF THE TREE PROTECTIVE FENCING. THE SILT FENCING MAY NOT BE PLACED BETWEEN THE TREE BEING PRESERVED AND THE TREE PROTECTIVE FENCING. IF ANY REGULATED TREES ARE DAMAGED ON THE ADJACENT PROPERTIES THE DAMAGED TREES WILL BE EITHER REPLACED ON THE OWNERS PROPERTY ON AN INCH FOR INCH BASIS OR A FINE IN THE SUM \$122.00 PER CALIPER INCH WILL BE ISSUED AGAINST THE DEVELOPMENT. THIS FINE WILL BE DUE PRIOR THE BUILDING PERMITS BEING ISSUED. IF YOU HAVE ANY QUESTIONS OR NEED ADDITIONAL INFORMATION CALL THE CITY'S LANDSCAPE ARCHITECT AT 248-656-4660.



INSTALL TREE PROTECTION FENCE ON ACTUAL DRIP LINE OF ALL TREES TO BE PRESERVED.

NOTE:
ALL TREES ON THE ADJACENT PROPERTIES TO BE PROTECTED AND MUST NOT BE DAMAGED BY THE CONSTRUCTION ACTIVITIES.

INSTALL TREE PROTECTION FENCE ON ACTUAL DRIP LINE OF ALL OFF-SITE TREES TO BE PRESERVED.

NOTE:
TREE CREDITS FOR TREES BEING REMOVED IN SCHOOL ROAD ROW HAVE BEEN PROVIDED FOR AND IS INDICATED ON SHEET LA 1.0

NOTE:
BOLD TREES TO BE SAVED

3 WORKING DAYS
BEFORE YOU DIG
CALL MISS DIG
1-800-482-7171

NOTE:
NOT TO BE USED AS CONSTRUCTION DRAWINGS.

REV 01-09-07 PER CITY OF
REV 11-27-05 PER CITY OF

JF ASSOCIATES, INC.
Civil Engineering and Surveying

44444 Mount Road, Suite 100
Sterling Heights, Michigan 48314
Telephone: (586) 726-6110
Fax: (586) 726-0042

FORMERLY MGS ASSOCIATES, INC.

OAKVILLE ESTATES
PART OF THE N.W. 1/4 OF SECTION 24, T.3N., R.1E. ROCHESTER HILLS, OAKLAND COUNTY, MICHIGAN

DATE 09-13-06 SCALE 1" = 60'
DRAWN BY A.P. SHEET C-12
CHECKED BY J.C.W. DRAWING PS-06-815

CITY FILE #04-037

TREE PRESERVATION PLAN

TAG	NORTHING	EASTING	ELEVATION	SPECIES	CALIPER	NOTE
501	5862.2886	5861.7354	751.53	JAK	12	
502	5874.2843	5852.1845	757.38	JAK	12	
503	5874.4852	5851.7247	757.17	JAK	14	
504	5875.5881	5852.5020	757.75	CHESTRY	16	
505	5875.5881	5852.5020	757.75	CHESTRY	16	
506	5875.5881	5852.5020	757.75	CHESTRY	16	
507	5875.5881	5852.5020	757.75	CHESTRY	16	
508	5875.5881	5852.5020	757.75	CHESTRY	16	
509	5875.5881	5852.5020	757.75	CHESTRY	16	
510	5875.5881	5852.5020	757.75	CHESTRY	16	
511	5875.5881	5852.5020	757.75	CHESTRY	16	
512	5875.5881	5852.5020	757.75	CHESTRY	16	
513	5875.5881	5852.5020	757.75	CHESTRY	16	
514	5875.5881	5852.5020	757.75	CHESTRY	16	
515	5875.5881	5852.5020	757.75	CHESTRY	16	
516	5875.5881	5852.5020	757.75	CHESTRY	16	
517	5875.5881	5852.5020	757.75	CHESTRY	16	
518	5875.5881	5852.5020	757.75	CHESTRY	16	
519	5875.5881	5852.5020	757.75	CHESTRY	16	
520	5875.5881	5852.5020	757.75	CHESTRY	16	

TAG	NORTHING	EASTING	ELEVATION	SPECIES	CALIPER	NOTE
521	5875.5881	5852.5020	757.75	CHESTRY	16	
522	5875.5881	5852.5020	757.75	CHESTRY	16	
523	5875.5881	5852.5020	757.75	CHESTRY	16	
524	5875.5881	5852.5020	757.75	CHESTRY	16	
525	5875.5881	5852.5020	757.75	CHESTRY	16	
526	5875.5881	5852.5020	757.75	CHESTRY	16	
527	5875.5881	5852.5020	757.75	CHESTRY	16	
528	5875.5881	5852.5020	757.75	CHESTRY	16	
529	5875.5881	5852.5020	757.75	CHESTRY	16	
530	5875.5881	5852.5020	757.75	CHESTRY	16	
531	5875.5881	5852.5020	757.75	CHESTRY	16	
532	5875.5881	5852.5020	757.75	CHESTRY	16	
533	5875.5881	5852.5020	757.75	CHESTRY	16	
534	5875.5881	5852.5020	757.75	CHESTRY	16	
535	5875.5881	5852.5020	757.75	CHESTRY	16	
536	5875.5881	5852.5020	757.75	CHESTRY	16	
537	5875.5881	5852.5020	757.75	CHESTRY	16	
538	5875.5881	5852.5020	757.75	CHESTRY	16	
539	5875.5881	5852.5020	757.75	CHESTRY	16	
540	5875.5881	5852.5020	757.75	CHESTRY	16	

TAG	NORTHING	EASTING	ELEVATION	SPECIES	CALIPER	NOTE
541	5875.5881	5852.5020	757.75	CHESTRY	16	
542	5875.5881	5852.5020	757.75	CHESTRY	16	
543	5875.5881	5852.5020	757.75	CHESTRY	16	
544	5875.5881	5852.5020	757.75	CHESTRY	16	
545	5875.5881	5852.5020	757.75	CHESTRY	16	
546	5875.5881	5852.5020	757.75	CHESTRY	16	
547	5875.5881	5852.5020	757.75	CHESTRY	16	
548	5875.5881	5852.5020	757.75	CHESTRY	16	
549	5875.5881	5852.5020	757.75	CHESTRY	16	
550	5875.5881	5852.5020	757.75	CHESTRY	16	
551	5875.5881	5852.5020	757.75	CHESTRY	16	
552	5875.5881	5852.5020	757.75	CHESTRY	16	
553	5875.5881	5852.5020	757.75	CHESTRY	16	
554	5875.5881	5852.5020	757.75	CHESTRY	16	
555	5875.5881	5852.5020	757.75	CHESTRY	16	
556	5875.5881	5852.5020	757.75	CHESTRY	16	
557	5875.5881	5852.5020	757.75	CHESTRY	16	
558	5875.5881	5852.5020	757.75	CHESTRY	16	
559	5875.5881	5852.5020	757.75	CHESTRY	16	
560	5875.5881	5852.5020	757.75	CHESTRY	16	

TAG	NORTHING	EASTING	ELEVATION	SPECIES	CALIPER	NOTE
561	5875.5881	5852.5020	757.75	CHESTRY	16	
562	5875.5881	5852.5020	757.75	CHESTRY	16	
563	5875.5881	5852.5020	757.75	CHESTRY	16	
564	5875.5881	5852.5020	757.75	CHESTRY	16	
565	5875.5881	5852.5020	757.75	CHESTRY	16	
566	5875.5881	5852.5020	757.75	CHESTRY	16	
567	5875.5881	5852.5020	757.75	CHESTRY	16	
568	5875.5881	5852.5020	757.75	CHESTRY	16	
569	5875.5881	5852.5020	757.75	CHESTRY	16	
570	5875.5881	5852.5020	757.75	CHESTRY	16	
571	5875.5881	5852.5020	757.75	CHESTRY	16	
572	5875.5881	5852.5020	757.75	CHESTRY	16	
573	5875.5881	5852.5020	757.75	CHESTRY	16	
574	5875.5881	5852.5020	757.75	CHESTRY	16	
575	5875.5881	5852.5020	757.75	CHESTRY	16	
576	5875.5881	5852.5020	757.75	CHESTRY	16	
577	5875.5881	5852.5020	757.75	CHESTRY	16	
578	5875.5881	5852.5020	757.75	CHESTRY	16	
579	5875.5881	5852.5020	757.75	CHESTRY	16	
580	5875.5881	5852.5020	757.75	CHESTRY	16	

TAG	NORTHING	EASTING	ELEVATION	SPECIES	CALIPER	NOTE
581	5875.5881	5852.5020	757.75	CHESTRY	16	
582	5875.5881	5852.5020	757.75	CHESTRY	16	
583	5875.5881	5852.5020	757.75	CHESTRY	16	
584	5875.5881	5852.5020	757.75	CHESTRY	16	
585	5875.5881	5852.5020	757.75	CHESTRY	16	
586	5875.5881	5852.5020	757.75	CHESTRY	16	
587	5875.5881	5852.5020	757.75	CHESTRY	16	
588	5875.5881	5852.5020	757.75	CHESTRY	16	
589	5875.5881	5852.5020	757.75	CHESTRY	16	
590	5875.5881	5852.5020	757.75	CHESTRY	16	
591	5875.5881	5852.5020	757.75	CHESTRY	16	
592	5875.5881	5852.5020	757.75	CHESTRY	16	
593	5875.5881	5852.5020	757.75	CHESTRY	16	
594	5875.5881	5852.5020	757.75	CHESTRY	16	
595	5875.5881	5852.5020	757.75	CHESTRY	16	
596	5875.5881	5852.5020	757.75	CHESTRY	16	
597	5875.5881	5852.5020	757.75	CHESTRY	16	
598	5875.5881	5852.5020	757.75	CHESTRY	16	
599	5875.5881	5852.5020	757.75	CHESTRY	16	
600	5875.5881	5852.5020	757.75	CHESTRY	16	

LEGEND:
O - TREES OFFSITE
R - TREES IN ROW

NOTE:
BOLD TREES TO BE SAVED

NOTE:
PC - POOR CONDITION



NOTE:
NOT TO BE USED AS CONSTRUCTION DRAWINGS.

REV 01-05-07 PER CITY CD
REV 11-27-06 PER CITY CD

ASSOCIATES, INC.
Civil Engineering and Surveying

44244 Mount Road, Suite 100
Sterling Heights, Michigan 48314
Telephone (586) 726-6310
Fax (586) 726-0042

FORMERLY MGS ASSOCIATES, INC.

OAKVILLE ESTATES
PART OF THE N.W. 1/4 OF SECTION 24, T.3N., R.14E., OAKLAND COUNTY, MICHIGAN

DATE 09-13-06 SCALE NONE
DRAWN BY A.P. SHEET C-13
CHECKED BY J.C.W. DRAWING PS-06-815

CITY FILE #04-037

TREE LISTING

Table with 6 columns: TAG, NORTHING, EASTING, ELEVATION, SPECIES, CALIPER. Note: 6.8-DC

Table with 6 columns: TAG, NORTHING, EASTING, ELEVATION, SPECIES, CALIPER. Note: 20.0-DC

Table with 6 columns: TAG, NORTHING, EASTING, ELEVATION, SPECIES, CALIPER. Note: 10.0-DC

Table with 6 columns: TAG, NORTHING, EASTING, ELEVATION, SPECIES, CALIPER. Note: 10.0-DC

Table with 6 columns: TAG, NORTHING, EASTING, ELEVATION, SPECIES, CALIPER. Note: 10.0-DC

Table with 6 columns: TAG, NORTHING, EASTING, ELEVATION, SPECIES, CALIPER. Note: 10.0-DC

LEGEND: O - TREES OFFSITE, R - TREES IN ROW, BOLD TREES TO BE SAVED, PC - POOR CONDITION



NOTE: NOT TO BE USED AS CONSTRUCTION DRAWINGS.

REV 01-05-07 PER CITY OF REV 11-27-06 PER CITY OF

ASSOCIATES, INC. Civil Engineering and Surveying. 14444 Found Road, Suite 110, Sterling Heights, Michigan 48310. Phone: (586) 726-4300. Fax: (586) 726-0042.

FORMERLY MCS ASSOCIATES, INC. DATE 09-13-06 SCALE NONE DRAWN BY A.P. SHEET C-14 CHECKED BY J.C.W. DRAWING PS-CF-315




architects+planners

4060 W. MAPLE ROAD
SUITE 200
BLOOMFIELD HILLS, MI
48301


(248) 645-2605
(248) 647-7007 FAX

www.criarchitect.com


Unit A, B and C
Oakville Estates Conominiums
Rochester, MI




FRONT ELEVATION



RIGHT SIDE ELEVATION



REAR ELEVATION



LEFT SIDE ELEVATION

06008

ARCHITECT

DATE

SCALE



KEY TO DETAIL
REFERENCING

A1

elevations



architects+planners

4350 W MAPLE ROAD
SUITE 200
BLOOMFIELD HILLS, MI
48301

(248) 648-2606
(248) 647-7907 FAX

www.gbiusa.com

Unit A and B
Oakville Estates Condominiums
Rochester, MI

06008

DRW BY BRW

CC BY RCO


911 W

A2




KEY TO DETAIL
REFERENCING


elevations




FRONT ELEVATION




RIGHT SIDE ELEVATION



REAR ELEVATION




LEFT SIDE ELEVATION




Boardwalk - Cross Section

Cross-Section / Not to Scale




Typical 6' Wide Boardwalk

Not to Scale



STRINGERS



Boardwalk - Plan View

Not to Scale

Figure 3. Boardwalk Location & Details

Oakville Estates

City of Rochester Hills Oakland County, Michigan



SCALE: 1" = 40'



Environmental Consulting

30366 BECK ROAD
WIXOM, MI 48393
PHONE: (248) 624-9100
FAX: (248) 624-3963

Nov. 21, 2006

PROJECT NUMBER
04-220

SHEET NUMBER
WE 1.0