

Stratus

onestratus.com

888.503.1569

LOCATION NUMBER:

2110

SITE ADDRESS:

1101 W University Dr
Rochester, MI
48307-1863


[View in Google Maps](#)

**HENRY
FORD
HEALTH**

Infinite possibilities, ideal solutions.

SITE PLAN

Scale: NTS



Stratus

onstratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
2

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr


PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

ZONING PLAN - GROUND SIGNS



Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
3

ORDER NUMBER:
1236932

PROJECT NUMBER:
89324

SITE NUMBER:
2110

PROJECT MANAGER:
NATHAN FRAZIER

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR	Added zoning plan page to brandbook				
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.


E06
E06b

NORTH ELEVATION

Scale: 1/32"=1'-0"

EXISTING SIGN SF:	—
PROPOSED SIGN SF:	302.2

EXISTING CONDITIONS



PROPOSED SIGNAGE

Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
4

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr


PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN	Added E006B	Rev 8	570868	12/30/25 CR	Moved all variance signs & site plans to front of brandbook
Rev 2	537667	06/18/25 CR	Revised cross proportions to more closely match Maven	Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

refer to
MAVEN
CONTROL DOCUMENTS
for manufacturing details



- FACES:** .177" #7328 White acrylic
- TRIMCAP:** 1" Std. White Jewelite
- RETURNS:** **'HENRY'** - 5" deep .063" alum. - painted HFH Med. Blue; semi gloss finish
'FORD' - 5" deep .063" alum. - painted HFH Dk. Blue; semi gloss finish
'HEALTH' - 5" deep .063" alum. - painted HFH Lt. Blue; semi gloss finish
Interior painted with light enhancement paint
- BACKS:** .090" Alum. - Interior painted White
- ILLUMINATION:** White LED's as required by manufacturer;
REMOTE POWER SUPPLIES
- WALL MATL.:** Brick
- INSTALL:** Thru bolted flush using all thread into blocking as required
12" standard length of threaded rod will be supplied unless otherwise noted
3/8" threaded rod into blocking or Stratus approved equivalent
- QUANTITY:** (1) ONE LETTERSET REQUIRED

ALL SIGNS TO COMPLY WITH UL 48 AND WILL BE MARKED AS SUCH WITH APPROPRIATE LABORATORY LABELS.

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.


THE LOCATION OF THE DISCONNECT SWITCH AFTER INSTALLATION SHALL COMPLY WITH ARTICLE 600.6(A) (1) OF THE NATIONAL ELECTRIC CODE.

COLOR PALETTE



- Matthews MP 6425sp
Satin High Hide White
- Matthews MP 74601
R 211027; Semi Gloss
- Matthews MP 106752
R 213116; Semi Gloss
- Matthews MP79491
R211027; Semi Gloss

Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors

FACE LIT CHANNEL LETTERS



SIMULATED NIGHTTIME VIEW



FACE LIT LED, REMOTE
FLUSH MOUNTED

SHOWN TO BE UL LISTED
AND SHALL MEET A.E.C. STANDARDS

ALL ELECTRICAL COMPONENTS TO BE UL LISTED
APPROVED AND MARKED PER A.E.C. 800-A
ALL TO BE ELECTRICALLY GROUNDED TO A.E.C. 250
ALL POWER SUPPLIES TO BE FUSED PER U.L. 48, 250.1
GROUNDING AND BONDING PER A.E.C. 250-46, 250-48-49
SHOWN TO MEET N.E.C. AND U.L. 48
STANDARDS FOR ELECTRICAL SIGNS
(GROUNDING & BONDING
AS PER N.E.C. 250-46 & NEC 800.7)

Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
5

ORDER NUMBER:
1236932

SITE NUMBER:
2110


ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS	
Rev 1	532600	05/22/25 BLAN	
Rev 2	537667	06/18/25 CR	
Rev 3	540328	07/08/25 AKS	
Rev 4	547241	08/13/25 AKS	
Rev 5	558776	10/15/25 CR	
Rev 6	559166	10/20/25 NS	

Rev #	Req #	Date/Artist	Description
Rev 7	563680	11/13/25 CR	
Rev 8	570868	12/30/25 CR	Moved all variance signs & site plans to front of brandbook
Rev 9	570949	12/30/25 CR	




COLOR PALETTE


Matthews MP 6425sp
Satin High Hide White

Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors

- FACES: .125" aluminum faces painted white
- RETURNS: 5" deep .090" alum. returns welded to faces, all welds ground smooth, painted white
- WALL MATL.: Brick
- INSTALL: Pan head screws through return into 2" aluminum angle clips.
Angle clips thru bolted flush to wall using all thread into blocking as required
12" standard length of threaded rod will be supplied unless otherwise noted
3/8" threaded rod into blocking or Stratus approved equivalent
- QUANTITY: (1) ONE REQUIRED



ADDITIONAL FRAMING REQUIREMENTS
TBV BY ENGINEERING




PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

EXISTING SIGN SF:	44.2
PROPOSED SIGN SF:	88.7

EXISTING CONDITIONS



Existing 6'-9-1/2" x 6'-6" monument
to be removed & replaced;
Install far enough away to avoid existing footer



PROPOSED SIGNAGE

E14

See Engineering Drawing For all Details

CABINET: 16" deep aluminum angle sign frame w/ Bleed retainers & .125" alum. skin;
Painted to match colors shown










Emergency Panel: .25" white trans acrylic routed back from face at perimeter by 1/8" and flushed into routed window; surface applied trans red reversed out vinyl overlay; 1" Dk. Blue painted border around perimeter of emergency panel face

ADDRESS NUMERALS ORIENTED TOWARD STREET SIDE

SIMULATED NIGHTTIME VIEW



COLOR PALETTE

	Matthews MP 6425sp Satin High Hide White; Semi Gloss		Digitally printed to match Pantone 2387
	Matthews MP 74601 R 211027; Semi Gloss		Digitally printed to match Pantone 2748
	Matthews MP 18243 R 212556; Semi Gloss		Digitally printed to match Pantone 2925
	Matthews MP 30914 Semi Gloss		3M 3630-43 Translucent Red
			3M 680-10 White Reflective

Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors

Stratus

onetratus.com

8959 Tyler Boulevard
Mentor, Ohio 44060

888.503.1569

CLIENT:

HENRY FORD HEALTH

ADDRESS:

1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:

9

ORDER NUMBER:

1236932

SITE NUMBER:

2110

ELECTRONIC FILE NAME:

K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110 Rochester R9.cdr

PROJECT NUMBER:

89324

PROJECT MANAGER:

NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	Moved all variance signs & site plans to front of brandbook
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated copy				

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

EXISTING SIGN SF:	18.1
PROPOSED SIGN SF:	45

EXISTING CONDITIONS



Existing 7'-3" x 2'-6" monument
to be removed & replaced;
Install far enough away to avoid existing footer




PROPOSED SIGNAGE

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	Moved all variance signs & site plans to front of brandbook
Rev 2	537667	06/18/25 CR	Revised arrows & readings per request comments / notes	Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated copy				

See Engineering Drawing For all Details

refer to
MAVEN
CONTROL DOCUMENTS
for manufacturing details

refer to
PRODUCTION SHOP DRAWING
HFS0044B
for manufacturing details



- CABINET:** 14" deep aluminum angle sign frame w/ Bleed retainers & .125" alum. skin; Painted to match colors shown
- FACES:**
Upper Faces: 3M Panagraphics III Flexible substrate w/ digitally printed graphics to match colors shown; *Seamless material shall be used where possible*
Emergency Panel: .25" white trans acrylic routed back from face at perimeter by 1/8" and flushed into routed window; surface applied trans red reversed out vinyl overlay; 1" Dk. Blue painted border around perimeter of urgent care panel face *opaque the returns and shoulder to prevent light leaks*
Directional Copy: .125" Pan formed Aluminum faces painted HFH dk. blue - graphics Routed from face; 1/4" thick white push thru acrylic (flush w/ face); Second surface applied diffuser film on all graphics
- ILLUM.:** White LEDs as required by manufacturer
POWER SUPPLIES HOUSED IN CABINET - Re-use existing electrical
- REVEAL:** Alum. Construction; Painted to match HFH Black semi-gloss finish
- BASE:** .125" fab'd alum. construction; painted HFH Dk. Gray - semi-gloss finish
One side to be removable for install access
- ADDRESS:** Surface applied Reflective vinyl graphics to match colors shown
- INSTALL:** Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*
- QUANTITY:** (1) ONE PYLON SIGN REQUIRED

ADDRESS NUMERALS
ORIENTED TOWARD
STREET SIDE

COLOR PALETTE			
	Matthews MP 6425sp Satin High Hide White; Semi Gloss		Digitally printed to match Pantone 2387
	Matthews MP 74601 R 211027; Semi Gloss		Digitally printed to match Pantone 2748
	Matthews MP 18243 R 212556; Semi Gloss		Digitally printed to match Pantone 2925
	Matthews MP 30914 Semi Gloss		3M 3630-43 Translucent Red
			3M 680-10 White Reflective

Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors

SIMULATED NIGHTTIME VIEW



Stratus

onstratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
11

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	Moved all variance signs & site plans to front of brandbook
Rev 2	537667	06/18/25 CR	Revised arrows & readings per request comments / notes	Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated copy				


PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

EXISTING SIGN SF:	30.6
PROPOSED SIGN SF:	45

EXISTING CONDITIONS



Existing 6'-6-3/4" x 4'-8" [9'-2-3/4"OAH] directional to be removed & replaced. Re-use existing electrical; Install far enough away to avoid existing footer



PROPOSED SIGNAGE

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	Moved all variance signs & site plans to front of brandbook
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated copy				

E26

4-SIDED ILLUMINATED PYLON SIGN w/ EMERGENCY


PE4-9-IL

Scale: 3/8"=1'-0"

45 square feet

refer to
MAVEN
CONTROL DOCUMENTS
for manufacturing details

refer to
PRODUCTION SHOP DRAWING
HFS0149A
for manufacturing details



CABINET: 4 sided - 60" deep aluminum angle sign frame w/ Bleed retainers, extrusion covers & .125" alum. skin; .090 aluminum corner cladding formed as shown w/ return legs 1-1/2" @ 45 degrees to the face; Notch returns as required; Painted to match colors shown

FACES: **Upper Faces:** 3M Panagraphics III Flexible substrate w/ digitally printed graphics to match colors shown; *Seamless material to be used where possible*
Emergency Panel: .25" white trans acrylic routed back from face at perimeter by 1/8" and flushed into routed window; surface applied trans red reversed out vinyl overlay; 1" Dk. Blue painted border around perimeter of urgent care panel face; *opaque the returns and shoulder to prevent light leaks*
Directional Copy: .125" Pan formed Aluminum faces painted HFH dk. blue - graphics Routed from face; 1/4" thick white push thru acrylic (flush w/ face); Second surface applied diffuser film on all graphics

ILLUM.: White LEDs as required by manufacturer
POWER SUPPLIES HOUSED IN CABINET

TOP: .125" alum. construction sloped 1/8" per foot to allow for water drainage; Painted to match HFH White semi-gloss finish

REVEAL: Alum. construction; Painted to match HFH Black semi-gloss finish

BASE: .125" fab'd alum. construction; painted HFH Dk. Gray - semi-gloss finish
One side to be removable for install access

ADDRESS: Surface applied reflective vinyl graphics to match colors shown

INSTALL: Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See shop drawing for additional details*

QUANTITY: (1) ONE PYLON SIGN REQUIRED



SIMULATED NIGHTTIME VIEW



Stratus

onstratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
13

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	Added shop tag & removed redlines; Updated as required
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	Moved all variance signs & site plans to front of brandbook
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS	Revised copy				
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated copy				


PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

EXISTING SIGN SF:	44.2
PROPOSED SIGN SF:	88.7

EXISTING CONDITIONS





Existing 6'-9-1/2" x 6'-6" monument
to be removed & replaced;
Install far enough away to avoid existing footer



PROPOSED SIGNAGE

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	Moved all variance signs & site plans to front of brandbook
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated copy				



Stratus

onestratus.com

8959 Tyler Boulevard
Mentor, Ohio 44060

888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:

16

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr


PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	Moved all variance signs & site plans to front of brandbook
Rev 2	537667	06/18/25 AKS		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated copy				

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

EXISTING SIGN SF:	44.2
PROPOSED SIGN SF:	88.7



PROPOSED SIGNAGE

EXISTING CONDITIONS



Existing 6'-9-1/2" x 6'-6" monument
to be removed & replaced
Install far enough away to avoid existing footer

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	Moved all variance signs & site plans to front of brandbook
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated copy				

Scale: $\frac{3}{8}'' = 1'-0''$


See Engineering Drawing For all Details

88.7 square feet

refer to
MAVEN
CONTROL DOCUMENTS
for manufacturing details

refer to
PRODUCTION SHOP DRAWING
HFS0036F
for manufacturing details

PANAFLEX FACE
MATERIAL MUST HAVE 6" BLEED ALL SIDES
FOR STRETCHING & SECURING TO SIGN FRAME



CABINET: 16" deep aluminum angle sign frame w/ Bleed retainers & .125" alum. skin;
Painted to match colors shown

FACES: *Upper Faces:* 3M Panagraphics III Flexible substrate w/ digitally printed graphics to match colors shown; *Seamless material shall be used where possible*
Emergency Panel: .25" white trans acrylic routed back from face at perimeter by 1/8" and flushed into routed window; surface applied trans red reversed out vinyl overlay; 1" Dk. Blue painted border around perimeter of emergency panel face
opaque the returns and shoulder to prevent light leaks
Directional Copy: .125" Pan formed Aluminum faces painted HFH dk. blue - graphics Routed from face; 1/4" thick white push thru acrylic (flush w/ face); Second surface applied diffuser film on all graphics

ILLUM.: White LEDs as required by manufacturer
POWER SUPPLIES HOUSED IN CABINET

REVEAL: Alum. Construction; Painted to match HFH Black semi-gloss finish

BASE: .125" fab'd alum. construction; painted HFH Dk. Gray - semi-gloss finish
One side to be removable for install access










ADDRESS: Surface applied reflective white vinyl graphics

INSTALL: Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*

QUANTITY: (1) ONE D/F PYLON SIGN REQUIRED


ADDRESS NUMERALS ORIENTED TOWARD STREET SIDE

COLOR PALETTE

	Matthews MP 6425sp Satin High Hide White; Semi Gloss		Digitally printed to match Pantone 2387
	Matthews MP 74601 R 211027; Semi Gloss		Digitally printed to match Pantone 2748
	Matthews MP 18243 R 212556; Semi Gloss		Digitally printed to match Pantone 2925
	Matthews MP 30914 Semi Gloss		3M 3630-43 Translucent Red
			3M 680-10 White Reflective

Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors

SIMULATED NIGHTTIME VIEW



Stratus

onetratus.com

8959 Tyler Boulevard
Mentor, Ohio 44060

888.503.1569

CLIENT:

HENRY FORD HEALTH

ADDRESS:

1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:

18

ORDER NUMBER:

1236932

SITE NUMBER:

2110

PROJECT NUMBER:

89324

PROJECT MANAGER:


NATHAN FRAZIER

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	Moved all variance signs & site plans to front of brandbook
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated covp				

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

EXISTING SIGN SF:	30.6
PROPOSED SIGN SF:	45



PROPOSED SIGNAGE

EXISTING CONDITIONS



Existing 6'-6-3/4" x 4'-8" [9'-2-3/4"OAH] directional to be removed & replaced. Re-use existing electrical; Install far enough away to avoid existing footer

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	Moved all variance signs & site plans to front of brandbook
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

E30

4-SIDED ILLUMINATED PYLON SIGN w/ EMERGENCY



PE4-9-IL

Scale: 3/8"=1'-0"

45 square feet

refer to
MAVEN
CONTROL DOCUMENTS
for manufacturing details

refer to
PRODUCTION SHOP DRAWING
HFS0149A
for manufacturing details



- CABINET:** 4 sided - 60" deep aluminum angle sign frame w/ Bleed retainers, extrusion covers & .125" alum. skin; .090 aluminum corner cladding formed as shown w/ return legs 1-1/2" @ 45 degrees to the face; Notch returns as required; Painted to match colors shown
- FACES:** **Upper Faces:** 3M Panagraphics III Flexible substrate w/ digitally printed graphics to match colors shown; *Seamless material to be used where possible*
Emergency Panel: .25" white trans acrylic routed back from face at perimeter by 1/8" and flushed into routed window; surface applied trans red reversed out vinyl overlay; 1" Dk. Blue painted border around perimeter of urgent care panel face; *opaque the returns and shoulder to prevent light leaks*
Directional Copy: .125" Pan formed Aluminum faces painted HFH dk. blue - graphics Routed from face; 1/4" thick white push thru acrylic (flush w/ face); Second surface applied diffuser film on all graphics
- ILLUM.:** White LEDs as required by manufacturer
POWER SUPPLIES HOUSED IN CABINET
- TOP:** .125" alum. construction sloped 1/8" per foot to allow for water drainage; Painted to match HFH White semi-gloss finish
- REVEAL:** Alum. construction; Painted to match HFH Black semi-gloss finish
- BASE:** .125" fab'd alum. construction; painted HFH Dk. Gray - semi-gloss finish
One side to be removable for install access
- ADDRESS:** Surface applied reflective vinyl graphics to match colors shown
- INSTALL:** Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See shop drawing for additional details*
- QUANTITY:** (1) ONE PYLON SIGN REQUIRED

Stratus

onestratus.com

8959 Tyler Boulevard
Mentor, Ohio 44060

888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:

20

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324


PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	Added shop tag & removed redlines; Updated as required
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	Moved all variance signs & site plans to front of brandbook
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated copy				

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

E43

E43




Description
Moved all variance signs & site plans to front of brandbook

EXISTING SIGN SF:	±16
PROPOSED SIGN SF:	88.7

EXISTING CONDITIONS



Existing ±4'-0" x ±4'-0" signage
to be removed & replaced;
Install far enough away to avoid existing footer



PROPOSED SIGNAGE

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	Moved all variance signs & site plans to front of brandbook
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	Revised layout to match example provided / add orange note
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

E43

D/F ILLUMINATED EMERGENCY PYLON SIGN

PE-12-IL


Scale: 3/8"=1'-0"

See Engineering Drawing For all Details

88.7 square feet

refer to
MAVEN
CONTROL DOCUMENTS
for manufacturing details

refer to
PRODUCTION SHOP DRAWING
HFS0036F
for manufacturing details



- CABINET:** 16" deep aluminum angle sign frame w/ Bleed retainers & .125" alum. skin; Painted to match colors shown
- FACES:** **Upper Faces:** 3M Panagraphics III Flexible substrate w/ digitally printed graphics to match colors shown; *Seamless material shall be used where possible*
Emergency Panel: .25" white trans acrylic routed back from face at perimeter by 1/8" and flushed into routed window; surface applied trans red reversed out vinyl overlay; 1" Dk. Blue painted border around perimeter of emergency panel face *opaque the returns and shoulder to prevent light leaks*
Directional Copy: .125" Pan formed Aluminum faces painted HFH dk. blue - graphics Routed from face; 1/4" thick white push thru acrylic (flush w/ face); Second surface applied diffuser film on all graphics
- ILLUM.:** White LEDs as required by manufacturer
POWER SUPPLIES HOUSED IN CABINET
- REVEAL:** Alum. Construction; Painted to match HFH Black semi-gloss finish
- BASE:** .125" fab'd alum. construction; painted HFH Dk. Gray - semi-gloss finish
One side to be removable for install access
- ADDRESS:** Surface applied reflective white vinyl graphics
- INSTALL:** Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*
- QUANTITY:** (1) ONE D/F PYLON SIGN REQUIRED

ADDRESS NUMERALS
ORIENTED TOWARD
STREET SIDE

SIMULATED NIGHTTIME VIEW



Stratus

onestratus.com

8959 Tyler Boulevard
Mentor, Ohio 44060

888.503.1569

CLIENT:

HENRY FORD HEALTH

ADDRESS:

1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:

23

ORDER NUMBER:

1236932

SITE NUMBER:

2110

ELECTRONIC FILE NAME:

K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:

89324


PROJECT MANAGER:

NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	Moved all variance signs & site plans to front of brandbook
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

EXISTING SIGN SF:	18.1
PROPOSED SIGN SF:	36



PROPOSED SIGNAGE

EXISTING CONDITIONS




Existing 7'-3" x 2'-6" signage
to be removed & replaced;
Install far enough away to avoid existing footer

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	Moved all variance signs & site plans to front of brandbook
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS	Corrected sign number				
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated copy				

E44

36 square feet

refer to
PRODUCTION SHOP DRAWING
HFS0054B
for manufacturing details



CABINET: 12" deep aluminum angle sign frame w/ .125 alum. skin;
Painted HFH White & HFH Dk. Blue - semi-gloss finish

FACES: .125" Aluminum faces w/ break formed returns; all painted HFH Dk. Blue- semi gloss finish
One side removable for internal access, mounted w/ 'Z' Clips and countersunk fasteners

GRAPHICS: Routed from alum. face & backed up w/ 1/8" #7328 white acrylic
Logo & 'Emergency' Upper Cabinet: 'Block' Routed from face.177" Tuffak LD #7328 white Acrylic
w/ surface applied trans blue vinyl Logos to match color shown - emergency panel is trans red
reverse weeded overlay - blue area to be painted out opaque blue;
Chem weld 1/2"x 1/2" clear retainer block at perimeter of sign face -
Inset 1/8" to allow for face to overlap face returns. Secure w/ c/s screws thru returns
1" Dk. Blue painted border around perimeter of urgent care panel face
Directional Copy: Routed from alum. face; 1/4" thick white push thru acrylic (flush w/ face)
Second surface applied diffuser film on all graphics


ILLUM.: White LEDs as required by manufacture; **POWER SUPPLIES HOUSED IN CABINET**

REVEAL: Alum. Construction; Painted to match HFH Black
semi-gloss finish

BASE: .125" fab'd alum. construction; painted HFH Dk. Gray - semi-gloss finish
One side to be removable for install access

INSTALL: Cabinet to have internal steel and will secure to concrete foundation using
base plate 6" below grade - *See Engineering for all details*

QUANTITY: (1) ONE DIRECTIONAL SIGN REQUIRED



Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors

Stratus

onetratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:

HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
25

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester
2110 Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	Moved all variance signs & site plans to front of brandbook
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated copy				

EXISTING SIGN SF:	—
PROPOSED SIGN SF:	17.5

EXISTING CONDITIONS



PROPOSED SIGNAGE

Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:

HENRY FORD HEALTH

ADDRESS:

1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:

26

ORDER NUMBER:

1236932

SITE NUMBER:

2110

ELECTRONIC FILE NAME:

K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:

89324


PROJECT MANAGER:

NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

refer to
MAVEN
CONTROL DOCUMENTS
for manufacturing details



SIMULATED NIGHTTIME VIEW

HENRY FORD HEALTH

- FACES: .177" #7328 White acrylic
- TRIMCAP: 1" Std. White Jewellite
- RETURNS:

'HENRY' - 3" deep .040" alum. - painted HFH Med. Blue; semi gloss finish

'FORD' - 3" deep .040" alum. - painted HFH Dk. Blue; semi gloss finish

'HEALTH' - 3" deep .040" alum. - painted HFH Lt. Blue; semi gloss finish


Interior painted with light enhancement paint
- BACKS: .063" Alum. - Interior painted White
- ILLUMINATION: White LED's as required by manufacturer;
REMOTE POWER SUPPLIES
- WALL MATL.: ACM Panels
- INSTALL: Thru bolted flush using all thread into blocking as required
12" standard length of threaded rod will be supplied unless otherwise noted
3/8" threaded rod into blocking or Stratus approved equivalent
- QUANTITY: (1) ONE LETTERSET REQUIRED

COLOR PALETTE

- Matthews MP 6425sp
Satin High Hide White
- Matthews MP 74601
R 211027; Semi Gloss
- Matthews MP 106752
R 213116; Semi Gloss
- Matthews MP79491
R211027; Semi Gloss

Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors


FACE LIT CHANNEL LETTERS



ALL SIGNS TO COMPLY WITH UL 48 AND WILL
BE MARKED AS SUCH WITH APPROPRIATE
LABORATORY LABELS.

THIS SIGN IS INTENDED TO BE INSTALLED IN
ACCORDANCE WITH THE REQUIREMENTS OF
ARTICLE 600 OF THE NATIONAL ELECTRICAL
CODE AND/OR OTHER APPLICABLE LOCAL
CODES. THIS INCLUDES PROPER GROUNDING
AND BONDING OF THE SIGN.

THE LOCATION OF THE DISCONNECT SWITCH
AFTER INSTALLATION SHALL COMPLY WITH
ARTICLE 600.6(A) (1) OF THE NATIONAL
ELECTRIC CODE.



FACE LIT LED, REMOTE
FLUSH MOUNTED



ALL ELECTRICAL COMPONENTS TO BE UL LISTED
APPROVED AND MARKED PER N.E.C. 600.4
ALL TO BE ELECTRICALLY GROUNDING PER N.E.C. 250.4
ALL POWER SUPPLIES TO BE LISTED PER UL 48-2017
GROUNDING AND BONDING PER N.E.C. 250.46-250.48
SIGN TO MEET N.E.C. AND U.L. 48
STANDARDS FOR ELECTRICAL SIGNS
(INCLUDING A BONDING
AS PER N.E.C. 250.46 & NEC 600.7)

Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
27

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

E09

E10

BANNER

NO ACTION REQUIRED

Signs were updated to the current HFH brand standards or removed during the temporary sign phase



E09



E10

Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
28

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

Existing letterset to remain as is



EXISTING CONDITIONS

Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
29

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\
2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

EXISTING SIGN SF:	—
PROPOSED SIGN SF:	114.6

EXISTING CONDITIONS



Existing temporary panels to be removed;
Wall to be patched & painted as required;
Wall color match: SW 6357 Choice Cream

Rear access panels are removable
for electrical & mounting

SIGN IS BEING INSTALLED ON RADIUS WALL



PROPOSED SIGNAGE

±2'-7-3/4"	5'-3-1/2"
±2'-7-3/4"	

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					



- H

FACES:

TRIMCAP:
- F

FACES:

TRIMCAP:
- H

FACES:

TRIMCAP:
- FACILITY FACES:

TRIMCAP:
- RETURNS:
- BACKS:
- ILLUMINATION:
- WALL MATL:
- INSTALL:
- QUANTITY:
- 177" #2447 White acrylic w/ surface applied 3M dual color vinyls w/ 3M 3660m clear overlaminate digitally printed Med. Blue by Miratec; To Illuminate White at night

1" Jewelite Intense Blue painted Md. Blue to match faces
- 177" #2447 White acrylic w/ surface applied 3M dual color vinyls w/ 3M 3660m clear overlaminate digitally printed Dk. Blue by Miratec; To Illuminate White at night

1" Jewelite Blue painted Dk. Blue to match faces
- 177" #2447 White acrylic w/ surface applied 3M dual color vinyls w/ 3M 3660m clear overlaminate digitally printed Lt. Blue by Miratec; To Illuminate White at night

1" Jewelite Intense Blue painted Lt. Blue to match faces
- 177" #2447 White acrylic w/ surface applied 3M dual color vinyls w/ 3M 3660m clear overlaminate digitally printed Dk. Blue by Miratec; To Illuminate White at night

1" Jewelite Blue painted Dk. Blue to match faces
- 3" deep .050" alum. - painted HFH White; semi gloss finish interior painted with light enhancement paint
- .063" Alum. - Interior painted White
- White LED's as required by manufacturer; REMOTE POWER SUPPLIES
- EIFS
- Thru bolted flush using all thread into blocking as required; 12" standard length of threaded rod will be supplied unless otherwise noted; 3/8" threaded rod into blocking or Stratus approved equivalent. Compression sleeves required to avoid crushing wall & achieve max tensioning.
- (1) ONE LETTERSET REQUIRED

SIGN IS BEING INSTALLED ON RADIUS WALL

COLOR PALETTE

Matthews MP 106752 R 213116; Semi Gloss

Digitally printed by Miratec to match PMS 2387

Matthews MP 74601 R 211027; Semi Gloss


Digitally printed by Miratec to match PMS 2748

Matthews MP79491 R211027; Semi Gloss

Digitally printed by Miratec to match PMS 2925

Matthews MP 6425sp Satin High Hide White Semi-Gloss

Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors



Existing lettersets to remain as is



Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
32

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

Existing lettersets to remain as is



E38



E39

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

Sign was updated to the current HFH brand standards or removed during the temporary sign phase



Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
34

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\
2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

Remove support pole to grade and cap. Remove, dispose and cap off to code all existing electrical components / hardware previously connected to existing signage. Restore ground material and clean area of all debris.



Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
35

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\
2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

refer to
MAVEN
CONTROL DOCUMENTS
for manufacturing details

refer to
PRODUCTION SHOP DRAWING
HFS0148A
for manufacturing details

EXISTING SIGN SF:	±11.3
PROPOSED SIGN SF:	4.6


PROPOSED

Scaled Proportionally

EXISTING CONDITIONS



Existing ±8'-0" x ±1'-5" sign
to be removed & replaced



- CABINET:** 8" deep aluminum angle sign frame w/ .125 alum. skin; Painted HFH White & HFH Dk. Blue, semi-gloss finish
- FACES:** .125" Pan formed Aluminum faces
all painted HFH White & HFH Dk. Blue, semi-gloss finish
Attached w/ stainless steel piano hinge for internal access
- GRAPHICS:** Surface applied Reflective vinyl graphics to match colors shown
- REVEAL:** Alum. Construction; Painted to match HFH Black, semi-gloss finish
- BASE:** .125" fab'd alum. construction; painted HFH Dk. Gray, semi-gloss finish
One side to be removable for install access
- INSTALL:** Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*
- QUANTITY:** (1) ONE REQUIRED

COLOR PALETTE					
	Digitally printed by Miratec to match PMS 2748		Matthews MP 74601 R 211027; Semi-Gloss		Matthews MP 30914; Semi-Gloss
	Matthews MP 6425sp Satin High Hide White		Matthews MP 18243 R 212556; Semi-Gloss		

Paint finish to be semi-gloss unless otherwise specified

Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
36

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	Added shop tag & removed redlines; Updated as required
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

refer to
MAVEN
CONTROL DOCUMENTS
for manufacturing details

refer to
PRODUCTION SHOP DRAWING
HFS0148A
for manufacturing details

EXISTING SIGN SF:	0
PROPOSED SIGN SF:	4.6


PROPOSED

Scaled Proportionally

EXISTING CONDITIONS



Install new sign in planter area out front of Surgery Entrance, parallel to doors




- CABINET:** 8" deep aluminum angle sign frame w/ .125 alum. skin; Painted HFH White & HFH Dk. Blue, semi-gloss finish
- FACES:** .125" Pan formed Aluminum faces
all painted HFH White & HFH Dk. Blue, semi-gloss finish
Attached w/ stainless steel piano hinge for internal access
- GRAPHICS:** Surface applied Reflective vinyl graphics to match colors shown
- REVEAL:** Alum. Construction; Painted to match HFH Black, semi-gloss finish
- BASE:** .125" fab'd alum. construction; painted HFH Dk. Gray, semi-gloss finish
One side to be removable for install access
- INSTALL:** Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*
- QUANTITY:** (1) ONE REQUIRED

COLOR PALETTE					
	Digitally printed by Miratec to match PMS 2748		Matthews MP 74601 R 211027; Semi-Gloss		Matthews MP 30914; Semi-Gloss
	Matthews MP 6425sp Satin High Hide White		Matthews MP 18243 R 212556; Semi-Gloss		

Paint finish to be semi-gloss unless otherwise specified

refer to
MAVEN
CONTROL DOCUMENTS
for manufacturing details

refer to
PRODUCTION SHOP DRAWING
HFS0148A
for manufacturing details



EXISTING SIGN SF:	0
PROPOSED SIGN SF:	4.6

EXISTING CONDITIONS



Install in grass to right of and parallel to doors

PROPOSED

Scaled Proportionally



- CABINET:** 8" deep aluminum angle sign frame w/ .125 alum. skin; Painted HFH White & HFH Dk. Blue, semi-gloss finish
- FACES:** .125" Pan formed Aluminum faces
all painted HFH White & HFH Dk. Blue, semi-gloss finish
Attached w/ stainless steel piano hinge for internal access
- GRAPHICS:** Surface applied Reflective vinyl graphics to match colors shown
- REVEAL:** Alum. Construction; Painted to match HFH Black, semi-gloss finish
- BASE:** .125" fab'd alum. construction; painted HFH Dk. Gray, semi-gloss finish
One side to be removable for install access
- INSTALL:** Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*
- QUANTITY:** (1) ONE REQUIRED

COLOR PALETTE					
	Digitally printed by Miratec to match PMS 2748		Matthews MP 74601 R 211027; Semi-Gloss		Matthews MP 30914; Semi-Gloss
	Matthews MP 6425sp Satin High Hide White		Matthews MP 18243 R 212556; Semi-Gloss		

Paint finish to be semi-gloss unless otherwise specified

E13a

D/F NON-ILLUMINATED EMERGENCY DIRECTIONAL - NON-BRANDED


NBDE-4-NIL

Scale: 3/4"=1'-0"

9 square feet

refer to
MAVEN
CONTROL DOCUMENTS
for manufacturing details

refer to
PRODUCTION SHOP DRAWING
HFS0055B
for manufacturing details



EXISTING SIGN SF:	-
PROPOSED SIGN SF:	9



None Existing



PROPOSED SIGNAGE

Not to Scale

- CABINET:** 10" deep aluminum angle sign frame w/ .125 alum. skin; Painted HFH Dk. Blue, semi-gloss finish
- FACES:** .125" Pan formed Aluminum faces
all painted HFH Dk. Blue, semi-gloss finish
Attached w/ stainless steel piano hinge for internal access
- GRAPHICS:** Surface applied Reflective vinyl graphics to match colors shown
- REVEAL:** Alum. Construction; Painted to match HFH Black, semi-gloss finish
- BASE:** .125" fab'd alum. construction; painted HFH Dk. Gray, semi-gloss finish
One side to be removable for install access
- INSTALL:** Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*
- QUANTITY:** (1) ONE DIRECTIONAL SIGN REQUIRED

COLOR PALETTE			
	Matthews MP 74601 R 211027; Semi-Gloss		3M 680-10 White Reflective
	Matthews MP 18243 R 212556; Semi-Gloss		3M 680-72 Red Reflective
	Matthews MP 30914; Semi-Gloss		

Paint finish to be semi-gloss unless otherwise specified

Stratus

onestratus.com

8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
39

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

E16 S/F ILLUMINATED DIRECTIONAL w/ EMERGENCY

Scale: 1/2"=1'-0"

NBDE-6-IL

20.3 square feet

EXISTING SIGN SF:	18.1
PROPOSED SIGN SF:	20.3

Scaled Proportionately

PROPOSED SIGNAGE




Existing 7'-3" x 2'-6" signage to be removed & replaced; Re-use existing electrical; Installed far enough away to avoid existing footer



- CABINET:** 12" deep aluminum angle sign frame w/ .125 alum. skin; Painted HFH Dk. Blue - semi-gloss finish
- FACES:** .125" Aluminum faces w/ break formed returns; all painted HFH Dk. Blue- semi gloss finish
One side removable for internal access, mounted w/ 'Z' Clips and countersunk fasteners
- GRAPHICS:** Routed from alum. face & backed up w/ 1/8" #7328 white acrylic
'EMERGENCY' Upper Cabinet: 'Block' Routed from face.177" Tuffak LD #7328 white Acrylic w/ surface applied trans red reverse weeded overlay - blue area to be painted out opaque blue; Chem weld 1/2"x 1/2" clear retainer block at perimeter of sign face - Inset 1/8" to allow for face to overlap face returns. Secure w/ c/s screws thru returns
Directional Copy: Routed from pan-formed alum. face; 1/4" thick white push thru acrylic (flush w/ face) Second surface applied diffuser film on all graphics
- ILLUM.:** White LEDs as required by manufacture; **POWER SUPPLIES HOUSED IN CABINET**
- REVEAL:** Alum. Construction; Painted to match HFH Black; semi-gloss finish
- BASE:** .125" fab'd alum. construction; painted HFH Dk. Gray - semi-gloss finish
One side to be removable for install access
- INSTALL:** Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*
- QUANTITY:** (1) ONE SIGN REQUIRED

SIMULATED NIGHTTIME VIEW



Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
40

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr


PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated copy				

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

EXISTING SIGN SF:	13.5
PROPOSED SIGN SF:	4



- PANEL:

.125" Aluminum w/ 1/4" radius corners; painted HFH Dk. Blue, Semi-Gloss
- GRAPHICS:

Digitally printed by Miratec on to 3M ControlTac opaque white and applied first surface over entire face of sign. Overlam w/ 3M 3660m
- INSTALL:

Weld threaded studs to backside of panel;
all penetrations to be filled w/ silicone adhesive
- QUANTITY:

(1) ONE SIGN REQUIRED

COLOR PALETTE

3M IJ-180 ControlTac
Opaque White w/
3M 3660 Overlam.

Digitally printed to match
Pantone 185


Matthews MP 74601
R 211027; Semi Gloss

Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors

EXISTING CONDITIONS



Existing 4'-6" x 3'-0" signage to be removed & replaced; Fill holes w/ matching caulking



PROPOSED SIGNAGE Scaled Proportionately

E25

D/F ILLUMINATED DIRECTIONAL w/ EMERGENCY


Scale: 1/2"=1'-0"

NBDE-6-IL

20.3 square feet

refer to
MAVEN
CONTROL DOCUMENTS
for manufacturing details

refer to
PRODUCTION SHOP DRAWING
HFS0054B
for manufacturing details



COLOR PALETTE			
	Matthews MP 74601 R 211027; Semi Gloss		3M 3630-43 Translucent Red
	Matthews MP 18243 R 212556; Semi Gloss		Matthews MP 30914 Semi Gloss

Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors



Existing 6'-6" x 2'-6" signage to be removed
& replaced; Re-use existing electrical;
Installed far enough away to avoid existing footer



- CABINET:** 12" deep aluminum angle sign frame w/ .125 alum. skin; Painted HFH Dk. Blue - semi-gloss finish
- FACES:** .125" Aluminum faces w/ break formed returns; all painted HFH Dk. Blue- semi gloss finish
One side removable for internal access, mounted w/ 'Z' Clips and countersunk fasteners
- GRAPHICS:** Routed from alum. face & backed up w/ 1/8" #7328 white acrylic
'EMERGENCY' Upper Cabinet: 'Block' Routed from face.177" Tuffak LD #7328 white Acrylic w/ surface applied trans red reverse weeded overlay - blue area to be painted out opaque blue; Chem weld 1/2"x 1/2" clear retainer block at perimeter of sign face - Inset 1/8" to allow for face to overlap face returns. Secure w/ c/s screws thru returns
Directional Copy: Routed from pan-formed alum. face; 1/4" thick white push thru acrylic (flush w/ face) Second surface applied diffuser film on all graphics
- ILLUM.:** White LEDs as required by manufacture; **POWER SUPPLIES HOUSED IN CABINET**
- REVEAL:** Alum. Construction; Painted to match HFH Black; semi-gloss finish
- BASE:** .125" fab'd alum. construction; painted HFH Dk. Gray - semi-gloss finish
One side to be removable for install access
- INSTALL:** Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*
- QUANTITY:** (1) ONE SIGN REQUIRED

Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
42

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324


PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS	Revised sign number & existing/ proposed photos				
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated copy				

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

refer to
MAVEN
CONTROL DOCUMENTS
for manufacturing details

refer to
PRODUCTION SHOP DRAWING
HFS0055B
for manufacturing details



EXISTING SIGN SF:	11.9
PROPOSED SIGN SF:	14.1



Existing 4'-9" x 2'-6" sign to be removed & replaced; Install far enough away to avoid existing footer



PROPOSED SIGNAGE

Scaled proportionately

- CABINET:** 10" deep aluminum angle sign frame w/ .125 alum. skin; Painted HFH Dk. Blue, semi-gloss finish
- FACES:** .125" Pan formed Aluminum faces all painted HFH Dk. Blue, semi-gloss finish
Attached w/ stainless steel piano hinge for internal access
- GRAPHICS:** Surface applied Reflective vinyl graphics to match colors shown
- REVEAL:** Alum. Construction; Painted to match HFH Black, semi-gloss finish
- BASE:** .125" fab'd alum. construction; painted HFH Dk. Gray, semi-gloss finish
One side to be removable for install access
- INSTALL:** Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*
- QUANTITY:** (1) ONE DIRECTIONAL SIGN REQUIRED

COLOR PALETTE			
	Matthews MP 74601 R 211027; Semi-Gloss		3M 680-10 White Reflective
	Matthews MP 18243 R 212556; Semi-Gloss		Matthews MP 30914; Semi-Gloss

Paint finish to be semi-gloss unless otherwise specified

Stratus

onestratus.com

8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569


CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI 48307-1863

PAGE NO.:
43

ORDER NUMBER: 1236932	PROJECT NUMBER: 89324
SITE NUMBER: 2110	PROJECT MANAGER: NATHAN FRAZIER
ELECTRONIC FILE NAME: K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr	

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated copy				



EXISTING SIGN SF:	16.3
PROPOSED SIGN SF:	14.1



Existing 6'-6" x 2'-6" signage to be removed
& replaced; Re-use existing electrical;
Installed far enough away to avoid existing footer

- CABINET:** 10" deep aluminum angle sign frame w/ .125 alum. skin; Painted HFH Dk. Blue - semi-gloss finish
- FACES:** .125" Aluminum faces w/ break formed returns; all painted HFH Dk. Blue- semi gloss finish
One side removable for internal access, mounted w/ 'Z' Clips and countersunk fasteners
- GRAPHICS:** Routed from pan-formed alum. face; 1/4" thick white push thru acrylic (flush w/ face)
Second surface applied diffuser film on all graphics
- ILLUM.:** White LEDs as required by manufacture; **POWER SUPPLIES HOUSED IN CABINET**
- REVEAL:** Alum. Construction; Painted to match HFH Black; semi-gloss finish
- BASE:** .125" fab'd alum. construction; painted HFH Dk. Gray - semi-gloss finish
One side to be removable for install access
- INSTALL:** Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*
- QUANTITY:** (1) ONE SIGN REQUIRED

COLOR PALETTE			
	Matthews MP 74601 R 211027; Semi Gloss		Matthews MP 30914 Semi Gloss
	Matthews MP 18243 R 212556; Semi Gloss		

Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors

Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
44

ORDER NUMBER:
1236932

SITE NUMBER:
2110


ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated copy				

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.



EXISTING SIGN SF:	11.9
PROPOSED SIGN SF:	14.1



Existing 4'-9" x 2'-6" signage to be removed & replaced; Re-use existing electrical; Installed far enough away to avoid existing footer

- CABINET:** 10" deep aluminum angle sign frame w/ .125 alum. skin; Painted HFH Dk. Blue - semi-gloss finish
- FACES:** .125" Aluminum faces w/ break formed returns; all painted HFH Dk. Blue- semi gloss finish
One side removable for internal access, mounted w/ 'Z' Clips and countersunk fasteners
- GRAPHICS:** Routed from pan-formed alum. face; 1/4" thick white push thru acrylic (flush w/ face)
Second surface applied diffuser film on all graphics
- ILLUM.:** White LEDs as required by manufacture; **POWER SUPPLIES HOUSED IN CABINET**
- REVEAL:** Alum. Construction; Painted to match HFH Black; semi-gloss finish
- BASE:** .125" fab'd alum. construction; painted HFH Dk. Gray - semi-gloss finish
One side to be removable for install access
- INSTALL:** Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*
- QUANTITY:** (1) ONE SIGN REQUIRED

COLOR PALETTE			
	Matthews MP 74601 R 211027; Semi Gloss		Matthews MP 30914 Semi Gloss
	Matthews MP 18243 R 212556; Semi Gloss		

Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors

Stratus

onstratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
45

ORDER NUMBER:
1236932

SITE NUMBER:
2110


ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.



EXISTING SIGN SF:	8.7
PROPOSED SIGN SF:	14.1



Existing 2'-0" x 4'-4" [4'-4" OAH] signage to be removed & replaced; Installed far enough away to avoid existing footer

Scaled Proportionately

PROPOSED SIGNAGE



- CABINET:** 10" deep aluminum angle sign frame w/ .125 alum. skin; Painted HFH Dk. Blue - semi-gloss finish
- FACES:** .125" Aluminum faces w/ break formed returns; all painted HFH Dk. Blue- semi gloss finish
One side removable for internal access, mounted w/ 'Z' Clips and countersunk fasteners
- GRAPHICS:** Routed from pan-formed alum. face; 1/4" thick white push thru acrylic (flush w/ face)
Second surface applied diffuser film on all graphics
- ILLUM.:** White LEDs as required by manufacture; **POWER SUPPLIES HOUSED IN CABINET**
- REVEAL:** Alum. Construction; Painted to match HFH Black; semi-gloss finish
- BASE:** .125" fab'd alum. construction; painted HFH Dk. Gray - semi-gloss finish
One side to be removable for install access
- INSTALL:** Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*
- QUANTITY:** (1) ONE SIGN REQUIRED

COLOR PALETTE			
	Matthews MP 74601 R 211027; Semi Gloss		Matthews MP 30914 Semi Gloss
	Matthews MP 18243 R 212556; Semi Gloss		

Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors

Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
46

ORDER NUMBER:
1236932


SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS	Revised copy				
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					



EXISTING SIGN SF:	0
PROPOSED SIGN SF:	14.1



None Existing;
Install new directional in location shown



- CABINET:** 10" deep aluminum angle sign frame w/ .125 alum. skin; Painted HFH Dk. Blue - semi-gloss finish
- FACES:** .125" Aluminum faces w/ break formed returns; all painted HFH Dk. Blue- semi gloss finish
One side removable for internal access, mounted w/ 'Z' Clips and countersunk fasteners
- GRAPHICS:** Routed from pan-formed alum. face; 1/4" thick white push thru acrylic (flush w/ face)
Second surface applied diffuser film on all graphics
- ILLUM.:** White LEDs as required by manufacture; **POWER SUPPLIES HOUSED IN CABINET**
- REVEAL:** Alum. Construction; Painted to match HFH Black; semi-gloss finish
- BASE:** .125" fab'd alum. construction; painted HFH Dk. Gray - semi-gloss finish
One side to be removable for install access
- INSTALL:** Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*
- QUANTITY:** (1) ONE SIGN REQUIRED

COLOR PALETTE			
	Matthews MP 74601 R 211027; Semi Gloss		Matthews MP 30914 Semi Gloss
	Matthews MP 18243 R 212556; Semi Gloss		

Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors

Stratus

onestratus.com

8959 Tyler Boulevard
Mentor, Ohio 44060

888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:

47

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS	Revised copy				
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.


E45

S/F ILLUMINATED DIRECTIONAL

NBD-5-IL

Scale: 3/4"=1'-0"

14.1 square feet



EXISTING SIGN SF:	8.7
PROPOSED SIGN SF:	14.1



Existing 6'-6" x 2'-6" signage
to be removed & replaced;
Installed far enough away to avoid existing footer

- CABINET: 10" deep aluminum angle sign frame w/ .125 alum. skin; Painted HFH Dk. Blue - semi-gloss finish
- FACES: .125" Aluminum faces w/ break formed returns; all painted HFH Dk. Blue- semi gloss finish
One side removable for internal access, mounted w/ 'Z' Clips and countersunk fasteners
- GRAPHICS: Routed from pan-formed alum. face; 1/4" thick white push thru acrylic (flush w/ face)
Second surface applied diffuser film on all graphics
- ILLUM.: White LEDs as required by manufacture; **POWER SUPPLIES HOUSED IN CABINET**
- REVEAL: Alum. Construction; Painted to match HFH Black; semi-gloss finish
- BASE: .125" fab'd alum. construction; painted HFH Dk. Gray - semi-gloss finish
One side to be removable for install access
- INSTALL: Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*
- QUANTITY: (1) ONE SIGN REQUIRED

COLOR PALETTE			
	Matthews MP 74601 R 211027; Semi Gloss		Matthews MP 30914 Semi Gloss
	Matthews MP 18243 R 212556; Semi Gloss		

Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors

Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
48

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

E48

D/F NON-ILLUMINATED DIRECTIONAL


NBD-3-NIL

Scale: 1"=1'-0"

5.1 square feet

refer to
MAVEN
CONTROL DOCUMENTS
for manufacturing details

refer to
PRODUCTION SHOP DRAWING
HFS0055B
for manufacturing details



EXISTING SIGN SF:	4
PROPOSED SIGN SF:	5.1



Existing ±2'-0" x ±2'-0" (±6'-6" OAH)
signage to be removed & replaced;
Installed far enough away to avoid existing footer

Scaled Proportionately

PROPOSED SIGNAGE



- CABINET:** 5" deep aluminum angle sign frame w/ .125 alum. skin; Painted HFH Dk. Blue - semi-gloss finish
- FACES:** .125" Aluminum faces w/ break formed returns; all painted HFH Dk. Blue- semi gloss finish
Attached w/ stainless steel piano hinge for internal access
- GRAPHICS:** Surface applied Reflective vinyl graphics to match colors shown
- REVEAL:** Alum. Construction; Painted to match HFH Black semi-gloss finish
- BASE:** .125" fab'd alum. construction; painted HFH Dk. Gray - semi-gloss finish
One side to be removable for install access
- INSTALL:** Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*
- QUANTITY:** (1) ONE DIRECTIONAL SIGN REQUIRED

COLOR PALETTE			
	Matthews MP 74601 R 211027; Semi Gloss		Matthews MP 30914 Semi Gloss
	Matthews MP 18243 R 212556; Semi Gloss		3M 680-10 White Reflective

Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors

Stratus

onestratus.com

8959 Tyler Boulevard
Mentor, Ohio 44060

888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:

49

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER


Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS	Corrected number layout				
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

E51

refer to
MAVEN
CONTROL DOCUMENTS
for manufacturing details

refer to
PRODUCTION SHOP DRAWING
HFS0054B
for manufacturing details



14.1 square feet

<u>EXISTING SIGN SF:</u>	14.8
<u>PROPOSED SIGN SF:</u>	14.1

Scaled Proportionately

PROPOSED SIGNAGE



Existing 4'-7" x 2'-6" signage to be removed & replaced; Re-use existing electrical;
Installed far enough away to avoid existing footer



CABINET: 10" deep aluminum angle sign frame w/ .125 alum. skin; Painted HFH Dk. Blue - semi-gloss finish

FACES: .125" Aluminum faces w/ break formed returns; all painted HFH Dk. Blue- semi gloss finish
One side removable for internal access, mounted w/ 'Z' Clips and countersunk fasteners

GRAPHICS: Routed from alum. face & backed up w/ 1/8" #7328 white acrylic
'EMERGENCY' Upper Cabinet: 'Block' Routed from face. 177" Tuffak LD #7328 white Acrylic
 w/ surface applied trans red reverse weeded overlay - blue area to be painted out opaque blue;
 Chem weld 1/2"x 1/2" clear retainer block at perimeter of sign face -
 Inset 1/8" to allow for face to overlap face returns. Secure w/ c/s screws thru returns
Directional Copy: Routed from pan-formed alum. face; 1/4" thick white push thru acrylic (flush w/ face)
 Second surface applied diffuser film on all graphics

ILLUM.: White LEDs as required by manufacture; **POWER SUPPLIES HOUSED IN CABINET**

REVEAL: Alum. Construction; Painted to match HFH Black; semi-gloss finish

BASE: .125" fab'd alum. construction; painted HFH Dk. Gray - semi-gloss finish
One side to be removable for install access

INSTALL: Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*

QUANTITY: (1) ONE SIGN REQUIRED

COLOR PALETTE

	Matthews MP 74601 R 211027; Semi Gloss		Matthews MP 18243 R 212556; Semi Gloss		Matthews MP 30914 Semi Gloss		3M 3630-43 Translucent red
---	---	---	---	---	---------------------------------	---	-------------------------------

Paint finish to be semi-gloss unless otherwise specified All Vinyl Provided by miratec or printed to match MP colors

Stratus

onetratus.com

8959 Tyler Boulevard
Mentor, Ohio 44060

888.503.1569

CLIENT:

HENRY FORD HEALTH

ADDRESS:

1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:

50

ORDER NUMBER:

1236932

SITE NUMBER:

2110

PROJECT NUMBER:

89324

PROJECT MANAGER:


NATHAN FRAZIER

ELECTRONIC FILE NAME:


K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated copy				

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.



EXISTING SIGN SF:	8.7
PROPOSED SIGN SF:	14.1



Existing 2'-0" x 4'-4" [4'-4" OAH] signage to be removed & replaced;
Installed far enough away to avoid existing footer

- CABINET:** 10" deep aluminum angle sign frame w/ .125 alum. skin; Painted HFH Dk. Blue - semi-gloss finish
- FACES:** .125" Aluminum faces w/ break formed returns; all painted HFH Dk. Blue- semi gloss finish
One side removable for internal access, mounted w/ 'Z' Clips and countersunk fasteners
- GRAPHICS:** Routed from alum. face & backed up w/ 1/8" #7328 white acrylic
'EMERGENCY' Upper Cabinet: 'Block' Routed from face.177" Tuffak LD #7328 white Acrylic w/ surface applied trans red reverse weeded overlay - blue area to be painted out opaque blue; Chem weld 1/2"x 1/2" clear retainer block at perimeter of sign face - Inset 1/8" to allow for face to overlap face returns. Secure w/ c/s screws thru returns
Directional Copy: Routed from pan-formed alum. face; 1/4" thick white push thru acrylic (flush w/ face) Second surface applied diffuser film on all graphics
- ILLUM.:** White LEDs as required by manufacture; **POWER SUPPLIES HOUSED IN CABINET**
- REVEAL:** Alum. Construction; Painted to match HFH Black; semi-gloss finish
- BASE:** .125" fab'd alum. construction; painted HFH Dk. Gray - semi-gloss finish
One side to be removable for install access
- INSTALL:** Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*
- QUANTITY:** (1) ONE SIGN REQUIRED

COLOR PALETTE					
	Matthews MP 74601 R 211027; Semi Gloss		Matthews MP 18243 R 212556; Semi Gloss		Matthews MP 30914 Semi Gloss

Paint finish to be semi-gloss unless otherwise specifiedAll Vinyl Provided by miratec or printed to match MP colors


ORDER NUMBER:	PROJECT NUMBER:
1236932	89324
SITE NUMBER:	PROJECT MANAGER:
2110	NATHAN FRAZIER
ELECTRONIC FILE NAME:	
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr	

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS	Corrected number layout				
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS	Updated copy				

Existing wall cabinet to be removed. Remove, dispose and cap off to code all existing electrical components / hardware previously connected to existing signage. Patch holes w/ matching caulking.



Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					



EXISTING SIGN SF:	8.7
PROPOSED SIGN SF:	14.1



None Existing;
Install new directional in location shown

- CABINET: 10" deep aluminum angle sign frame w/ .125 alum. skin; Painted HFH Dk. Blue - semi-gloss finish
- FACES: .125" Aluminum faces w/ break formed returns; all painted HFH Dk. Blue- semi gloss finish
One side removable for internal access, mounted w/ 'Z' Clips and countersunk fasteners
- GRAPHICS: Routed from pan-formed alum. face; 1/4" thick white push thru acrylic (flush w/ face)
Second surface applied diffuser film on all graphics
- ILLUM.: White LEDs as required by manufacture; **POWER SUPPLIES HOUSED IN CABINET**
- REVEAL: Alum. Construction; Painted to match HFH Black; semi-gloss finish
- BASE: .125" fab'd alum. construction; painted HFH Dk. Gray - semi-gloss finish
One side to be removable for install access
- INSTALL: Cabinet to have internal steel and will secure to concrete foundation using base plate 6" below grade - *See Engineering for all details*
- QUANTITY: (1) ONE SIGN REQUIRED


COLOR PALETTE

Matthews MP 74601
R 211027; Semi Gloss

Matthews MP 30914
Semi Gloss

Matthews MP 18243
R 212556; Semi Gloss


Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors







- GRAPHICS: Die cut vinyl graphics as shown
- INSTALL: Install 1st Surface application to outside of glass panel
- QUANTITY: (3) THREE SETS REQUIRED FOR REVOLVING DOOR

COLOR PALETTE



3M 7725-10 Opaque White






[3] Three existing vinyl logo sets on revolving door to be removed & replaced; Glass to be cleaned thoroughly prior to new install.





- GRAPHICS:** Die cut vinyl graphics as shown
- AUTO. DOOR:** Standard Automatic Door Decal
- INSTALL:** Install 1st Surface application to outside of glass panel
- QUANTITY:** (1) ONE SET REQUIRED








- GRAPHICS:** Die cut vinyl graphics as shown
- AUTO. DOOR:** Standard Automatic Door Decal
- INSTALL:** Install 1st Surface application to outside of glass panel
- QUANTITY:** (1) ONE SET REQUIRED






Remove & Replace all existing door vinyls.
Glass cleaned thoroughly prior to new install.





- GRAPHICS: Die cut vinyl graphics as shown
- INSTALL: Install 1st Surface application to outside of glass panel
- QUANTITY: (1) ONE SET REQUIRED






- VINYL: Opaque Yellow Vinyl to match color shown
- GRAPHICS: Black digital print to surface of vinyl
- INSTALL: Install 1st Surface application to outside of glass panel
- QUANTITY: (1) ONE REQUIRED


COLOR PALETTE

Black

3M 7725-405
Opaque Yellow





Remove & Replace all existing door vinyls.
Glass cleaned thoroughly prior to new install.



TYPICAL PROPOSED ELEVATION

Scale: 1/2"=1'-0"



Remove & Replace all existing door vinyls.
Glass cleaned thoroughly prior to new install.

- VINYL:** 3M Lo-Tac (ControlTac) Vinyl Digitally printed to match colors shown
NOTE: Decals will be installed locally, Lo-Tac film used so graphics can be re-positioned as needed
- INSTALL:** **'No Firearms' Graphic:** Install 1st Surface application to outside of glass panel
Vinyl Backer: Blank, same color as front, Install 2nd surface to inside of glass
- QUANTITY:** (1) ONE REQUIRED

COLOR PALETTE

Digitally printed by Miratec to match PMS 2387


Digitally printed by Miratec to match PMS 2748

Digitally printed by Miratec to match PMS 2925



Digitally printed by Miratec to match PMS 185

Black

3M ControlTac Opaque White




Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					




- GRAPHICS: Die cut vinyl graphics as shown
- INSTALL: Install 1st Surface application to outside of glass panel
- QUANTITY: (1) ONE SET REQUIRED

COLOR PALETTE

3M 7725-10 Opaque White



Remove & Replace all existing door vinyls.
Glass cleaned thoroughly prior to new install.






- VINYL: Opaque Yellow Vinyl to match color shown
- GRAPHICS: Black digital print to surface of vinyl
- INSTALL: Install 1st Surface application to outside of glass panel
- QUANTITY: (1) ONE REQUIRED


COLOR PALETTE

Black

3M 7725-405
Opaque Yellow





Remove & Replace all existing door vinyls.
Glass cleaned thoroughly prior to new install.



TYPICAL PROPOSED ELEVATION

Scale: 1/2"=1'-0"



Remove & Replace all existing door vinyls.
Glass cleaned thoroughly prior to new install.

- VINYL:

3M Lo-Tac (ControlTac) Vinyl Digitally printed to match colors shown
NOTE: Decals will be installed locally, Lo-Tac film used so graphics can be re-positioned as needed
- INSTALL:

'No Firearms' Graphic: Install 1st Surface application to outside of glass panel
Vinyl Backer: Blank, same color as front, Install 2nd surface to inside of glass
- QUANTITY:

(1) ONE REQUIRED

COLOR PALETTE

Digitally printed by Miratec to match PMS 2387


Digitally printed by Miratec to match PMS 2748

Digitally printed by Miratec to match PMS 2925

Digitally printed by Miratec to match PMS 185





Black

3M ControlTac Opaque White



TYPICAL PROPOSED ELEVATION


Scale: 1/2"=1'-0"



- GRAPHICS:
- Die cut vinyl graphics as shown
- AUTO. DOOR:
- Standard Automatic Door Decal
- INSTALL:
- Install 1st Surface application to outside of glass panel
- QUANTITY:
- (2) TWO SETS REQUIRED

COLOR PALETTE

3M 7725-10 Opaque White



Stratus

onstratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
63

ORDER NUMBER:
1236932

SITE NUMBER:
2110


ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.




Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.

- VINYL:** Opaque Yellow Vinyl to match color shown
- GRAPHICS:** Black digital print to surface of vinyl
- INSTALL:** Install 1st Surface application to outside of glass panel
- QUANTITY:** (1) ONE REQUIRED

COLOR PALETTE

Black

3M 7725-405
Opaque Yellow



TYP. PROPOSED ELEVATION

Scale: 1/2"=1'-0"

Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
64

ORDER NUMBER:
1236932

SITE NUMBER:
2110



ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.




Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.

- VINYL:** 3M Lo-Tac (ControlTac) Vinyl Digitally printed to match colors shown
NOTE: Decals will be installed locally, Lo-Tac film used so graphics can be re-positioned as needed
- INSTALL:** **'No Firearms' Graphic:** Install 1st Surface application to outside of glass panel
Vinyl Backer: Blank, same color as front, Install 2nd surface to inside of glass
- QUANTITY:** (1) ONE REQUIRED

COLOR PALETTE

	Digitally printed by Miratec to match PMS 2387		Digitally printed by Miratec to match PMS 2748
	Digitally printed by Miratec to match PMS 2925		Digitally printed by Miratec to match PMS 185
	Black		3M ControlTac Opaque White



TYP. PROPOSED ELEVATION

Scale: 1/2"=1'-0"

Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
65

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

Signs were updated to the current HFH brand standards or removed during the temporary sign phase



Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
66

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR	Updated w/ more recent completion photos	Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

Existing graphics to remain as is



Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
67

ORDER NUMBER:
1236932

SITE NUMBER:
2110



ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\
2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.






- GRAPHICS:** Die cut vinyl graphics as shown
'EMERGENCY' Band to be 2 layers of trans vinyl, red over white, w/ opaque white copy
- AUTO. DOOR:** Standard Automatic Door Decal
- INSTALL:** Install 1st Surface application to outside of glass panel
- QUANTITY:** (2) TWO SETS REQUIRED


COLOR PALETTE

3M 7725-10 Opaque White


3M 3630-43 Red over 3M 3630-20 White



TYP. PROPOSED ELEVATION



Scale: 1/2"=1'-0"



Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.

Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
68

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS	
Rev 1	532600	05/22/25 BLAN	
Rev 2	537667	06/18/25 CR	
Rev 3	540328	07/08/25 AKS	
Rev 4	547241	08/13/25 AKS	
Rev 5	558776	10/15/25 CR	
Rev 6	559166	10/20/25 NS	

Rev #	Req #	Date/Artist	Description
Rev 7	563680	11/13/25 CR	
Rev 8	570868	12/30/25 CR	
Rev 9	570949	12/30/25 CR	

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.




- VINYL:** Opaque Yellow Vinyl to match color shown
- GRAPHICS:** Black digital print to surface of vinyl
- INSTALL:** Install 1st Surface application to outside of glass panel
- QUANTITY:** (1) ONE REQUIRED


COLOR PALETTE

Black

3M 7725-405
Opaque Yellow





Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.




TYP. PROPOSED ELEVATION

Scale: 1/2"=1'-0"



Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.

- VINYL:** 3M Lo-Tac (ControlTac) Vinyl Digitally printed to match colors shown
NOTE: Decals will be installed locally, Lo-Tac film used so graphics can be re-positioned as needed
- INSTALL:** **'No Firearms' Graphic:** Install 1st Surface application to outside of glass panel
Vinyl Backer: Blank, same color as front, Install 2nd surface to inside of glass
- QUANTITY:** (1) ONE REQUIRED



TYP. PROPOSED ELEVATION

Scale: 1/2"=1'-0"

COLOR PALETTE			
	Digitally printed by Miratec to match PMS 2387		Digitally printed by Miratec to match PMS 2748
	Digitally printed by Miratec to match PMS 2925		Digitally printed by Miratec to match PMS 185
	Black		3M ControlTac Opaque White

Existing graphics to remain as is



Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
71

ORDER NUMBER:
1236932

SITE NUMBER:
2110




ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\
2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.




- GRAPHICS: Die cut vinyl graphics as shown
- AUTO. DOOR: Standard Automatic Door Decal
- INSTALL: Install 1st Surface application to outside of glass panel
- QUANTITY: (1) ONE SET REQUIRED

COLOR PALETTE

3M 7725-10 Opaque White

LEAVE AS IS

Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.





- VINYL:** Opaque Yellow Vinyl to match color shown
- GRAPHICS:** Black digital print to surface of vinyl
- INSTALL:** Install 1st Surface application to outside of glass panel
- QUANTITY:** (1) ONE REQUIRED


COLOR PALETTE

Black

3M 7725-405
Opaque Yellow


LEAVE AS IS

Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.



TYPICAL PROPOSED ELEVATION

Scale: 1/2"=1'-0"



LEAVE AS IS

Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.

- VINYL:

3M Lo-Tac (ControlTac) Vinyl Digitally printed to match colors shown
*NOTE: Decals will be installed locally,
Lo-Tac film used so graphics can be re-positioned as needed*
- INSTALL:

'No Firearms' Graphic: Install 1st Surface application to outside of glass panel
Vinyl Backer: Blank, same color as front, Install 2nd surface to inside of glass
- QUANTITY:

(1) ONE REQUIRED

COLOR PALETTE

Digitally printed by Miratec to match PMS 2387


Digitally printed by Miratec to match PMS 2748

Digitally printed by Miratec to match PMS 2925

Digitally printed by Miratec to match PMS 185




Black

3M ControlTac Opaque White




TYPICAL PROPOSED ELEVATION

Scale: 1/2"=1'-0"




Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.



- GRAPHICS:** Die cut vinyl graphics as shown
- AUTO. DOOR:** Standard Automatic Door Decal
- INSTALL:** Install 1st Surface application to outside of glass panel
- QUANTITY:** (1) ONE SET REQUIRED

COLOR PALETTE

3M 7725-10 Opaque White





- VINYL:** Opaque Yellow Vinyl to match color shown
- GRAPHICS:** Black digital print to surface of vinyl
- INSTALL:** Install 1st Surface application to outside of glass panel
- QUANTITY:** (1) ONE REQUIRED


COLOR PALETTE

Black

3M 7725-405
Opaque Yellow





Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.



TYPICAL PROPOSED ELEVATION

Scale: 1/2"=1'-0"



Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.

- VINYL:** 3M Lo-Tac (ControlTac) Vinyl Digitally printed to match colors shown
NOTE: Decals will be installed locally, Lo-Tac film used so graphics can be re-positioned as needed
- INSTALL:** **'No Firearms' Graphic:** Install 1st Surface application to outside of glass panel
Vinyl Backer: Blank, same color as front, Install 2nd surface to inside of glass
- QUANTITY:** (1) ONE REQUIRED


COLOR PALETTE




Digitally printed by Miratec to match PMS 2387

Digitally printed by Miratec to match PMS 2748

Digitally printed by Miratec to match PMS 2925

Digitally printed by Miratec to match PMS 185



Black3M ControlTac Opaque White



- GRAPHICS: Die cut vinyl graphics as shown
- AUTO. DOOR: Standard Automatic Door Decal
- INSTALL: Install 1st Surface application to outside of glass panel
- QUANTITY: (1) ONE SET REQUIRED

COLOR PALETTE

3M 7725-10 Opaque White






- VINYL:** Opaque Yellow Vinyl to match color shown
- GRAPHICS:** Black digital print to surface of vinyl
- INSTALL:** Install 1st Surface application to outside of glass panel
- QUANTITY:** (1) ONE REQUIRED


COLOR PALETTE

Black

3M 7725-405
Opaque Yellow




Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.



TYPICAL PROPOSED ELEVATION

Scale: 1/2"=1'-0"



Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.

- VINYL:** 3M Lo-Tac (ControlTac) Vinyl Digitally printed to match colors shown
NOTE: Decals will be installed locally, Lo-Tac film used so graphics can be re-positioned as needed
- INSTALL:** **'No Firearms' Graphic:** Install 1st Surface application to outside of glass panel
Vinyl Backer: Blank, same color as front, Install 2nd surface to inside of glass
- QUANTITY:** (1) ONE REQUIRED


COLOR PALETTE

Digitally printed by Miratec to match PMS 2387

Digitally printed by Miratec to match PMS 2748




Digitally printed by Miratec to match PMS 2925

Digitally printed by Miratec to match PMS 185

Black3M ControlTac Opaque White

TYPICAL PROPOSED ELEVATION


Scale: 1/2"=1'-0"




- GRAPHICS: Die cut vinyl graphics as shown
- AUTO. DOOR: Standard Automatic Door Decal
- INSTALL: Install 1st Surface application to outside of glass panel
- QUANTITY: (1) ONE SET REQUIRED

COLOR PALETTE

3M 7725-10 Opaque White



Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.






- VINYL:** Opaque Yellow Vinyl to match color shown
- GRAPHICS:** Black digital print to surface of vinyl
- INSTALL:** Install 1st Surface application to outside of glass panel
- QUANTITY:** (1) ONE REQUIRED


COLOR PALETTE

Black

3M 7725-405
Opaque Yellow





Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.



TYPICAL PROPOSED ELEVATION

Scale: 1/2"=1'-0"



Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.

- VINYL:** 3M Lo-Tac (ControlTac) Vinyl Digitally printed to match colors shown
NOTE: Decals will be installed locally, Lo-Tac film used so graphics can be re-positioned as needed
- INSTALL:** **'No Firearms' Graphic:** Install 1st Surface application to outside of glass panel
Vinyl Backer: Blank, same color as front, Install 2nd surface to inside of glass
- QUANTITY:** (1) ONE REQUIRED


COLOR PALETTE



Digitally printed by Miratec to match PMS 2387

Digitally printed by Miratec to match PMS 2748


Digitally printed by Miratec to match PMS 2925

Digitally printed by Miratec to match PMS 185


Black3M ControlTac Opaque White



Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.




- GRAPHICS: Die cut vinyl graphics as shown
- AUTO. DOOR: Standard Automatic Door Decal
- INSTALL: Install 1st Surface application to outside of glass panel
- QUANTITY: (1) ONE SET REQUIRED



TYPICAL PROPOSED ELEVATION

C/L

Scale: 1/2"=1'-0"





- VINYL: Opaque Yellow Vinyl to match color shown
- GRAPHICS: Black digital print to surface of vinyl
- INSTALL: Install 1st Surface application to outside of glass panel
- QUANTITY: (1) ONE REQUIRED


COLOR PALETTE

Black

3M 7725-405
Opaque Yellow




Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.



TYPICAL PROPOSED ELEVATION

Scale: 1/2"=1'-0"



Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.

- VINYL:** 3M Lo-Tac (ControlTac) Vinyl Digitally printed to match colors shown
NOTE: Decals will be installed locally, Lo-Tac film used so graphics can be re-positioned as needed
- INSTALL:** **'No Firearms' Graphic:** Install 1st Surface application to outside of glass panel
Vinyl Backer: Blank, same color as front, Install 2nd surface to inside of glass
- QUANTITY:** (1) ONE REQUIRED

COLOR PALETTE

Digitally printed by Miratec to match PMS 2387


Digitally printed by Miratec to match PMS 2748

Digitally printed by Miratec to match PMS 2925

Digitally printed by Miratec to match PMS 185




Black

3M ControlTac Opaque White




TYPICAL PROPOSED ELEVATION

Scale: 1/2"=1'-0"




Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.



- GRAPHICS: Die cut vinyl graphics as shown
- AUTO. DOOR: Standard Automatic Door Decal
- INSTALL: Install 1st Surface application to outside of glass panel
- QUANTITY: (1) ONE SET REQUIRED

COLOR PALETTE

3M 7725-10 Opaque White





- VINYL: Opaque Yellow Vinyl to match color shown
- GRAPHICS: Black digital print to surface of vinyl
- INSTALL: Install 1st Surface application to outside of glass panel
- QUANTITY: (1) ONE REQUIRED


COLOR PALETTE

Black

3M 7725-405
Opaque Yellow




Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.



TYPICAL PROPOSED ELEVATION

Scale: 1/2"=1'-0"



Remove & Replace existing highlighted door vinyls.
Glass cleaned thoroughly prior to new install.

- VINYL:

3M Lo-Tac (ControlTac) Vinyl Digitally printed to match colors shown
*NOTE: Decals will be installed locally,
Lo-Tac film used so graphics can be re-positioned as needed*
- INSTALL:

'No Firearms' Graphic: Install 1st Surface application to outside of glass panel
Vinyl Backer: Blank, same color as front, Install 2nd surface to inside of glass
- QUANTITY:

(1) ONE REQUIRED

COLOR PALETTE

Digitally printed by Miratec to match PMS 2387


Digitally printed by Miratec to match PMS 2748

Digitally printed by Miratec to match PMS 2925

Digitally printed by Miratec to match PMS 185

Black

3M ControlTac Opaque White



TYPICAL PROPOSED ELEVATION

Scale: 1/2"=1'-0"

Sign was updated to the current HFH brand standards or removed during the temporary sign phase



Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
90

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR	Updated w/ more recent completion photos	Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

Existing sign to be removed; Gate to be patched & painted as required



Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
91

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

EXISTING SIGN SF:	1.3
PROPOSED SIGN SF:	2.1



Existing 1'-5" x 11" signage to be removed & replaced; Fill holes w/ matching caulking



- PANEL:** .125" Aluminum w/ 1/4" radius corners; painted HFH Dk. Blue, Semi-Gloss
- GRAPHICS:** Digitally printed by Miratec on to 3M ControlTac opaque white and applied first surface over entire face of sign. Overlam w/ 3M 3660m
- INSTALL:** Weld threaded studs to backside of panel; all penetrations to be filled w/ silicone adhesive
- QUANTITY:** (1) ONE SIGN REQUIRED


COLOR PALETTE

3M IJ-180 ControlTac
Opaque White w/
3M 3660 Overlam.

Matthews MP 74601
R 211027; Semi Gloss

Paint finish to be semi-gloss unless otherwise specified
All Vinyl Provided by miratec or printed to match MP colors

CENTER
w/ EXISTING



PROPOSED SIGNAGE

Scale: 1"=1'-0"

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS	Corrected number layout				
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

S/F REGULATORY POLE SIGN - SMOKE FREE

EXISTING CONDITIONS

EXISTING SIGN SF:	1.8
PROPOSED SIGN SF:	1

Existing 1'-2" x 1'-6" [4'-1" OAH] Tobacco Free Campus post & panels to be removed & replaced.



Stratus

onstratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
93

ORDER NUMBER:
1236932

SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr

PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

PRINTS ARE THE EXCLUSIVE PROPERTY OF STRATUS. THIS MATERIAL SHALL NOT BE USED, DUPLICATED, OR OTHERWISE REPRODUCED WITHOUT THE PRIOR WRITTEN CONSENT OF STRATUS.

E54

E55

E56

E57

E59

E60

E62

E63

E64



E65

S/F REGULATORY POLE SIGN - SMOKE FREE


Scale: 1-1/2"=1'-0"

REG-P4-SF

1 square feet



REAR VIEW PAINTING DETAIL



- PANEL:** .125" Aluminum w/ 1/4" radius on outbound corners; painted Yellow
- GRAPHICS:** Surface applied reflective vinyls to match colors shown
- POLE:** 2" x 2" Square Aluminum tube; Painted HFH Dk. Gray
- INSTALL:** Sign Panel & Pole Chem. Welded to 1-1/2" x 1-1/2" x .125" Alum. angle support as required;
Angle finish leg against sign face to be painted Yellow.
Angle finish leg against pole to be painted HFH Dk. Gray.
Pole to have alum. cap for tube and be Direct Burial into concrete footer;
Footer to match city and engineering requirements
- QUANTITY:** (10) TEN POLE MOUNTED SIGNS REQUIRED;
See previous page for locations

COLOR PALETTE

Pantone 109C
MP77322 R219548; Semi-Gloss

Matthews MP 18243
R 212556; Semi-Gloss

3M 680-85
Black Reflective

Paint finish to be semi-gloss unless otherwise specified

Stratus

onestratus.com
8959 Tyler Boulevard
Mentor, Ohio 44060
888.503.1569

CLIENT:
HENRY FORD HEALTH

ADDRESS:
1101 W UNIVERSITY DR
ROCHESTER, MI
48307-1863

PAGE NO.:
94

ORDER NUMBER:
1236932



SITE NUMBER:
2110

ELECTRONIC FILE NAME:
K:\ACCOUNTS\H\Henry Ford Health System\Locations\2025\MI\2110_Rochester\2110_Rochester_R9.cdr



PROJECT NUMBER:
89324

PROJECT MANAGER:
NATHAN FRAZIER

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					



REAR VIEW PAINTING DETAIL



Existing post & panel to be removed & replaced.

- PANEL:

.125" Aluminum w/ 1/4" radius on outbound corners; painted HFH DK. Blue & Yellow
- GRAPHICS:

Surface applied die cut reflective vinyls to match colors shown.
- POLE:

2" x 2" Square Aluminum tube; Painted HFH Dk. Gray
- INSTALL:

Sign Panel & Pole Chem. Welded to 1-1/2" x 1-1/2" x .125" Alum. angle support as required; Angle finish leg against sign face to be painted HFH Dk. Blue or Yellow to match panels, Angle finish leg against pole to be painted HFH Dk. Gray. Pole to have alum. cap for tube and be Direct Burial into concrete footer.
Footer to match city and engineering requirements
- QUANTITY:

(1) ONE SIGN REQUIRED

COLOR PALETTE			
	3M 680-10		3M 680-85
	White Reflective		Black Reflective
	Matthews MP 74601		Pantone 109C
	R 211027; Semi-Gloss		MP77322 R219548;
			Semi-Gloss
	Matthews MP18243		
	R 212556; Semi-Gloss		

Paint finish to be semi-gloss unless otherwise specified

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					

EXISTING SIGN SF:	1.5
PROPOSED SIGN SF:	1



- PANEL:

.125" Aluminum w/ 1/4" radius corners; painted w/ Semi Gloss yellow finish
- GRAPHICS:

Surface applied Die Cut Reflective vinyls to match colors shown.
- INSTALL:

Weld threaded studs to backside of panel;
all penetrations to be filled w/ silicone adhesive
- QUANTITY:

(1) ONE SIGN REQUIRED

COLOR PALETTE

Pantone 109C
MP77322 R219548; Semi-Gloss

3M 680-85
Black Reflective

Paint finish to be semi-gloss unless otherwise specified




Existing 1'-6" x 12" panel to be removed & replaced.
Fill holes w/ matching caulking



PROPOSED SIGNAGE
Scaled Proportionately

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					



Existing 1'-6" x 1'-0" signs to be removed & replaced.

- PANEL:

.125" Aluminum w/ 1/4" radius on outbound corners; painted HFH DK. Blue
- GRAPHICS:

Surface applied die cut reflective vinyls to match colors shown.
- POLE:

2" x 2" Square Aluminum tube; Painted HFH Dk. Gray
- INSTALL:

Sign Panel & Pole Chem. Welded to 1-1/2" x 1-1/2" x .125" Alum. angle support as required; Angle finish leg against sign face to be painted HFH Dk. Blue, Angle finish leg against pole to be painted HFH Dk. Gray. Pole to have alum. cap for tube and be Direct Burial into concrete footer; Footer to match city and engineering requirements
- QUANTITY:

(2) TWO SIGNS REQUIRED

COLOR PALETTE

3M 680-10
White Reflective

Matthews MP 74601
R 211027; Semi-Gloss

Matthews MP18243
R 212556; Semi-Gloss

Paint finish to be semi-gloss unless otherwise specified

Rev #	Req #	Date/Artist	Description	Rev #	Req #	Date/Artist	Description
Original	529811	05/13/25 NS		Rev 7	563680	11/13/25 CR	
Rev 1	532600	05/22/25 BLAN		Rev 8	570868	12/30/25 CR	
Rev 2	537667	06/18/25 CR		Rev 9	570949	12/30/25 CR	
Rev 3	540328	07/08/25 AKS					
Rev 4	547241	08/13/25 AKS					
Rev 5	558776	10/15/25 CR					
Rev 6	559166	10/20/25 NS					